



**PRESS *ctl + f* FOR QUICK SEARCH**

A...
AA Auto Answer
AAB All-to-All Broadcast
AAL Asynchronous Transfer Mode Adaption Layer
AAP Applications Access Point [DEC]
AAS All-to-All Scatter
AASP ASCII Asynchronous Support Package
AAT Average Access Time
ABC * Atanasoff-Berry Computer (First digital calculating machine that used vacuum tubes)
ABEND Abnormal End
ABI Application Binary Interface
ABIOS Advanced BIOS
ABIST Automatic Built-In Self-Test [IBM]
ABLE Adaptive Battery Life Extender
ABR Available Bit Rate
ABRS Automated Book Request System [British Library]
ABS Address Book Synchronization [IBM] + Absolute
ABT Abort
ABTS ASCII Block Terminal Services
AC Autocheck + Automatic Computer + Alternating Current
ACAP Application Configuration Access Protocol
ACC Accumulator
ACD Automatic Call Distribution
ACDI Asynchronous Communications Device Interface
ACE Access Control Entry + Advanced Computing Environment [SCO] + Adverse Channel Enhancements [Microcom] + * Automatic Computing Engine
ACF Access Control Field + Advanced Communications Function
ACH Automated Clearing House
ACIAS Automated Calibration Interval Analysis System
ACIS American Committee for Interoperable Systems
ACK Acknowledgment
ACL Access Control List
ACM Association for Computing Machinery / Audio Compression Manager [Microsoft]
ACMS Application Control Management System
ACP Ancillary Control Program + Auxilary Control Process
ACPI Advanced Configuration and Power Interface
ACR Allowed Cell Rate

<b>ACROSS</b>	<b>Automated Cargo Release and Operations Service System</b>
<b>ACS</b>	<b>Access + Access Control Set + Access Control System +</b>
<b>* Advanced Computer System [IBM]</b>	<b>+ Asynchronous Communication Server</b>
<b>ACTS</b>	<b>Automated Computer Time Service</b>
<b>ACTT</b>	<b>Advanced Communication and Timekeeping Technology [Seiko]</b>
<b>ACU</b>	<b>Automatic Calling Unit</b>
<b>A/D</b>	<b>Analog to Digital</b>
<b>ADA</b>	<b>Automatic Data Acquisitions + Programming Language named after Augusta Ada Lovelace)</b>
<b>ADB</b>	<b>Apple Desktop Bus</b>
<b>ADC</b>	<b>Adaptive Data Compression (protocol) [Hayes] + Add with Carry + Analog to Digital Converter</b>
<b>ADCCP</b>	<b>Advanced Data Communication Control Procedures</b>
<b>ADD</b>	<b>Automatic Document Detection [WordPerfect]</b>
<b>ADF</b>	<b>Automatic Document Feeder + Automatically Defined Function</b>
<b>.ADF</b>	<b>Adapter Description File (file name extension)</b>
<b>ADI</b>	<b>AutoCad/AutoDesk Device Interface (driver)</b>
<b>ADL</b>	<b>Address Data Latch</b>
<b>ADLAT</b>	<b>Adaptive Lattice Filter</b>
<b>ADLC</b>	<b>Adaptive Lossless Data Compression [IBM] + Asynchronous Data Link Control</b>
<b>ADMACS</b>	<b>Apple Document Management And Control System</b>
<b>ADMD</b>	<b>Administrative Management Domain [X.400]</b>
<b>.ADN</b>	<b>Add In Utility (file name extension) [Lotus 1-2-3] [LDC]</b>
<b>ADO</b>	<b>Active Data Objects</b>
<b>ADP</b>	<b>Automatic Data Processing</b>
<b>ADPCM</b>	<b>Adaptive Differential Pulse Code Modulation</b>
<b>ADR</b>	<b>Address</b>
<b>ADS</b>	<b>Application Development Solutions [AT&amp;T] + Application Development System + Automatic Distribution System</b>
<b>ADSC</b>	<b>Address Status Changed +</b>
<b>Adobe Document Structuring Conventions</b>	
<b>ADSI</b>	<b>Analog Display Services Interface</b>
<b>ADSL</b>	<b>Asymmetric Digital Subscriber Line</b>
<b>ADSP</b>	<b>Apple Datastream Protocol</b>
<b>ADSR</b>	<b>Attack, Decay, Sustain, Release</b>
<b>ADT</b>	<b>Abstract Data Type + Application Data Types</b>
<b>ADU</b>	<b>Automatic Dialing Unit</b>
<b>AE</b>	<b>Above or Equal</b>
<b>AEB</b>	<b>Analog Expansion Bus [Dialogic]</b>
<b>AEC</b>	<b>Architecture, Engineering, Construction</b>
<b>AESA</b>	<b>ATM End System Address</b>
<b>AF</b>	<b>Auxiliary carry Flag</b>
<b>AFA</b>	<b>Accelerated File Access</b>
<b>AFC</b>	<b>Automatic Font Change + Automatic Frequency Control</b>
<b>AFD</b>	<b>Automatic File Distribution</b>
<b>AFDW</b>	<b>Active Framework for Data Warehousing [Microsoft]</b>
<b>AFI</b>	<b>Authority and Format Identifier</b>
<b>AFII</b>	<b>Association for Font Information Interchange</b>
<b>AFIRM</b>	<b>Automated Fingerprint Image Reporting and Match</b>

<b>AFIS</b>	<b>Automated Fingerprint Identification System</b>
<b>.AFM</b>	<b>Adobe Font Metrics (file name extension) [Adobe Systems]</b>
<b>AFP</b>	<b>Advanced Function Presentation [IBM] + Appletalk Filing Protocol [Macintosh]</b>
<b>AFS</b>	<b>Andrew File System (protocols)</b>
<b>AFTP</b>	<b>Anonymous File Transfer Protocol</b>
<b>AGA</b>	<b>Advanced Graphics Adapter</b>
<b>AGC</b>	<b>Automatic Gain Control</b>
<b>AGP</b>	<b>Accelerated/Advanced Graphics Port</b>
<b>AGRAS</b>	<b>Antiglare-Antireflective-Antistatic</b>
<b>AGU</b>	<b>Address-Generation Unit</b>
<b>AHS</b>	<b>Automated Highway Systems</b>
<b>AI</b>	<b>Analog Input + Artificial Intelligence</b>
<b>AIA</b>	<b>Applications Integration Architecture [DEC]</b>
<b>AIC</b>	<b>AIXwindows Interface Composer [IBM]</b>
<b>AIF</b>	<b>Audio Interchange Format</b>
<b>AIIM</b>	<b>Association for Information and Image Management</b>
<b>AIN</b>	<b>Advanced Intelligent Network [Bell Atlantic]</b>
<b>AIS</b>	<b>Automated Identification System [NCIC]</b>
<b>AISB</b>	<b>Association of Imaging Service Bureaus</b>
<b>AISP</b>	<b>Association of Information Systems Professionals</b>
<b>AIT</b>	<b>Advanced Intelligent Tape (drive) [Sony]</b>
<b>AIX</b>	<b>Advanced Interactive Executive [IBM]</b>
<b>ALC</b>	<b>Arithmetic and Logic Circuits + Automatic Level Control</b>
<b>ALE</b>	<b>Address Latch Enable + Application Linking and Embedding</b>
<b>ALGOL</b>	<b>Algorithmic Oriented Language (see IAL)</b>
<b>ALIBI</b>	<b>Adaptive Location of Internetworked Bases of Information</b>
<b>ALINK</b>	<b>Active Link [HTML]</b>
<b>ALIWEB</b>	<b>Archie Like Indexing in the Web [Internet]</b>
<b>ALN</b>	<b>Asynchronous Learning Network</b>
<b>ALR</b>	<b>Advanced Logic Research, Inc.</b>
<b>ALT</b>	<b>Alternate (mode)</b>
<b>ALT.</b>	<b>Alternate lifestyle [USENET Newsgroup Category]</b>
<b>ALU</b>	<b>Arithmetic Logic Unit</b>
<b>AMA</b>	<b>Automatic Message Accounting</b>
<b>AMANDDA</b>	<b>Automated Messaging and Directory Assistance</b>
<b>AMD</b>	<b>Active Matrix Display + Advanced Micro Devices, Inc.</b>
<b>AMI</b>	<b>American Megatrends, Inc.</b>
<b>AMMA</b>	<b>Advanced Memory Management Architecture [Everex Systems]</b>
<b>AMPS</b>	<b>Advanced Mobile Phone Service</b>
<b>ANCOVA</b>	<b>Analysis of Covariance</b>
<b>ANDF</b>	<b>Architecture-Neutral Distribution Format</b>
<b>ANI</b>	<b>Automatic Number Identification</b>
<b>.ANI</b>	<b>Animated Cursor (file name extension) [Microsoft]</b>
<b>ANN</b>	<b>Artificial Neural Network</b>
<b>.ANN</b>	<b>Annotations (file name extension) [IBM]</b>
<b>ANOVA</b>	<b>Analysis Of Variance</b>
<b>ANSI</b>	<b>American National Standards Institute</b>
<b>ANX</b>	<b>Automotive Network Exchange [Chrysler/Ford/General Motors]</b>

<b>AO</b>	<b>Analog Output</b>
<b>AOCE</b>	<b>Apple Open Collaboration Environment</b>
<b>AO/DI</b>	<b>Always On/Dynamic ISDN</b>
<b>AOE</b>	<b>Application Operating Environment [AT&amp;T]</b>
<b>AOL</b>	<b>America Online</b>
<b>AOS</b>	<b>Add Or Subtract</b>
<b>AP</b>	<b>Adjunct Processor + Application Processor</b>
<b>A/P</b>	<b>Accounts Payable</b>
<b>APA</b>	<b>Adaptive Packet Assembly + All Points Addressable + Arithmetic Processing Accelerator</b>
<b>APAR</b>	<b>Authorized Program Analysis Report [IBM]</b>
<b>APAREN</b>	<b>Address Parity Enable [IBM]</b>
<b>APCUG</b>	<b>Association of PC User Groups</b>
<b>API</b>	<b>Application Program Interface</b>
<b>APIC</b>	<b>Advanced Programmable Interrupt Controller (bus) [Intel]</b>
<b>APIS</b>	<b>Advanced Passenger Information System</b>
<b>APL</b>	<b>* A Programming Language (Mathematics)</b>
<b>APM</b>	<b>Advanced Power Management [IBM]</b>
<b>APNIC</b>	<b>Asia-Pacific Network Information Center [Internet]</b>
<b>APOP</b>	<b>Authenticated Post Office Protocol</b>
<b>.APP</b>	<b>Application (file name extension) [R:Base]</b>
<b>APPC</b>	<b>Advanced Program-to-Program Communications [IBM]</b>
<b>APPI</b>	<b>Advanced Peer-to-Peer Internetworking</b>
<b>APPLETS</b>	<b>Applications</b>
<b>APPN</b>	<b>Advanced Peer-to-Peer Networking [IBM]</b>
<b>APPS</b>	<b>Applications</b>
<b>APRP</b>	<b>Adaptive Pattern Recognition Processing</b>
<b>APS</b>	<b>Advanced Photo System + Advanced Printing Service [IBM] Asynchronous Protocol Specification</b>
<b>APSE</b>	<b>ADA Programming Support Environment</b>
<b>APT</b>	<b>Address Pass Through + Advanced Parallel Technology + Automatically Programmed Tools</b>
<b>A/R</b>	<b>Accounts Receivable</b>
<b>ARA</b>	<b>AppleTalk Remote Access</b>
<b>ARAG</b>	<b>Antireflective-Antiglare</b>
<b>ARAS</b>	<b>Antireflective-Antistatic</b>
<b>.ARC</b>	<b>Archive (file name extension)</b>
<b>ARCA</b>	<b>Advanced RISC Computing Architecture</b>
<b>ARCnet</b>	<b>Attached Resource Computer Network</b>
<b>.ARJ</b>	<b>Compressed File (file name extension) [Jung]</b>
<b>ARL</b>	<b>Adjusted Ring Length</b>
<b>ARLL</b>	<b>Advanced Run Length Limited</b>
<b>ARM</b>	<b>Advanced RISC Machine (processor) + Annotated Reference Manual + Asynchronous Response Mode</b>
<b>ARMA</b>	<b>Association of Records Managers and Administrators</b>
<b>ARP</b>	<b>Address Resolution Protocol [Novell]</b>
<b>ARPANET</b>	<b>Advanced Research Projects Agency Network</b>
<b>ARPL</b>	<b>Adjust Requested Privilege Level</b>
<b>ARTA</b>	<b>Apple Real Time Architecture</b>
<b>ARTIC</b>	<b>A Real-Time Interface Coprocessor [IBM]</b>

<b>ARTS</b>	<b>Asynchronous Remote Takeover Server</b>
<b>.ARTS</b>	<b>Cultural Groups (Domain Name) [Internet]</b>
<b>ARTT</b>	<b>Asynchronous Remote Takeover Terminal</b>
<b>ARQ</b>	<b>Automatic Repeat Request</b>
<b>ARU</b>	<b>Audio Response Unit</b>
<b>AS</b>	<b>Autonomous System [Internet]</b>
<b>ASAI</b>	<b>Adjunct Switch Application Interface [AT&amp;T]</b>
<b>ASAP</b>	<b>As Soon As Possible +</b>
<b>Automatic Switching And Processing</b>	
<b>AS3AP</b>	<b>ANSI SQL Standard Scalable and Portable</b>
<b>.ASC</b>	<b>ASCII text (file name extension)</b>
<b>ASCC</b>	<b>* Automatic Sequence Controlled Calculator [IBM]</b>
<b>ASCII</b>	<b>American Standard Code for Information Interchange</b>
<b>ASF</b>	<b>Active Streaming Format [Microsoft]</b>
<b>ASIC</b>	<b>Application-Specific Integrated Circuit</b>
<b>ASIT</b>	<b>Advanced Security and Identification Technology</b>
<b>ASL</b>	<b>Adaptive Speed Levelling</b>
<b>ASLM</b>	<b>Apple Shared Library Manager [Macintosh]</b>
<b>.ASM</b>	<b>Assembler Source Language (file name extension)</b>
<b>ASMP</b>	<b>Asymmetric Multiprocessing</b>
<b>ASN</b>	<b>Abstract Syntax Notation + Autonomous System Number</b>
<b>ASO</b>	<b>Automated Systems Operations</b>
<b>ASP</b>	<b>Active Server Page [Microsoft] + Authorized Service Provider + Association of Shareware Professionals</b>
<b>.ASP</b>	<b>Active Server Page (file name extension)</b>
<b>ASPI</b>	<b>Advanced SCSI Programming Interface [Adaptec]</b>
<b>ASPS</b>	<b>Advanced Signal Processing System</b>
<b>ASR</b>	<b>Address Space Register + Automatic Send-Receive + Automatic Speech Recognition</b>
<b>AST</b>	<b>AST Research, Inc. (named from first initials of the founders: Albert Wong, Safi Qureshey, Thomas Yuen)</b>
<b>AS/U</b>	<b>Advanced Server for Unix</b>
<b>ASYNC</b>	<b>Asynchronous</b>
<b>AS/400</b>	<b>Application System/400 [IBM]</b>
<b>AT</b>	<b>Advanced Technology + Attention</b>
<b>ATAPI</b>	<b>Advanced Technology Attachment Packet Interface</b>
<b>ATDP</b>	<b>Attention Dial Pulse</b>
<b>ATDT</b>	<b>Attention Dial Tone</b>
<b>ATE</b>	<b>Automated Test Equipment</b>
<b>ATG</b>	<b>Advanced Technology Group</b>
<b>ATH</b>	<b>Attention Hang-Up (Modem command)</b>
<b>ATL</b>	<b>Active Template Library</b>
<b>ATM</b>	<b>Adobe Typeface Manager + Asynchronous Transfer Mode + Automated Teller Machine</b>
<b>ATPS</b>	<b>AppleTalk Printing Services [Macintosh]</b>
<b>ATR</b>	<b>Automatic Terminal Recognition</b>
<b>ATS</b>	<b>Administrative Terminal System +</b>
<b>Apple Terminal Services</b>	
<b>AT&amp;T</b>	<b>American Telephone and Telegraph</b>
<b>ATTN</b>	<b>Attention</b>

<b>ATTRIB</b>	<b>Attribute (also ATR)</b>
<b>ATX</b>	<b>Advanced Technology Extended [Intel]</b>
<b>ATZ</b>	<b>Attention Restore configuration profile from nonvolatile RAM (Modem command)</b>
<b>.AU</b>	<b>Audio (file name extension)</b>
<b>AUDIT</b>	<b>Automated Data Input Terminal</b>
<b>AUI</b>	<b>Attachment/Autonomous Unit Interface</b>
<b>AUP</b>	<b>Acceptable Use Policy [Internet]</b>
<b>AUTO</b>	<b>Automatic</b>
<b>AUTOEXEC</b>	<b>Automatic Execution</b>
<b>AUX</b>	<b>Auxiliary + (First Serial Port)</b>
<b>AV</b>	<b>Audio/Video + Audiovisual + Authenticity Verification</b>
<b>AVA</b>	<b>Audio Visual Authoring [IBM]</b>
<b>AVC</b>	<b>Audio Visual Connection [IBM]</b>
<b>AVD</b>	<b>Alternating Voice and Data</b>
<b>AVG</b>	<b>Average</b>
<b>AVI</b>	<b>Audio Visual Interleave [Microsoft]</b>
<b>AVR</b>	<b>Automatic Voice Recognition</b>
<b>AVT</b>	<b>Applied Voice Technology</b>
<b>AWE</b>	<b>Advanced Wave Effects [Creative Lab]</b>
<b>AWG</b>	<b>American Wire Gage</b>
<b>AWK</b>	<b>(Unix language named after its authors...Al Aho, Peter Weinberger and Brian Kernighan)</b>
<b>AWS</b>	<b>Advanced Workstations and Systems (group) [IBM]</b>
<b>AWT</b>	<b>Abstract Window Toolkit [Java]</b>
<b>AX</b>	<b>Architecture Extended + Automatic Transmission</b>
<b>B...</b>	
<b>BACP</b>	<b>Bandwidth Allocation Control Protocol</b>
<b>BAK</b>	<b>Binary Adaptation Kit [Microsoft]</b>
<b>.BAK</b>	<b>Backup (file name extension)</b>
<b>BAL</b>	<b>Basic Assembly Language</b>
<b>BALUN</b>	<b>Balanced Unbalanced (device)</b>
<b>BAM</b>	<b>Boyan Action Module</b>
<b>BARTS</b>	<b>Bell Atlantic Regional Timesharing</b>
<b>.BAS</b>	<b>Basic Language (file name extension)</b>
<b>BASH</b>	<b>Bourne Again Shell [Unix]</b>
<b>BASIC</b>	<b>Beginner's All-purpose Symbolic Instruction Code</b>
<b>BASM</b>	<b>Built-In Assembler</b>
<b>BAT</b>	<b>Block Address Translation</b>
<b>.BAT</b>	<b>Batch Processing (file name extension)</b>
<b>BBS</b>	<b>Bulletin Board System</b>
<b>BCC</b>	<b>Block Check Character</b>
<b>BCC:</b>	<b>Blind Carbon Copy</b>
<b>BCD</b>	<b>Binary Coded Decimal</b>
<b>B-CHANNEL</b>	<b>Bearer Channel</b>
<b>BCL</b>	<b>Batch Command Language</b>
<b>BCN</b>	<b>Beacon</b>
<b>BCP</b>	<b>Best Current Practice + Bulk Copy Program</b>



<b>BCPL</b>	<b>Basic Computer Programming Language</b>
<b>BCR</b>	<b>Byte Count Register</b>
<b>BCS</b>	<b>Bar Code Sorter</b>
<b>BDA</b>	<b>Bios Data Area</b>
<b>BDC</b>	<b>Backup Domain Controller</b>
<b>BDE</b>	<b>Borland Database Engine [Borland]</b>
<b>BDLS</b>	<b>Bidirectional Loop Switching</b>
<b>BDOS</b>	<b>Basic Disk Operating System</b>
<b>BDR</b>	<b>Bus Device Request</b>
<b>BDSL</b>	<b>Broadband ADSL</b>
<b>BE</b>	<b>Below or Equal</b>
<b>BECN</b>	<b>Backward Explicit Congestion Notification</b>
<b>BEDO</b>	<b>Burst Extended Data Out</b>
<b>BEL</b>	<b>Bell</b>
<b>BELLCORE</b>	<b>Bell Communications Research</b>
<b>BER</b>	<b>Basic Encoding Rules + Bit Error Rate</b>
<b>BERT</b>	<b>Bit Error Rate Test/Tester</b>
<b>BF</b>	<b>Bad Flag</b>
<b>B/F</b>	<b>Background/Foreground</b>
<b>BFF</b>	<b>Binary File Format [IBM]</b>
<b>BFT</b>	<b>Binary File Transfer</b>
<b>BFTP</b>	<b>Batch FTP</b>
<b>BGA</b>	<b>Ball Grid Array</b>
<b>BGCOLOR</b>	<b>Background Color [HTML]</b>
<b>BGE</b>	<b>Branch if Greater or Equal</b>
<b>.BGI</b>	<b>Borland Graphic Interface (file name extension)</b>
<b>BGP</b>	<b>Border Gateway Protocol</b>
<b>BGT</b>	<b>Branch if Greater Than</b>
<b>BHI</b>	<b>Branch if Higher</b>
<b>BHIS</b>	<b>Branch if Higher or Same</b>
<b>BI</b>	<b>Binary Input</b>
<b>.BIB</b>	<b>Bibliography (file name extension)</b>
<b>BiDi</b>	<b>Bi-Directional</b>
<b>BIFET</b>	<b>Bipolar Field Effect Transistor</b>
<b>BIFF</b>	<b>Binary Interchange File Format</b>
<b>BIM</b>	<b>Beginning of Information Marker</b>
<b>.BIN</b>	<b>Binary (file name extension)</b>
<b>BINAC</b>	<b>* Binary Automatic Computer</b>
<b>BIND</b>	<b>Berkeley Internet Name Domain</b>
<b>BINHEX</b>	<b>Binary Hexadecimal</b>
<b>BIOS</b>	<b>Basic Input/Output System</b>
<b>BIS</b>	<b>Business Information System</b>
<b>BISDN</b>	<b>Broadband Integrated Services Digital Network</b>
<b>BIST</b>	<b>Built-In Self-Test</b>
<b>BiSYNC</b>	<b>(See BSYNC)</b>
<b>BIT</b>	<b>Binary Digit</b>
<b>BITNET</b>	<b>Because It's Time Network</b>
<b>BITNIC</b>	<b>Bitnet Network Information Center</b>

<b>BIU</b>	<b>Bus Interface Unit</b>
<b>BIX</b>	<b>Byte Information Exchange (BBS)</b>
<b>BIZ.</b>	<b>Business [USENET Newsgroup Category]</b>
<b>.BK!</b>	<b>Backup (file name extension) [WordPerfect]</b>
<b>.B~K</b>	<b>Backup (file name extension)</b>
<b>BKSP</b>	<b>Backspace</b>
<b>BL</b>	<b>Backlit + Bit Line</b>
<b>BLAST</b>	<b>Blocked Asynchronous Transmission (protocol) [Communications Research Group]</b>
<b>.BLD</b>	<b>BASIC Bload Graphics (file name extension)</b>
<b>BLE</b>	<b>Branch if Less or Equal</b>
<b>BLER</b>	<b>Block Error</b>
<b>BLK</b>	<b>Block</b>
<b>BLMC</b>	<b>Buried Logic Macrocell</b>
<b>BLOB</b>	<b>Binary Large Object</b>
<b>BLOS</b>	<b>Branch if Lower Or Same</b>
<b>BMI</b>	<b>Branch if Minus</b>
<b>BMIC</b>	<b>BusMaster Interface Controller [Intel]</b>
<b>BMP</b>	<b>Basic Mapping Support + Batch Message Processing Program</b>
<b>.BMP</b>	<b>Bitmap (file name extension) [Paintbrush Format]</b>
<b>BNC</b>	<b>Bayonet Neill-Concelman (connector used with coaxial cable invented by Mr. Neill-Concelman)</b>
<b>BNE</b>	<b>Branch if Not Equal</b>
<b>BNF</b>	<b>Backus-Naur Form (also Backus-Normal Form) [developed by John Backus and Peter Naur]</b>
<b>BNS</b>	<b>Backbone Network Service</b>
<b>BO</b>	<b>Binary Output</b>
<b>BoB</b>	<b>Break-out Box</b>
<b>BOC</b>	<b>Basic Operator Console</b>
<b>BOF</b>	<b>Beginning Of File</b>
<b>BOM</b>	<b>Beginning Of Message</b>
<b>BOND</b>	<b>Bandwidth On Demand</b>
<b>BOOTP</b>	<b>Bootstrap Protocol [Internet]</b>
<b>BOPS</b>	<b>Billion Operations Per Second</b>
<b>BORPQU</b>	<b>Borland Pro Quattro</b>
<b>BORQU</b>	<b>Borland Quattro</b>
<b>BOS</b>	<b>Basic Operating System</b>
<b>BOT</b>	<b>Beginning Of Table + Beginning of Tape + Robot</b>
<b>BP</b>	<b>Base Pointer</b>
<b>BPB</b>	<b>BIOS Parameter Block</b>
<b>BPDU</b>	<b>Bridge Protocol Data Unit</b>
<b>BPI</b>	<b>Bits Per Inch</b>
<b>BPL</b>	<b>Branch if Plus</b>
<b>BPS</b>	<b>Bits Per Second + Bytes Per Second</b>
<b>BR</b>	<b>Bad Register</b>
<b>BRGC</b>	<b>Binary Reflected Gray Code</b>
<b>BRI</b>	<b>Basic Rate Interface + Brain Response Interface</b>
<b>BS</b>	<b>Backspace</b>
<b>BSAM</b>	<b>Basic Sequential Access Method</b>



<b>BSC</b>	<b>Binary Synchronous Communication</b>
<b>.BSC</b>	<b>Boyan Script (file name extension) [Boyan Communications]</b>
<b>BSCS</b>	<b>Bachelor of Science (Degree) in Computer Science</b>
<b>BSD</b>	<b>Berkely Software/Standard Distribution</b>
<b>BSF</b>	<b>Bit Scan Forward</b>
<b>BSI</b>	<b>British Standards Institute</b>
<b>BSP</b>	<b>Bulk Synchronous Parallelism</b>
<b>BSR</b>	<b>Bit Scan Reverse</b>
<b>BSS</b>	<b>Block Started by Symbol</b>
<b>BSV</b>	<b>BASIC Bsave Graphics (file name extension)</b>
<b>BSY</b>	<b>Busy</b>
<b>BSYNC</b>	<b>Binary Synchronous Communications (protocol)</b>
<b>BT</b>	<b>Bit Test</b>
<b>BTAM</b>	<b>Basic Telecommunications Access Method [IBM]</b>
<b>BTB</b>	<b>Branch Target Buffer</b>
<b>BTC</b>	<b>Bit Test and Complement</b>
<b>BTOA</b>	<b>Binary To ASCII</b>
<b>BTP</b>	<b>Batch Transfer Program</b>
<b>BTR</b>	<b>Bit Test and Reset</b>
<b>BTS</b>	<b>Bit Test and Set</b>
<b>BU</b>	<b>Branch Unit</b>
<b>BUBL</b>	<b>Bulletin Board for Libraries [Janet]</b>
<b>BUF</b>	<b>Buffer</b>
<b>BUS</b>	<b>Broadcast and Unknown Server</b>
<b>BVH</b>	<b>Base Video Handler</b>
<b>BWM</b>	<b>Block-Write Mode</b>
<b>B2X</b>	<b>Binary To Hexadecimal [REXX]</b>
<b>BYTE</b>	<b>Binary Element String</b>
<b>C...</b>	
<b>C</b>	<b>C Programming Language</b>
<b>.C</b>	<b>C source code (file name extension) [C]</b>
<b>CA</b>	<b>Collision Avoidance</b>
<b>.CAB</b>	<b>Cabinet (file name extension) [Microsoft]</b>
<b>CAD</b>	<b>Computer Aided Design</b>
<b>CADD</b>	<b>Computer Aided Design and Drafting</b>
<b>CADE</b>	<b>Client/server Application Development Environment</b>
<b>CAE</b>	<b>Client Application Enabler + Common Applications Environment + Computer Aided Engineering</b>
<b>CAEX</b>	<b>Computer Aided Exploration</b>
<b>CAG</b>	<b>Column Address Generator</b>
<b>CAI</b>	<b>Computer Aided Instruction</b>
<b>CAIRN</b>	<b>Collaborative Advanced Interagency Research Network</b>
<b>CAL</b>	<b>Calendar + Computer Aided Learning</b>
<b>CALS</b>	<b>Computer-Aided Acquisition in Logistic Support</b>
<b>CAM</b>	<b>Common Access Method + Computer Aided Manufacturing + Contents Addressable Memory</b>

<b>CAN</b>	<b>Cancel</b>
<b>CAP</b>	<b>Carrierless Amplitude and Phase-Modulation + Central Arbitration Point + Communication Application Platform + Competitive Access Provider + Computer Aided Publishing</b>
<b>.CAP</b>	<b>Capture (file name extension)</b>
<b>CAPD</b>	<b>Computing To Assist Persons With Disabilities [Johns Hopkins University]</b>
<b>CAPE</b>	<b>Concurrent Art-to-Product Environment</b>
<b>CAPS</b>	<b>Capitals (Upper Case Letters) + Cassette Programming System</b>
<b>CARL</b>	<b>Colorado Alliance of Research Libraries [Internet]</b>
<b>CAS</b>	<b>Column Address Select + Communications Application Specification + Computer Aided Styling</b>
<b>CASE</b>	<b>Computer Aided Software Engineering</b>
<b>CASL</b>	<b>Crosstalk Application Scripting Language [DCA]</b>
<b>CASS</b>	<b>Computer Assisted Search Service</b>
<b>CASSIS</b>	<b>Classified and Search Support Information System</b>
<b>CAT</b>	<b>Computer Adaptive Test + Computer Aided Testing + Computer Aided Tomography + Computer Aided Transcription + Concatenate</b>
<b>.CAT</b>	<b>Catalog (file name extension)</b>
<b>CATS</b>	<b>Computer Assisted Training System</b>
<b>CAT SCAN</b>	<b>ComComputerized Axial Tomography Scan</b>
<b>CATV</b>	<b>Community Antenna Television (this was the original name for what is now known as Cable TV)</b>
<b>CAU</b>	<b>Controlled Access Unit</b>
<b>CAV</b>	<b>Constant Angular Velocity</b>
<b>CBC</b>	<b>Cipher Block Chaining</b>
<b>CBCR</b>	<b>Channel Byte Count Register</b>
<b>CBDS</b>	<b>Connectionless Broadband Data Service</b>
<b>CBEMA</b>	<b>Computer and Business Equipment Manufacturers Association</b>
<b>CBGA</b>	<b>Ceramic Ball Grid Array</b>
<b>CBI</b>	<b>Computer Based Instruction\Instrumentation</b>
<b>CBL</b>	<b>Computer Based Learning</b>
<b>.CBL</b>	<b>COBOL source code (file name extension)</b>
<b>CBMS</b>	<b>Computer-Based Mail System</b>
<b>CBR</b>	<b>Case Based Reasoning + Constant Bit Rate</b>
<b>CBT</b>	<b>Computer Based Training</b>
<b>CBW</b>	<b>Convert Byte to Word</b>
<b>CBX</b>	<b>Computer-Controlled Branch Exchange</b>
<b>CC</b>	<b>Cluster Controller</b>
<b>CC:</b>	<b>Carbon Copy</b>
<b>CCD</b>	<b>Charged-Coupled Device</b>
<b>CCFT</b>	<b>Cold Cathode Fluorescent Tube</b>
<b>CCI</b>	<b>Common Client Interface</b>
<b>CCITT</b>	<b>Comite Consultatif International Telegraphique et Telephonique/ Consultative Committee for International Telegraph and Telephone</b>
<b>CCL</b>	<b>Connection/Cursor Control Language</b>
<b>CCP</b>	<b>Console Command Processor</b>
<b>CCS</b>	<b>Common Command Set + Common Communications Services + Common Communications Support + Continuous Composite Servo</b>
<b>.CCS</b>	<b>Color Calibration System (file name extension)</b>

<b>CCSD</b>	<b>Cellular Circuit-Switched Data</b>
<b>CD</b>	<b>Carrier Detect + Change Directory + Collision Detection + Color Display + Compact Disk</b>
<b>C/D</b>	<b>Control Data</b>
<b>C2D</b>	<b>Character To Decimal [REXX]</b>
<b>CDA</b>	<b>Compound Document Architecture [DEC]</b>
<b>CDC</b>	<b>Control Data Corporation</b>
<b>CD_CHRDY</b>	<b>Card Channel Ready [IBM]</b>
<b>CD-DA</b>	<b>Compact Disk -Digital Audio</b>
<b>CDDI</b>	<b>Copper Distributed Data Interface</b>
<b>CDE</b>	<b>Common Desktop Environment + Complex Data Entry</b>
<b>CD-E</b>	<b>Compact Disk - Erasable</b>
<b>CDF</b>	<b>Channel Definition Format</b>
<b>.CDF</b>	<b>Comma Delimited Format (file name extension)</b>
<b>CDFS</b>	<b>Compact Disc File System [Microsoft]</b>
<b>CD+G</b>	<b>Compact Disk plus Graphics</b>
<b>CD-I</b>	<b>Compact Disk - Interactive</b>
<b>CDIA</b>	<b>Certified Document Imaging Architect</b>
<b>CDL</b>	<b>Computer Design Language</b>
<b>CDMA</b>	<b>Code Division Multiple Access</b>
<b>CDMF</b>	<b>Commercial Data Masking Facility [IBM]</b>
<b>CD-MO</b>	<b>Compact Disk - Magneto Optical</b>
<b>CDOS</b>	<b>Concurrent Disk Operating System</b>
<b>CDPD</b>	<b>Cellular Digital Packet Data</b>
<b>CDR</b>	<b>Call Detail Record + Call Detail Recording</b>
<b>CD-R</b>	<b>Compact Disk - Recordable</b>
<b>CD-RDx</b>	<b>Compact Disk - Read Only Memory Data Exchange Standard</b>
<b>CDRL</b>	<b>Contract Data Requirements List</b>
<b>CD-ROM</b>	<b>Compact Disk - Read Only Memory</b>
<b>CD-RTOS</b>	<b>Compact Disk - Real Time Operating System</b>
<b>CD-RW</b>	<b>Compact Disk - Re-Writable</b>
<b>CDS</b>	<b>Current Directory Structure</b>
<b>CDSA</b>	<b>Common Data Security Architecture</b>
<b>CDSL</b>	<b>Consumer Digital Subscriber Line [Rockwell]</b>
<b>.CDT</b>	<b>Corel Draw Template (file name extension)</b>
<b>CD-V</b>	<b>Compact Disk - Video</b>
<b>CD-WO</b>	<b>Compact Disk - Write Once</b>
<b>.CDX</b>	<b>Compound Index (file name extension) [Fox Pro]</b>
<b>CD-XA</b>	<b>Compact Disk - Extended Architecture</b>
<b>CE</b>	<b>Cache Enable + Chip Enable + Collision Elimination + Convert Enable</b>
<b>CEG</b>	<b>Continuous Edge Graphics</b>
<b>CEI</b>	<b>Conducted Electromagnetic Interference</b>
<b>CELP</b>	<b>Card Edge Low Profile (socket) [Intel]</b>
<b>CEMS</b>	<b>Constituent Electronic Mail System</b>
<b>CEOP</b>	<b>Conditional End Of Page</b>
<b>CER</b>	<b>Canonical Encoding Rules</b>
<b>CERN</b>	<b>The European Particle Physics Laboratory (initials originally from Conseil European pour la Recherche Nucleaire)</b>
<b>CERT</b>	<b>Computer Emergency Response Team</b>

<b>CFB</b>	<b>Cipher Feedback + Configurable Function Block</b>
<b>.CFG</b>	<b>Configuration (file name extension)</b>
<b>CFM</b>	<b>Code Fragment Manager [Macintosh] + Cubic Feet Per Minute</b>
<b>CFR</b>	<b>ComComputerized Facial Recognition</b>
<b>CFS</b>	<b>Caching/Common File System</b>
<b>CFV</b>	<b>Call For Votes [Bitnet]</b>
<b>CG</b>	<b>Control Gate</b>
<b>CGA</b>	<b>Color Graphics Adapter</b>
<b>CGE</b>	<b>Common Graphics Environment</b>
<b>CGI</b>	<b>Computer Generated Images + Computer Graphics Interface</b>
<b>CGI-BIN</b>	<b>Common Gateway Interface - Binary</b>
<b>.CGM</b>	<b>Computer Graphics Metafile (file name extension) + Graph (file name extension) [Lotus 1-2-3] [LDC]</b>
<b>CGS</b>	<b>Continuous-Grain Silicon</b>
<b>CHAP</b>	<b>Challenge-Handshake Authentication Protocol</b>
<b>CHAR</b>	<b>Character</b>
<b>CHAT</b>	<b>Conversational Hypertext Access Technology [Internet]</b>
<b>CHCK</b>	<b>Channel Check</b>
<b>CHCP</b>	<b>Change Code Page</b>
<b>CHDIR</b>	<b>Change Directory</b>
<b>CHFN</b>	<b>Change Finger [Unix]</b>
<b>CHGRP</b>	<b>Change Group</b>
<b>.CHK</b>	<b>CHKDSK (file name extension)</b>
<b>CHKDSK</b>	<b>Check Disk</b>
<b>CHMOD</b>	<b>Change Mode</b>
<b>CHOWN</b>	<b>Change Owner</b>
<b>CHP</b>	<b>Chapter</b>
<b>CHR</b>	<b>Character</b>
<b>CHRP</b>	<b>Common Hardware Reference Platform</b>
<b>CHS</b>	<b>Cylinder Head Sector</b>
<b>CI</b>	<b>Component Interface</b>
<b>CIA</b>	<b>Current Instruction Address</b>
<b>CIAC</b>	<b>Computer Incident Advisory Capability</b>
<b>CICS/VS</b>	<b>Customer Information Control System/ Virtual Storage [IBM]</b>
<b>CID</b>	<b>Charge-Injection Device + Configuration/Installation/Distribution</b>
<b>CIDR</b>	<b>Classless Inter-Domain Routing</b>
<b>CIF</b>	<b>Common Interchange/Intermediate Format + Crystallographic Information File + Customer Information Feed</b>
<b>CIFS</b>	<b>Common Internet File System</b>
<b>CIM</b>	<b>Common Information Model + CompuServe Information Manager + Computer Integrated Manufacturing</b>
<b>CIO</b>	<b>Chief Information Officer</b>
<b>CIOCS</b>	<b>Communication Input/Output Control System</b>
<b>CIP</b>	<b>Command Interface Port + Common Indexing Protocol</b>

<b>CIR</b>	<b>Committed Information Rate</b>
<b>CIRC</b>	<b>Circular Reference +</b>
<b>Cross-Interleaved Reed-Solomon Code</b>	
<b>CIS</b>	<b>Card Information Structure + Client Information System +</b>
<b>CompuServe Information Service +</b>	
<b>Computer Information Systems + Contact Image Sensor +</b>	
<b>Customer Information System</b>	
<b>CISC</b>	<b>Complex Instruction Set Computing</b>
<b>CIT</b>	<b>Computer-Integrated Telephony</b>
<b>CIVR</b>	<b>Computer and Interactive Voice Response</b>
<b>CIX</b>	<b>Commercial Internet Exchange +</b>
<b>Compulink Information Exchange</b>	
<b>CJLI</b>	<b>Command Job Language Interpreter</b>
<b>CKD</b>	<b>Count Key Data (device)</b>
<b>CLAR</b>	<b>Channel Local Address Register</b>
<b>CLASS</b>	<b>Client Access to Systems and Services +</b>
<b>Cooperative Library Agency for Systems and Services +</b>	
<b>Custom Local-Area Signaling Services</b>	
<b>CLC</b>	<b>Clear Carry Flag</b>
<b>CLD</b>	<b>Clear Direction Flag</b>
<b>CLI</b>	<b>Call-Level Interface + Clear Interrupt Flag +</b>
<b>Client Library Interface + Command Line Interface</b>	
<b>CLIB</b>	<b>C Library</b>
<b>CLID</b>	<b>Calling Line Identification</b>
<b>CLIST</b>	<b>Command List</b>
<b>CLK</b>	<b>Clock</b>
<b>CLNP</b>	<b>Connectionless Network Protocol</b>
<b>CLOS</b>	<b>Common Lisp Object System</b>
<b>CLP</b>	<b>Cell Loss Priority + Constraint Logic Programming</b>
<b>.CLP</b>	<b>Clipboard (file name extension) [Windows]</b>
<b>CLS</b>	<b>Clear Screen</b>
<b>CLTP</b>	<b>Connectionless Transport Protocol</b>
<b>CLTS</b>	<b>Clear Task Switch Flag</b>
<b>CLUI</b>	<b>Command Line User Interface</b>
<b>CLUT</b>	<b>Color Look-Up Table</b>
<b>CLV</b>	<b>Constant Linear Velocity</b>
<b>CM</b>	<b>Centimeter + Control Mark + Corrective Maintenance</b>
<b>CMA</b>	<b>Concert Multi-thread Architecture</b>
<b>CMC</b>	<b>Common Mail Calls + Common Messaging Calls +</b>
<b>Communication Management Configuration +</b>	
<b>Complement Carry Flag +</b>	
<b>Computer-Mediated Communication [Internet]</b>	
<b>CMD</b>	<b>Circuit Mode Data</b>
<b>.CMD</b>	<b>Command (file name extension)</b>
<b>CMF</b>	<b>Creative Music Format</b>
<b>CNIDR</b>	<b>Clearinghouse for Network Information and</b>
<b>Discovery and Retrieval [Internet]</b>	
<b>CMIP</b>	<b>Common Management Information Protocol</b>

<b>CMIS</b>	<b>Common Management Information Services/System</b>
<b>CML</b>	<b>Conceptual Modelling Language +</b>
<b>Computer Managed Learning + Current Mode Logic</b>	
<b>CMM</b>	<b>Capability Maturity Model</b>
<b>CMMS</b>	<b>Computerized Maintenance Management Software</b>
<b>CMMU</b>	<b>Cache/Memory Management Unit [Motorola]</b>
<b>CMOS</b>	<b>Complementary Metal-Oxide Semiconductor</b>
<b>CMOV</b>	<b>Conditional Move</b>
<b>CMP</b>	<b>Compare + Computer</b>
<b>CMPS</b>	<b>Compare word String</b>
<b>CMS</b>	<b>Code Management System + Compiler Monitor System + Conversation Monitor System</b>
<b>CMVC</b>	<b>Configuration Management Version Control [IBM]</b>
<b>CMW</b>	<b>Compartmented Mode Workstation</b>
<b>CMY</b>	<b>Cyan-Magenta-Yellow (color model)</b>
<b>CMYK</b>	<b>Cyan-Magenta-Yellow-Black (color model)</b>
<b>CNA</b>	<b>Certified NetWare Administrator [Novell]</b>
<b>CNAPS</b>	<b>Co-Processing Node Architecture for Parallel Systems</b>
<b>CNC</b>	<b>Computerized Numerical Control</b>
<b>CNE</b>	<b>Certified NetWare Engineer</b>
<b>.CNF</b>	<b>Configuration (file name extension)</b>
<b>CNG</b>	<b>Calling (tone)</b>
<b>CNI</b>	<b>Certified Novell Instructor [Novell]</b>
<b>CNIDR</b>	<b>Clearinghouse for Networked Information and Retrieval</b>
<b>CNN</b>	<b>Composite Network Node</b>
<b>CNR</b>	<b>Carrier to Noise Ratio</b>
<b>CNSS</b>	<b>Core Nodal Switching Subsystem [Internet]</b>
<b>.CNT</b>	<b>Contents (file name extension)</b>
<b>CNV</b>	<b>Conventional (pertaining to Memory)</b>
<b>CNVT</b>	<b>Convert</b>
<b>CNX</b>	<b>Certified Network Expert</b>
<b>CO</b>	<b>Central Office + Command Output + Convert Out</b>
<b>COAST</b>	<b>Card On A Stick (module)</b>
<b>COAX</b>	<b>Coaxial Cable</b>
<b>COB</b>	<b>Chip-On-Board</b>
<b>.COB</b>	<b>COBOL source code (file name extension)</b>
<b>COBOL</b>	<b>Common Business-oriented Language (See HLL)</b>
<b>.COD</b>	<b>Code List (file name extension)</b>
<b>CODASYL</b>	<b>* Conference on Data System Languages (Group that designed COBOL)</b>
<b>CODE</b>	<b>Client-Server Open Development Environment</b>
<b>CODEC</b>	<b>Coder/Decoder + Compression/Decompression</b>
<b>COEM</b>	<b>Commercial Original Equipment Manufacturer</b>
<b>COFF</b>	<b>Common Object File Format [Unix]</b>
<b>COGO</b>	<b>Coordinate Geometry (Programming Language)</b>
<b>COL</b>	<b>Collision + Computer Oriented Language</b>
<b>COLD</b>	<b>Computer Output to Laser Disk</b>
<b>COLL</b>	<b>Collision</b>
<b>COM</b>	<b>Component Object Model [Microsoft] + Computer Output Microfilm</b>



<b>.COM</b>	<b>Command (file name extension) + Commercial Business (Domain Name0 [Internet]</b>
<b>COM1</b>	<b>First serial Port (asynchronous port)</b>
<b>COM2</b>	<b>Second serial Port</b>
<b>COM3</b>	<b>Third serial Port</b>
<b>COM4</b>	<b>Fourth serial Port</b>
<b>COMDEX</b>	<b>Computer Dealers Exposition</b>
<b>COMET</b>	<b>Cornell Macintosh Terminal Emulator</b>
<b>COMP</b>	<b>Compare + Communications</b>
<b>COMP.</b>	<b>Computers [USENET Newsgroup Category]</b>
<b>COMSAT</b>	<b>Communications Satellite Corporation</b>
<b>CON</b>	<b>Console (includes Keyboard and Screen)</b>
<b>COND</b>	<b>Condition</b>
<b>CONFIG</b>	<b>Configuration</b>
<b>CONS</b>	<b>Connection-Oriented Network Service</b>
<b>CONTONE</b>	<b>Continuous Tone</b>
<b>COPICS</b>	<b>Communications Oriented Production Information and Control System [IBM]</b>
<b>COR</b>	<b>Common Object Runtime</b>
<b>CORBA</b>	<b>Common Object Request Broker Architecture</b>
<b>CoREN</b>	<b>Corporation for Research and Enterprise Network</b>
<b>COS</b>	<b>Compatible Operating System</b>
<b>COSE</b>	<b>Combined Office Standard Environment + Common Open Software/Systems Environment</b>
<b>COSMIC</b>	<b>Computer Software Management and Information Center [NASA]</b>
<b>COSMOS</b>	<b>Computer System for Mainframe Operations</b>
<b>COSS</b>	<b>Common Object Services Specification</b>
<b>COTS</b>	<b>Commercial Off-The-Shelf</b>
<b>CP</b>	<b>Copy Protected</b>
<b>CPA</b>	<b>Certified Public Accountant</b>
<b>CPC</b>	<b>Constant Point Calculation</b>
<b>CPCS</b>	<b>Check Processing Control System [IBM]</b>
<b>CPE</b>	<b>Central Processing Element + Customer Premises Equipment + Customer Provided Equipment</b>
<b>.CPE</b>	<b>Cover Page (file name extension)</b>
<b>CPG</b>	<b>Clock Pulse Generator</b>
<b>CPI</b>	<b>Characters Per Inch + Clock Per Instruction + Common Programming Interface [IBM]</b>
<b>.CPI</b>	<b>Code Page Information (file name extension) [MS-DOS]</b>
<b>CPI-C</b>	<b>Common Programming Interface for Communications [IBM]</b>
<b>CPIO</b>	<b>Copy In and Out [Unix]</b>
<b>CPL</b>	<b>Current Privilege Level</b>
<b>.CPL</b>	<b>Control Panel (file name extension)</b>
<b>CPM</b>	<b>Critical Path Method</b>
<b>CP/M</b>	<b>Control Program for Microcomputers [Digital Research]</b>
<b>CPS</b>	<b>Characters Per Second + Cycles Per Second</b>
<b>CPT</b>	<b>Command Pass Through</b>
<b>CPU</b>	<b>Central Processing Unit</b>
<b>CPW</b>	<b>Commercial Processing Workload [IBM]</b>
<b>CR</b>	<b>Carriage Return</b>
<b>CRAM</b>	<b>Cyberspatial Reality Advancement Movement</b>
<b>CRAYON</b>	<b>Create Your Own Newspaper</b>

<b>CRC</b>	<b>Cyclic Redundancy Check</b>
<b>.CRD</b>	<b>Cardfile (file name extension) + Chord (music file name extension)</b>
<b>CREN</b>	<b>Computer Research Education Network + Corporation for Research and Education Networking</b>
<b>CRF</b>	<b>Cable Retransmission Facility + Cross Reference File</b>
<b>CRI</b>	<b>Color Reproduction Indices</b>
<b>CR/LF</b>	<b>Carriage Return/Line Feed</b>
<b>CROM</b>	<b>Control Read Only Memory</b>
<b>CRT</b>	<b>Cathode Ray Tube</b>
<b>CRTC</b>	<b>CRT Controller</b>
<b>CRUD</b>	<b>Create, Retrieve, Update, Delete</b>
<b>CS</b>	<b>Chip Select + Clear to Send + Code Segment</b>
<b>C/S</b>	<b>Client/Server</b>
<b>CSA</b>	<b>Calendaring and Scheduling API [IBM]</b>
<b>CSAR</b>	<b>Channel System Address Register</b>
<b>CSCW</b>	<b>Computer Supported Cooperative Work</b>
<b>CSD</b>	<b>Circuit-Switched Data + Computer Services Department + Corrective Service Diskette [IBM]</b>
<b>CSDS</b>	<b>Circuit Switched Data Service</b>
<b>CSE</b>	<b>Certified System Engineer</b>
<b>CSFI</b>	<b>Communication Subsystem For Interconnection</b>
<b>CSG</b>	<b>Constructive Solid Geometry + Consulting Services Group [Lotus]</b>
<b>CSI</b>	<b>Command Sequence Introducer + CompuServe Incorporated</b>
<b>CSID</b>	<b>Call Subscriber ID</b>
<b>CSL</b>	<b>Computer Sensitive Language</b>
<b>CSLIP</b>	<b>Compressed Serial Line Interface Protocol [Internet]</b>
<b>CSM</b>	<b>Code Set Map (file) + Communications Services Manager</b>
<b>CSMA/CA</b>	<b>Carrier Sense Multiple Access/with Collision Avoidance</b>
<b>CSMA/CD</b>	<b>Carrier Sense Multiple Access/with Collision Detection</b>
<b>CSMS</b>	<b>Customer Support Management System</b>
<b>CSN</b>	<b>Card-Select Number</b>
<b>CSNET</b>	<b>Computer Science Network</b>
<b>CSO</b>	<b>Central Services Organization</b>
<b>CSP</b>	<b>Certified Systems Professional + Commercial Subroutine Package + CompuCom Speed Protocol [CompuCom] + Communicating Sequential Processes + Cross System Product [IBM]</b>
<b>CSPDN</b>	<b>Circuit Switched Public Data Network</b>
<b>CSS</b>	<b>* Continuous System Simulator (Language)</b>
<b>CSS</b>	<b>Cascading Style Sheets [Microsoft] + Contact Start-Stop</b>
<b>CSSM</b>	<b>Client-Server Systems Management [IBM]</b>
<b>CS/SS</b>	<b>Card Service/Socket Service</b>
<b>CSTA</b>	<b>Computer-Supported Telephony Applications</b>
<b>CSU</b>	<b>Channel Service/Switching Unit</b>
<b>CSV</b>	<b>Circuit-Switched Voice + Comma-Separated Value/Variable + Common Services Verbs (interface) [Microsoft]</b>
<b>C&amp;T</b>	<b>Chips and Technologies</b>
<b>CTB</b>	<b>Cipher Type Byte</b>
<b>CTC</b>	<b>Channel To Channel</b>
<b>CTCP</b>	<b>Client-To-Client Protocol</b>
<b>CTI</b>	<b>Computer-Telephony Integration</b>

<b>CTOS</b>	<b>ComComputerized Tomography Operating System + Convergent Technologies Operating System</b>
<b>CTPA</b>	<b>Coax-to-Twisted-Pair Adapter</b>
<b>CTRCO</b>	<b>* Calculating,Tabulating,Recording Company (The name of this company was changed to "International Business Machines" by Thomas J. Watson, Sr.)</b>
<b>CTRL</b>	<b>Control</b>
<b>CTS</b>	<b>Clear To Send + Customer Telephone System</b>
<b>CTSS</b>	<b>* Compatible Time Sharing System</b>
<b>CUA</b>	<b>Common User Access [IBM]</b>
<b>CUB</b>	<b>Cursor Backward</b>
<b>CUD</b>	<b>Cursor Down</b>
<b>CUE</b>	<b>Custom Updates and Extras (card) [Egghead Software]</b>
<b>CUF</b>	<b>Cursor Forward</b>
<b>CUI</b>	<b>Character-Oriented User Interface + Common User Interface [IBM]</b>
<b>CUP</b>	<b>Cursor Position</b>
<b>CUPID</b>	<b>Completely Universal Processor I/O Design [AST]</b>
<b>.CUR</b>	<b>Cursor (file name extension)</b>
<b>CUSIP</b>	<b>Committee for Uniform Security Identification Procedures [U.S. Treasury]</b>
<b>CUT</b>	<b>Control Unit Terminal</b>
<b>CUTE</b>	<b>Clarkston University Terminal Emulator</b>
<b>CUU</b>	<b>Cursor Up</b>
<b>CVF</b>	<b>Compressed Volume File</b>
<b>CVGA</b>	<b>Color Video Graphics Array</b>
<b>CVIA</b>	<b>Computer Virus Industry Association</b>
<b>CVT</b>	<b>Convert</b>
<b>CVW</b>	<b>CodeView for Windows</b>
<b>CWD</b>	<b>Convert Word to Double Word + Change Working Directory [Internet]</b>
<b>CWIS</b>	<b>Campus Wide Information Service/System [Internet] + Community Wide Information Service/System [Internet]</b>
<b>C2X</b>	<b>Character To Hexadecimal [REXX]</b>
<b>CYL</b>	<b>Cylinder</b>
<b>CYMK</b>	<b>Cyan-Yellow-Magenta-Black (color model)</b>
<b>D...</b>	
<b>D/A</b>	<b>Digital to Analog</b>
<b>DAA</b>	<b>Data Access Arrangement + Decimal Adjust for Addition</b>
<b>DAB</b>	<b>Digital Audio Broadcasting</b>
<b>DAC</b>	<b>Data Acquisition and Control + Digital to Analog Converter + Dual Attachment Concentrator</b>
<b>DAD</b>	<b>Desktop Application Director [Borland]</b>
<b>DAI</b>	<b>Distributed Artificial Intelligence</b>
<b>DAL</b>	<b>Data Access Language [Apple Computer] + Disk Access Lockout</b>
<b>DAM</b>	<b>Data Acquisition and Monitoring</b>
<b>DAMPS</b>	<b>Digital AMPS</b>
<b>DAO</b>	<b>Data Access Object [Microsoft]</b>
<b>DAP</b>	<b>Data Access Protocol [DEC] + Developer Assistance Program</b>
<b>DAPIE</b>	<b>Developers Application Programming Interface Extensions</b>

<b>DARI</b>	<b>Database Application Remote Interface [IBM]</b>
<b>DARMS</b>	<b>Digital Alternate Realization of Musical Symbols</b>
<b>DART</b>	<b>Digital Audio Reconstruction Technology</b>
<b>DAS</b>	<b>Decimal Adjust for Subtraction + Dual-Attached Station</b>
<b>DASD</b>	<b>Direct Access Storage Device [IBM]</b>
<b>DAT</b>	<b>Digital Audio Tape + Disk Array Technology</b>
<b>.DAT</b>	<b>Data (file name extension)</b>
<b>DATA COM</b>	<b>Data Communications</b>
<b>DAV</b>	<b>Digital Audio-Video</b>
<b>DAVIC</b>	<b>Digital Audio-Visual Council</b>
<b>dB</b>	<b>Decibel</b>
<b>DB</b>	<b>Data Base + Data Buffer</b>
<b>dba</b>	<b>Adjusted Decibel</b>
<b>DBCS</b>	<b>Delivery Bar Code Sorter + Double-Byte Character Set</b>
<b>.DBF</b>	<b>Database (file name extension)</b>
<b>DBIS</b>	<b>Dun &amp; Bradstreet Information Services</b>
<b>DBM</b>	<b>Data Base Manager</b>
<b>DBMS</b>	<b>Data Base Management System</b>
<b>DBR</b>	<b>DOS Boot Record</b>
<b>DBS</b>	<b>Data Base Server</b>
<b>DBV</b>	<b>Digital Broadcast Video</b>
<b>DB2</b>	<b>Database 2</b>
<b>DC</b>	<b>Data Collection + Data Communication + Data Control + Device Control + Direct Current</b>
<b>D2C</b>	<b>Decimal To Character [REXX]</b>
<b>DCA</b>	<b>Digital Communications Associates + Document Content Architecture [IBM]</b>
<b>DCAF</b>	<b>Distributed Console Access Facility [IBM]</b>
<b>DCAM</b>	<b>Direct Chip Attach Module</b>
<b>DCB</b>	<b>Device Control Block + Disk Coprocessor Board [Novell]</b>
<b>DCC</b>	<b>Data Country Code + Digital Command Control + Digital Compact Cassette + Direct Cable/Client Connection + Display Combination Code</b>
<b>DCD</b>	<b>Data Carrier Detect</b>
<b>DCE</b>	<b>Data Circuit-Terminating Equipment + Data Communications Equipment + Distributed Computing Environment [OSF] + Distributed Computing Equipment</b>
<b>DCED</b>	<b>Distributed Computing Environment Daemon</b>
<b>DCF</b>	<b>Data Communication Facility [IBM] + Data Compression Facility + Data Count Field [IBM] + Driver Configuration File [Lotus]</b>
<b>D-CHANNEL</b>	<b>Data Channel</b>
<b>DCI</b>	<b>Display Control Interface</b>
<b>DCL</b>	<b>Data Control Language + Declaration + DEC Command Language [DEC] + Device Clear + Digital Control Logic + Digital Command Language [Digital]</b>
<b>DCOM</b>	<b>Distributed Component Object Model</b>
<b>DCP</b>	<b>Digital Light Processing [TI]</b>
<b>DCS</b>	<b>Data Collection System + Data Control System + Desktop Color Separation + Distributed Control System</b>
<b>DCT</b>	<b>Discrete Cosine Transform</b>
<b>.DCT</b>	<b>Dictionary (file name extension)</b>
<b>DCU</b>	<b>Data-Cache Unit</b>
<b>DD</b>	<b>Day + Digital Display + Double Density</b>

<b>DDA</b>	<b>Distributed Data Access + Domain-Defined Attribute</b>
<b>DDB</b>	<b>Device Dependent Bitmap + Device Descriptor Block</b>
<b>DDC</b>	<b>Digital Data Channel [VESA] + Display Data Channel</b>
<b>DDCMP</b>	<b>Digital Data Communications Message Protocol [DEC]</b>
<b>DDC1</b>	<b>Display Data Channel One</b>
<b>DDCS</b>	<b>Distributed Database Connection Services [IBM]</b>
<b>DDD</b>	<b>Data Definition Language + Direct Distance Dialing</b>
<b>DDE</b>	<b>Direct Data Entry + Dynamic Data Exchange [Microsoft]</b>
<b>DDEML</b>	<b>Dynamic Data Exchange Manager Library [Microsoft]</b>
<b>DDF</b>	<b>Display Data Channel + Dynamic Data Formatting [IBM]</b>
<b>DDI</b>	<b>Device Driver Interface + Digital Document Interchange + Direct Dial In</b>
<b>DDK</b>	<b>Device Driver Kit [Microsoft Windows]</b>
<b>DDL</b>	<b>Data Definition Language + Data Description Language</b>
<b>DDM</b>	<b>Distributed Data Management</b>
<b>DDN</b>	<b>Defense Data Network</b>
<b>DDNS</b>	<b>Dynamic Domain Naming System</b>
<b>DDP</b>	<b>Distributed Data Processing</b>
<b>DDR-SDRAM</b>	<b>Double Data Rate-SDRAM</b>
<b>DDS</b>	<b>Digital Dataphone Service [AT&amp;T] + Design Data Sheet + Digital Data Storage + Distributed Database Services</b>
<b>DDX</b>	<b>Digital Data Exchange</b>
<b>DE</b>	<b>Device End</b>
<b>DEA</b>	<b>Data Encryption Algorithm</b>
<b>DEC</b>	<b>Decrement + Device Clear + Digital Equipment Corporation</b>
<b>DECNET</b>	<b>Digital Equipment Corporation Networking (protocol)</b>
<b>DEF</b>	<b>Desktop Functional Equivalent [Compaq]</b>
<b>.DEF</b>	<b>Definitions + Defaults (file name extensions)</b>
<b>DEFRAG</b>	<b>Defragment</b>
<b>DEK</b>	<b>Data Encryption Key</b>
<b>DEL</b>	<b>Delete</b>
<b>DELSTR</b>	<b>Delete String [REXX]</b>
<b>.DEM</b>	<b>Demonstration (file name extension)</b>
<b>DEN</b>	<b>Document Enabled Networking [Novell-Xerox]</b>
<b>DER</b>	<b>Distinguished Encoding Rules</b>
<b>DES</b>	<b>Data Encryption Standard + Data Entry Sheet</b>
<b>.DES</b>	<b>Description (file name extension)</b>
<b>DET</b>	<b>Device Execute Trigger</b>
<b>DEV</b>	<b>Device</b>
<b>DF</b>	<b>Data Field + Destination Field + Device Flag + Double Flag</b>
<b>DFC</b>	<b>Data Flow Control</b>
<b>DFM</b>	<b>Design For Manufacturability [IBM]</b>
<b>DFS</b>	<b>Distributed File System</b>
<b>DFSMS</b>	<b>Data Facility Storage Management Subsystem [IBM]</b>
<b>DFT</b>	<b>Design For Testability + Diagnostic Function Test + Discrete Fourier Transform + Distributed Function Terminal</b>
<b>DFU</b>	<b>Data File Utility</b>
<b>DGIS</b>	<b>Direct Graphics Interface Standard</b>
<b>DHCP</b>	<b>Dynamic Host Configuration Protocol</b>

<b>DHL</b>	<b>Dynamic Head Loading</b>
<b>.DHP</b>	<b>Dr. Halo PIC (file name extension)</b>
<b>DHTML</b>	<b>Dynamic HTML</b>
<b>DI</b>	<b>Data In + Destination Index</b>
<b>DIA</b>	<b>Document Interchange Architecture [IBM]</b>
<b>DIB</b>	<b>Device Independent Bitmap + Directory Information Base + Dual Independent Bus [Intel]</b>
<b>DIBOL</b>	<b>DEC Business Oriented Language</b>
<b>.DIC</b>	<b>Dictionary (file name extension)</b>
<b>DID</b>	<b>Direct Inward Dialing</b>
<b>DIDS</b>	<b>Distributed Intrusion Detection System</b>
<b>DIF</b>	<b>Data Interchange Format DIFFSENS Differential Sense</b>
<b>DIIP</b>	<b>Direct Interrupt Identification Port</b>
<b>DIMM</b>	<b>Dual In-Line Memory Module</b>
<b>DIN</b>	<b>Deutsche Industrie Norm (German equivalent of EIA)</b>
<b>DIO</b>	<b>Data Input-Output</b>
<b>DIP</b>	<b>Dialup Internet Protocol [Internet] + Digital Imaging Processing +Dual In-line Package + Dual In-line Pin</b>
<b>DIR</b>	<b>Directory (file)</b>
<b>DIS</b>	<b>Draft International Standard + Dynamic Impedance Stabilization [CompuCom]</b>
<b>DISA</b>	<b>Data Interchange Standards Association + Direct Inward System Access</b>
<b>DISP</b>	<b>Displacement (offset)</b>
<b>DIT</b>	<b>Directory Information Tree</b>
<b>DIV</b>	<b>Divide</b>
<b>DIVE</b>	<b>Direct Interface Video Extension [OS/2 Warp]</b>
<b>DIW</b>	<b>D-Inside Wire [AT&amp;T]</b>
<b>.DIZ</b>	<b>Description In Zip (file name extension)</b>
<b>DL</b>	<b>Download (also D/L)</b>
<b>DL/1</b>	<b>Data Manipulation Language 1 [IBM]</b>
<b>DLC</b>	<b>Data Link Control (protocol) [IBM] + Distributed Loop Carrier</b>
<b>DLCI</b>	<b>Data Link Connection Identifier</b>
<b>DLD</b>	<b>Display List Driver</b>
<b>DLE</b>	<b>Data Link Escape</b>
<b>DLL</b>	<b>Dynamic Link Library</b>
<b>DLM</b>	<b>Distributed Lock Manager + Dynamic Link Module</b>
<b>DLP</b>	<b>Digital Light Processing [TI]</b>
<b>DLR</b>	<b>DOS LAN Requester</b>
<b>DLS</b>	<b>Data Link Switching [IBM]</b>
<b>DLT</b>	<b>Digital Linear Tape</b>
<b>DM</b>	<b>Distributed Memory</b>
<b>DMA</b>	<b>Direct Memory Access/Addressing</b>
<b>DMAC</b>	<b>DMA Controller</b>
<b>DMACS</b>	<b>Distributed Manufacturing Automation &amp; Control Software</b>
<b>DMD</b>	<b>Digital Micromirror Device [TI]</b>
<b>DME</b>	<b>Distributed Management Environment</b>
<b>DMF</b>	<b>Distribution Media Format [Microsoft]</b>
<b>DMI</b>	<b>Desktop Mangement Interface</b>
<b>DML</b>	<b>Data Manipulation Language</b>
<b>DMM</b>	<b>Digital Multimeter</b>



<b>DMMS</b>	<b>Dynamic Memory Management System</b>
<b>DMOS</b>	<b>Double-diffused Metal-Oxide Semiconductor</b>
<b>DMP</b>	<b>Dot Matrix Printer</b>
<b>DMPC</b>	<b>Distributed Memory Parallel Computer</b>
<b>DMPP</b>	<b>Distributed Memory Parallel Processor</b>
<b>DMQS</b>	<b>Display Mode Query and Set [IBM]</b>
<b>DMS</b>	<b>Data Management Software + Data/Document Management System</b>
<b>DMSD</b>	<b>Digital Multistandard Decoding</b>
<b>DMSS</b>	<b>Distributed Mass Storage System</b>
<b>DMT</b>	<b>Digital/Discrete Multi-Tone</b>
<b>DMTF</b>	<b>Desktop Management Task Force</b>
<b>DMY</b>	<b>Day Month Year</b>
<b>DN</b>	<b>Down</b>
<b>DNC</b>	<b>Direct Numerical Control</b>
<b>DNIC</b>	<b>Data Network Identification Code</b>
<b>DNIS</b>	<b>Dialed Number Identification Service</b>
<b>DNS</b>	<b>Domain Naming System</b>
<b>DO</b>	<b>Data Out + Distributed Objects</b>
<b>.DOC</b>	<b>Document + Documentation (file name extensions)</b>
<b>DOCSV</b>	<b>Data Over Circuit-Switched Voice</b>
<b>DOE</b>	<b>Distributed Objects Everywhere</b>
<b>DOIP</b>	<b>Dial Other Internet Providers [IBM]</b>
<b>DO-IT</b>	<b>Disabilities, Opportunities, Internetworking and Technology</b>
<b>DOM</b>	<b>Document Object Model</b>
<b>DOMF</b>	<b>Distributed Object Management Facility</b>
<b>DOS</b>	<b>Disk Operating System</b>
<b>DOSEM</b>	<b>DOS Emulation</b>
<b>DOV</b>	<b>Data Over Voice</b>
<b>DOW</b>	<b>Day Of Week</b>
<b>DP</b>	<b>Data Processing</b>
<b>DPA</b>	<b>Demand Protocol Architecture [3Com] + Document Printing Architecture</b>
<b>DPAM</b>	<b>Demand Priority Access Method</b>
<b>DPAREN</b>	<b>Data Parity Enable [IBM]</b>
<b>DPB</b>	<b>Drive Parameter Block</b>
<b>DPC</b>	<b>Direct Program Control</b>
<b>DPI</b>	<b>Distributed Protocol Interface + Dots Per Inch</b>
<b>DPL</b>	<b>Descriptor Privilege Level</b>
<b>DPM</b>	<b>Digital Panel Meter</b>
<b>DPMA</b>	<b>Data Processing Management Association</b>
<b>DPMI</b>	<b>DOS Protected Mode Interface [Microsoft]</b>
<b>DPMS</b>	<b>Display Power Management Support</b>
<b>DPO</b>	<b>Data Phase Optimization</b>
<b>DPS</b>	<b>Document Processing System</b>
<b>DPSK</b>	<b>Differential Phase Shift Keying</b>
<b>DPtoTP</b>	<b>Display Coordinates to Tablet Coordinates (converting)</b>
<b>DQDB</b>	<b>Distributed Queue Dual Bus</b>
<b>DQL</b>	<b>Data Query Language</b>
<b>DR</b>	<b>Data Received</b>

<b>D/R</b>	<b>Direct or Reverse</b>
<b>DRAM</b>	<b>Dynamic Random Access Memory</b>
<b>DRAW</b>	<b>Direct Read After Write</b>
<b>DR.BOND</b>	<b>Dial-up Router Bandwidth On Demand [NEC]</b>
<b>DRDA</b>	<b>Distributed Relational Database Architecture [IBM]</b>
<b>DR-DOS</b>	<b>Digital Research-Disk Operating System</b>
<b>DRDW</b>	<b>Direct Read During Write</b>
<b>DRI</b>	<b>Digital Research Incorporated</b>
<b>DRO</b>	<b>Data Request Output + Destructive Read-Out</b>
<b>DRS</b>	<b>Document Registration System</b>
<b>.DRS</b>	<b>Driver Resource (file name extension) [WordPerfect]</b>
<b>DRV</b>	<b>Drive</b>
<b>.DRV</b>	<b>Device Driver (file name extension) (Also see .DVR)</b>
<b>.DRW</b>	<b>Draw + Drawing (file name extensions)</b>
<b>DS</b>	<b>Data Segment + Data Send + Data Server + Double Sided</b>
<b>D/S</b>	<b>Dhrystone Per Second</b>
<b>DSA</b>	<b>Digital Signature Algorithm + Directory System Agent</b>
<b>DSAP</b>	<b>Destination Service Access Point</b>
<b>DSDD</b>	<b>Double Sided, Double Density (diskette)</b>
<b>DSE</b>	<b>Data Storage Equipment</b>
<b>DSEA</b>	<b>Display Station Emulation Adapter</b>
<b>DSECT</b>	<b>Dummy Control Section</b>
<b>DSHD</b>	<b>Double Sided, High Density (diskette)</b>
<b>DSIS</b>	<b>Distributed Support Information Standard</b>
<b>DSL</b>	<b>Digital Subscriber Line + Dynamic Simulation Language</b>
<b>DSLAM</b>	<b>Digital Subscriber Line Access Multiplexer</b>
<b>DSMA</b>	<b>Digital Sense Multiple Access</b>
<b>DSOM</b>	<b>Distributed System Object Model</b>
<b>DSP</b>	<b>Digital Signal Processing/Processor + Directory Synchronization Protocol [Lotus]</b>
<b>DSQD</b>	<b>Double Sided, Quad Density (diskette)</b>
<b>DSR</b>	<b>Data Set Ready + Device Status Register + Device Status Report</b>
<b>DSS</b>	<b>Decision Support System + Digital Signature Standard</b>
<b>DSSI</b>	<b>Digital Standard Systems Interconnect [DEC]</b>
<b>DSSS</b>	<b>Direct-Sequencing Spread Spectrum</b>
<b>DSSSL</b>	<b>Document Style Semantics and Specifications Language</b>
<b>DSTN</b>	<b>Double Supertwisted Nematic</b>
<b>DSU</b>	<b>Data Service/Switching Unit + Digital Service Unit</b>
<b>DSVD</b>	<b>Digital Simultaneous Voice and Data</b>
<b>DSW</b>	<b>Data Status Word + Device Status Word</b>
<b>DSX</b>	<b>Digital Signals Cross-Connect</b>
<b>D2T2</b>	<b>Dye Diffusion Thermal Transfer (printing)</b>
<b>DTA</b>	<b>Disk Transfer Area</b>
<b>.DTA</b>	<b>Data (file name extension)</b>
<b>DTC</b>	<b>Desktop Conferencing</b>
<b>DTD</b>	<b>Document Type Definition</b>
<b>DTE</b>	<b>Data Terminal Equipment + Dumb Terminal Emulator</b>
<b>DTF</b>	<b>Distributed Test Facility</b>
<b>DTL</b>	<b>Dialogue Tag Language [IBM] + Diode-Transistor Logic</b>

<b>DTMF</b>	<b>Data Tone Multiple Frequency + Dual Tone Multifrequency</b>
<b>DTP</b>	<b>Desktop Publishing + Distributed Transaction Process</b>
<b>DTR</b>	<b>Data Terminal Ready + Data Transfer Rate</b>
<b>DTV</b>	<b>Desktop Video</b>
<b>DTVC</b>	<b>Desktop Video Conferencing</b>
<b>DU</b>	<b>Disk Usage</b>
<b>DUA</b>	<b>Directory User Agent</b>
<b>DUAT</b>	<b>Direct User Access Terminal</b>
<b>DUN</b>	<b>Dial-Up Networking [Microsoft]</b>
<b>DUNCE</b>	<b>Dial Up Network Connection Enhancement</b>
<b>.DV</b>	<b>DESQview Script (file name extension)</b>
<b>DVC</b>	<b>Desktop Video Conferencing</b>
<b>DVD</b>	<b>Digital Video Disk</b>
<b>DVD-R</b>	<b>Digital Video Disk-Recordable</b>
<b>DVD-RAM</b>	<b>Digital Versatile Disc-RAM</b>
<b>DVD-ROM</b>	<b>Digital Versatile Disc-ROM</b>
<b>DVE</b>	<b>Digital Video Effect</b>
<b>DVI</b>	<b>Digital Video Interactive</b>
<b>.DVI</b>	<b>Device Independent (file name extension)</b>
<b>DVMRP</b>	<b>Distance Vector Multicast Routing Protocol [Internet]</b>
<b>.DVR</b>	<b>Device Driver (file name extension) (Also see .DRV)</b>
<b>DW</b>	<b>Data Warehousing</b>
<b>DWG</b>	<b>Drawing</b>
<b>DWMT</b>	<b>Discrete Wavelet Multitone</b>
<b>D2X</b>	<b>Decimal To Hexadecimal [REXX]</b>
<b>.DXB</b>	<b>Drawing Interchange Binary (file name extension) [AutoCAD]</b>
<b>DXC</b>	<b>Data Exchange Control</b>
<b>DXF</b>	<b>Drawing Exchange Format</b>
<b>DXI</b>	<b>Data Exchange Interface</b>
<b>E...</b>	
<b>EA</b>	<b>Effective Address + Extended Attribute [OS/2]</b>
<b>EAR</b>	<b>External Access Register</b>
<b>EARN</b>	<b>European Academic Research Network</b>
<b>EAROM</b>	<b>Electrically Alterable Read Only Memory</b>
<b>EARS</b>	<b>Electronic Access to Reference Services +</b>
<b>Electronic Authoring and Routing System [DEC] +</b>	
<b>Explicit Archive and Retrieval System [Langley Research]</b>	
<b>EATA</b>	<b>Enhanced AT Bus Attachment</b>
<b>EBC</b>	<b>EISA Bus Controller</b>
<b>EBCT</b>	<b>Electron Beam Computed Tomography</b>
<b>EBCDIC</b>	<b>Extended Binary Coded Decimal Interchange Code [IBM]</b>
<b>EBI</b>	<b>Equivalent Background Input +</b>
<b>Extended Background Investigation</b>	
<b>EBT</b>	<b>Electronic Benefits Transfer</b>
<b>EC</b>	<b>Electronic Commerce + Error Control</b>
<b>ECAL</b>	<b>Enjoy Computing And Learn</b>

<b>ECAT</b>	<b>Electronic Card Assembly and Test [IBM]</b>
<b>ECB</b>	<b>Electronic Codebook + Event Control Block</b>
<b>ECC</b>	<b>Elliptic Curve Crypto + Error Check Code +</b>
<b>Error Checking and Correction + Error Correction Code</b>	
<b>ECD</b>	<b>Enhanced Color Display + Enhanced Compact Disk</b>
<b>ECHO</b>	<b>European Commission Host Organization [Internet]</b>
<b>ECI</b>	<b>External Call Interface</b>
<b>ECL</b>	<b>Emitter Coupled Logic</b>
<b>ECM</b>	<b>Electronic Control Module</b>
<b>ECMA</b>	<b>European Computer Manufacturers Association</b>
<b>ECNE</b>	<b>Enterprise Certified NetWare Engineer [Novell]</b>
<b>ECP</b>	<b>Enhanced/Extended Capabilities Port [Microsoft]</b>
<b>ECS</b>	<b>Enhanced Chip Set</b>
<b>ECTL</b>	<b>Electronic Communal Temporal Lobe</b>
<b>ECU</b>	<b>EISA Configuration Utility</b>
<b>ED</b>	<b>Erase Display</b>
<b>EDA</b>	<b>Electronic Design Automation +</b>
<b>Embedded Document Architecture [Go Corporation]</b>	
<b>EDC</b>	<b>Electronic Digital Computer +</b>
<b>Enhanced Data Correction +</b>	
<b>Error Detection and Correction</b>	
<b>EDDC</b>	<b>Extended Distance Data Cable</b>
<b>EDGAR</b>	<b>Electronic Data Gathering, Analysis and Retrieval</b>
<b>EDI</b>	<b>Electronic Data Interchange +</b>
<b>Electronic Document Interchange [DEC]</b>	
<b>EDIF</b>	<b>Electronic Design Interchange Format</b>
<b>EDIFACT</b>	<b>EDI for Administration Commerce and Transport</b>
<b>EDL</b>	<b>Edit Decision List</b>
<b>EDLC</b>	<b>Ethernet Data Link Control</b>
<b>EDLIN</b>	<b>Editor (Line Text)</b>
<b>EDMS</b>	<b>Electronic Document Management System</b>
<b>EDO</b>	<b>Extended Data Out</b>
<b>EDOS</b>	<b>Enhanced DOS for Windows</b>
<b>EDP</b>	<b>Electronic Data Processing</b>
<b>EDPM</b>	<b>Electronic Data Processing Machine</b>
<b>EDRAM</b>	<b>Extended Dynamic Random Access Memory</b>
<b>EDS</b>	<b>Electronic Data Systems (corporation)</b>
<b>EDSAC</b>	<b>* Electronic Delay Storage Automatic Computer</b>
<b>.EDU</b>	<b>Educational Institutions (Domain Name) [Internet]</b>
<b>EDVAC</b>	<b>* Electronic Discrete Variable Automatic Computer (First stored-program digital computer)</b>
<b>EE</b>	<b>Extended Edition [IBM]</b>
<b>EEC</b>	<b>Extended Error Correction</b>
<b>EEG</b>	<b>Electroencephalogram</b>
<b>EEL</b>	<b>Epsilon Extension Language</b>
<b>EEM</b>	<b>Extended Memory Management</b>
<b>EEMS</b>	<b>Enhanced Expanded Memory Specification</b>
<b>EEPROM</b>	<b>Electrically Erasable Programmable Read-Only Memory</b>

<b>EES</b>	<b>Escrow Encryption Standard</b>
<b>EFA</b>	<b>Extended File Attribute</b>
<b>EFF</b>	<b>Electronic Frontier Foundation</b>
<b>EFI</b>	<b>Electromechanical Frequency Interference + Electronics For Imaging</b>
<b>EFL</b>	<b>Emitter Follower Logic</b>
<b>E-FORM</b>	<b>Electronic Form</b>
<b>EFTS</b>	<b>Electronic Funds Transfer System</b>
<b>EGA</b>	<b>Enhanced Graphics Adapter</b>
<b>EGP</b>	<b>Exterior Gateway Protocol</b>
<b>EGREP</b>	<b>Extended Global Regular Expression Print [Unix]</b>
<b>EHLAPI</b>	<b>Emulator High Level Language Application Programming Interface [IBM]</b>
<b>EIA</b>	<b>Electronic Industries Association</b>
<b>EIDE</b>	<b>Enhanced Integrated Drive Electronics</b>
<b>EIS</b>	<b>Executive Information System</b>
<b>EISA</b>	<b>Extended Industry Standard Architecture</b>
<b>EL</b>	<b>Electroluminescent (display) + Erase Line</b>
<b>ELAN</b>	<b>Emulated Local Area Network</b>
<b>ELC</b>	<b>Embedded Linking and Control</b>
<b>ELF</b>	<b>Executable and Linking Format + Extremely Low Frequency</b>
<b>ELS</b>	<b>Entry Level System</b>
<b>EM</b>	<b>Electronic Mail + Emphasized + End of Medium + Expanded Memory</b>
<b>EMA</b>	<b>Electronic Mail Association + Enterprise Management Architecture</b>
<b>EMACS</b>	<b>Editing Macros [Unix]</b>
<b>E-MAIL</b>	<b>Electronic Mail</b>
<b>EMB</b>	<b>Extended Memory Block [LIM/AST]</b>
<b>EMBARC</b>	<b>Electronic Mail Broadcast to a Roaming Computer [Motorola]</b>
<b>EMC</b>	<b>Electromagnetic Compatibility + Enhanced Memory Chip +</b>
<b>E-Mail Connection</b>	<b>+ Extended Math Coprocessor</b>
<b>EMI</b>	<b>Electromagnetic Interference</b>
<b>.EML</b>	<b>Electronic Mail (file name extension)</b>
<b>EMM</b>	<b>Expanded Memory Manager</b>
<b>EMR</b>	<b>Electro-Magnetic Radiation + Enhanced Metafile Record</b>
<b>EMS</b>	<b>Electronic Mail System + Electronic Message Service + Expanded Memory Specification [LIM]</b>
<b>EMSAPI</b>	<b>Extended Messaging Services Application Programming Interface</b>
<b>EMWAC</b>	<b>European Microsoft Windows NT Academic Centre</b>
<b>.ENC</b>	<b>Encoded (file name extension)</b>
<b>ENDEC</b>	<b>Encoder/Decoder</b>
<b>ENDS</b>	<b>Ends Segment</b>
<b>ENIAC</b>	<b>* Electronic Numerical Integrator Analyzer and Computer (First fully electronic digital computer)</b>
<b>ENQ</b>	<b>Enquiry</b>
<b>ENSS</b>	<b>Exterior Nodal Switching Subsystem [Internet]</b>
<b>EOA</b>	<b>End Of Address</b>
<b>EOB</b>	<b>End Of Block</b>
<b>EOC</b>	<b>End Of Conversion</b>
<b>EOF</b>	<b>End Of File + Enterprise Objects Framework [Next Computer]</b>
<b>EOI</b>	<b>End Of Interrupt + End Or Identify</b>

<b>EOJ</b>	<b>End Of Job</b>
<b>EOL</b>	<b>End Of Line + End Of List</b>
<b>EOM</b>	<b>End Of Message</b>
<b>EOR</b>	<b>Exclusive OR (Also XOR)</b>
<b>EOS</b>	<b>Earth Observing System [NASA] + End Of String</b>
<b>EOSDIS</b>	<b>Earth Observing System Data and Information System [NASA]</b>
<b>EOT</b>	<b>End Of Table + End Of Tape (marker) + End Of Text + End Of Transmission</b>
<b>EP</b>	<b>Electrophotographic Engine</b>
<b>EPIC</b>	<b>Explicitly Parallel Instruction Computing</b>
<b>EPL</b>	<b>Effective Privilege Level</b>
<b>EPLD</b>	<b>Electrically Programmable Logic Device</b>
<b>EPM</b>	<b>Enhanced Editor for Presentation Manager [IBM] + Enterprise Process Management [IBM]</b>
<b>EPP</b>	<b>Enhanced Parallel Port</b>
<b>EPROM</b>	<b>Electrically Programmable Read Only Memory + Erasable Programmable Read Only Memory</b>
<b>.EPS</b>	<b>Encapsulated PostScript (file name extension)</b>
<b>EPSF</b>	<b>Encapsulated PostScript Files</b>
<b>ERA</b>	<b>Extended Registry Attributes</b>
<b>ERAS</b>	<b>Electronic Routing and Approval System [Hughes Aircraft]</b>
<b>ERD</b>	<b>Emergency Repair Disk</b>
<b>ERIC</b>	<b>Educational Resources Information Center [Internet]</b>
<b>ERLL</b>	<b>Enhanced Run Length Limited</b>
<b>ERMA</b>	<b>* Electronic Recording Method, Accounting [General Electric]</b>
<b>EROM</b>	<b>Erasable Read Only Memory</b>
<b>EROS</b>	<b>Earth Resources Observation System [U.S. Geological Survey]</b>
<b>ERR</b>	<b>Error</b>
<b>ER/RC</b>	<b>Extended Result/Response Code</b>
<b>ERU</b>	<b>Emergency Recovery Utility [Microsoft]</b>
<b>ES</b>	<b>Extra Segment</b>
<b>ESA</b>	<b>Enterprise Systems Architecture [IBM] + European Space Agency</b>
<b>ESC</b>	<b>EISA System Component + Escape</b>
<b>ESCM</b>	<b>Extended Services Communications Manager [IBM]</b>
<b>ESCON</b>	<b>Enterprise System Connection (Architecture) [IBM]</b>
<b>ESC/P</b>	<b>Epson Standard Code for Printers</b>
<b>ESD</b>	<b>Electronic Software Distribution + Electrostatic Discharge</b>
<b>ESDI</b>	<b>Enhanced Small/System Device Interface</b>
<b>ESF</b>	<b>Extended Superframe</b>
<b>ESI</b>	<b>Enhanced Serial Interface (specification) [Hayes]</b>
<b>ESMR</b>	<b>Enhanced Specialized Mobile Radio</b>
<b>ESN</b>	<b>Electronic Security Number</b>
<b>ESP</b>	<b>Emulation Sensing Processor + Encapsulating Security Payload (header) + Enhanced Serial Port [Hayes] + Enhanced Service Provider + Estimated Selling Price</b>
<b>ESR</b>	<b>Event Service Routine</b>
<b>ESS</b>	<b>Electronic Switching System</b>
<b>ESU</b>	<b>Electro-Static Unit</b>
<b>ET</b>	<b>Enhancement Technology</b>
<b>ETACS</b>	<b>Extended Total Access Communication System [IBM]</b>
<b>ETANN</b>	<b>Electrically Trainable Analog Neural Network (chip) [Intel]</b>



<b>ETB</b>	<b>End of Transmission Block</b>
<b>ETC</b>	<b>Electronic Toll Collection + Enhanced Throughput Cellular (modem protocol) [AT&amp;T]</b>
<b>ETF</b>	<b>Enriched Text Format</b>
<b>ETOM</b>	<b>Electron-Trapping Optical Memory</b>
<b>ETPL</b>	<b>Endorsed Tempest Products List</b>
<b>ETS</b>	<b>Econometric Time Series</b>
<b>ETX</b>	<b>End Of Text</b>
<b>EU</b>	<b>Execution Unit</b>
<b>EUC</b>	<b>End User Computing + Extended Unix Code [IBM]</b>
<b>EUI</b>	<b>End-User Interface</b>
<b>EVE</b>	<b>Extensible VAX Editor</b>
<b>EVGA</b>	<b>Extended Video Graphics Array + Extended Video Graphics Adapter</b>
<b>EWAN</b>	<b>Emulator Without A Good Name [Internet]</b>
<b>EWS</b>	<b>Employee Written Software [IBM]</b>
<b>ExCA</b>	<b>Exchangeable Card Architecture [Intel]</b>
<b>.EXE</b>	<b>Executable (file name extension)</b>
<b>EXE2BIN</b>	<b>Program used to convert an (.EXE) file to binary format (.COM) file</b>
<b>EXM</b>	<b>Enterprise Messaging Exchange [Lotus]</b>
<b>EXP</b>	<b>Exponent</b>
<b>EXT</b>	<b>External</b>
<b>EXTRN</b>	<b>External Reference</b>
<b>E-ZINE</b>	<b>Electronic Magazine</b>
<b>F...</b>	
<b>FAB</b>	<b>Computer-Chip Fabrication Plant</b>
<b>FAC</b>	<b>File Access Code</b>
<b>FAMOS</b>	<b>Floating Gate Avalanche MOS</b>
<b>FANS</b>	<b>Future Air Navigation System</b>
<b>FAP</b>	<b>File Access Protocol</b>
<b>FAPI</b>	<b>Family Application Program Interface</b>
<b>FAQ</b>	<b>Frequently Asked Question</b>
<b>FARNET</b>	<b>Federation of American Research Networks [Internet]</b>
<b>FASIC</b>	<b>Function and Algorithm-Specific Integrated Circuit</b>
<b>FAT</b>	<b>File Allocation Table</b>
<b>FAX</b>	<b>Facsimile</b>
<b>.FAX</b>	<b>Fax (file name extension)</b>
<b>FC/AL</b>	<b>Fiber Channel/Arbitrated Loop</b>
<b>FCB</b>	<b>File Control Block</b>
<b>FCC</b>	<b>Federal Communications Commission</b>
<b>FCC:</b>	<b>File Carbon Copy</b>
<b>FCCSET</b>	<b>Federal Coordinating Council for Science, Engineering and Technology</b>
<b>FC/EL</b>	<b>Fiber Channel/Enhanced Loop</b>
<b>FCI</b>	<b>Flux Changes per Inch</b>
<b>FCR</b>	<b>FIFO Control Register</b>
<b>FCS</b>	<b>Fiber Channel Standard + Frame Check Sequence</b>
<b>FD</b>	<b>Floppy Disk + Floppy Drive + Full Duplex</b>
<b>FDC</b>	<b>Floppy Disk Controller</b>

<b>FDDI</b>	<b>Fiber Digital Device Interface + Fiber Distributed Data Interface</b>
<b>FDISK</b>	<b>Fixed Disk</b>
<b>FDM</b>	<b>Frequency Division Multiplexing</b>
<b>FDMA</b>	<b>Frequency Division Multiple Access</b>
<b>FDX</b>	<b>Full Duplex</b>
<b>FECN</b>	<b>Forward Explicit Congestion Notification</b>
<b>FED</b>	<b>Field Emission/Emitter Display</b>
<b>FEFO</b>	<b>First-Ended, First-Out</b>
<b>FEP</b>	<b>Front End Processor</b>
<b>FEPI</b>	<b>Front End Programming Interface</b>
<b>FEPROM</b>	<b>Flash EPROM</b>
<b>FeRAM</b>	<b>Ferroelectric RAM</b>
<b>FESDK</b>	<b>Far East Software Development Kit [Microsoft]</b>
<b>FET</b>	<b>Field Effect Transistor</b>
<b>FF</b>	<b>Flip-Flop + Form Feed</b>
<b>FFDC</b>	<b>First Failure Data Capture [IBM]</b>
<b>FFS</b>	<b>Fast File System</b>
<b>FFST</b>	<b>First Failure Support Technology [IBM]</b>
<b>FFT</b>	<b>Fast Fourier Transform + Final Form Text [IBM]</b>
<b>FG</b>	<b>Floating Gate</b>
<b>FGREP</b>	<b>Fixed Global Regular Expression Print [Unix]</b>
<b>FHS</b>	<b>Fan Heat-Sink</b>
<b>FHSS</b>	<b>Frequency-Hopping Spread Spectrum</b>
<b>FIF</b>	<b>Fractal Image Format</b>
<b>FIFO</b>	<b>First-In, First-Out</b>
<b>FILO</b>	<b>First-In, Last-Out</b>
<b>FIP</b>	<b>File Processor Buffering</b>
<b>FIPS</b>	<b>Federal Information Processing Standard</b>
<b>FIR</b>	<b>Fast Infrared + Finite Impulse Response</b>
<b>.FIRM</b>	<b>Business or Firm (Domain Name) [Internet]</b>
<b>FIRST</b>	<b>Forum of Incident Response and Security Teams</b>
<b>FIU</b>	<b>Fingerprint Identification Unit [Sony]</b>
<b>FIX</b>	<b>Federal Internet Exchange</b>
<b>FLA</b>	<b>Four Letter Acronym</b>
<b>FLC</b>	<b>Ferro-electric Liquid Crystal</b>
<b>FLD</b>	<b>Field</b>
<b>FLL</b>	<b>FoxPro Link Library [Microsoft Fox Pro]</b>
<b>FLOPS</b>	<b>Floating Point Operations Per Second</b>
<b>.FLR</b>	<b>Folder (file name extension)</b>
<b>FMS</b>	<b>Forms Management System</b>
<b>FMT</b>	<b>Format</b>
<b>FMV</b>	<b>Full Motion Video</b>
<b>FNT</b>	<b>Font</b>
<b>FOCUS</b>	<b>Forum of Control Data Users</b>
<b>FOD</b>	<b>Fax On Demand</b>
<b>FOG</b>	<b>First Osborne Group</b>
<b>FOIRL</b>	<b>Fiber Optic Inter Repeater Link [IEEE]</b>
<b>FOLDOC</b>	<b>Free On-Line Dictionary Of Computing</b>

<b>.FON</b>	<b>Font + Phone + Phone Directory (all file name extensions)</b>
<b>.FOR</b>	<b>Fortran source code (file name extension)</b>
<b>FORTH</b>	<b>(Programming Language)(See HLL)</b>
<b>FORTTRAN</b>	<b>Formula Translator (Programming Language)(See HLL)</b>
<b>FOSE</b>	<b>Federal Office Systems Exposition</b>
<b>FOSI</b>	<b>Format Option Specification Instance</b>
<b>FOSSIL</b>	<b>Fido/Opus/Seadog Standard Interface Layer</b>
<b>FPC</b>	<b>Floating Point Calculation</b>
<b>FPCE</b>	<b>Floating-Point C Extension (specification)</b>
<b>FPGA</b>	<b>Field Programmable Gate-Array</b>
<b>FPLA</b>	<b>Field Programmable Logic-Array</b>
<b>FPM</b>	<b>Fast Page Mode</b>
<b>FPP</b>	<b>Fixed Path Protocol + Floating Point Processor</b>
<b>FPR</b>	<b>Floating-Point Register</b>
<b>FPS</b>	<b>Favorite Picture Selection + Frames Per Second</b>
<b>FPT</b>	<b>Forced Perfect Termination</b>
<b>FPU</b>	<b>Floating Point Unit</b>
<b>FQDN</b>	<b>Fully Qualified Domain Name [Internet]</b>
<b>FRAD</b>	<b>Frame Relay Access Device + Frame Relay Assembler/Disassembler</b>
<b>FRAG</b>	<b>Fragment + Fragmentation</b>
<b>FRAM</b>	<b>Ferroelectric Random-Access Memory</b>
<b>FRC</b>	<b>Funtional Redundancy Checking</b>
<b>FRED</b>	<b>Frame Editor + Front-End to Dish</b>
<b>FRPI</b>	<b>Flux Reversals Per Inch</b>
<b>.FRS</b>	<b>WordPerfect Graphics Driver (file name extension)</b>
<b>FS</b>	<b>File Separator</b>
<b>FSD</b>	<b>File System Driver [OS/2]</b>
<b>FSE</b>	<b>Full Screen Editor</b>
<b>FSF</b>	<b>Free Software Foundation [Internet]</b>
<b>FSK</b>	<b>Frequency Shift Keying</b>
<b>FSN</b>	<b>Full Service Network</b>
<b>FSP</b>	<b>File Service Protocol</b>
<b>FSR</b>	<b>Free System Resources</b>
<b>FST</b>	<b>Flat Square Tube (monitor)</b>
<b>F/T</b>	<b>Full Time</b>
<b>FTAM</b>	<b>File Transfer, Access and Management + File Transfer and Access Method</b>
<b>FTL</b>	<b>Flash Transition Layer [Intel]</b>
<b>FTM</b>	<b>Flat Tension Mask [Zenith]</b>
<b>FTP</b>	<b>File Transfer Protocol [Internet]</b>
<b>FTPD</b>	<b>File Transfer Protocol Daemon</b>
<b>FTTC</b>	<b>Fiber To The Curb</b>
<b>FTS</b>	<b>Federal Telecommunication System</b>
<b>FTX</b>	<b>Fault Tolerant Unix</b>
<b>FUI</b>	<b>File Update Information</b>
<b>FUNC</b>	<b>Function</b>
<b>FVT</b>	<b>Full Video Translation</b>
<b>FYI</b>	<b>For Your Information</b>

**G...**

<b>GA</b>	<b>General Availability</b>
<b>GAAP</b>	<b>Generally Accepted Accounting Principles</b>
<b>GAL</b>	<b>Generic Array Logic</b>
<b>GAPI</b>	<b>Gateway Application Programming Interface</b>
<b>GART</b>	<b>Graphics Address Relocation Table</b>
<b>GATT</b>	<b>Graphics Address Translation Table</b>
<b>Gb</b>	<b>Gigabit (1,024 megabits) + (One Billion Bits of Information)</b>
<b>GB</b>	<b>Gigabyte (1,024 megabytes) + (One Billion Characters of Information)</b>
<b>GCC</b>	<b>GNU C-Compiler [Unix]</b>
<b>GCR</b>	<b>Group Code Recording</b>
<b>GDA</b>	<b>Global Data Area</b>
<b>GDDM</b>	<b>Graphics Data Display Manager</b>
<b>GDG</b>	<b>Generation Data Group [IBM]</b>
<b>GDI</b>	<b>Graphical Device Interface</b>
<b>GDLC</b>	<b>Generic Data Link Control [IBM]</b>
<b>GDP</b>	<b>Graphic Draw Primitive</b>
<b>GDT</b>	<b>Geometric Dimensioning and Tolerancing + Global Descriptor Table + Graphics Development Toolkit</b>
<b>GECOS</b>	<b>General Electric Comprehensive Operating System</b>
<b>GEIS</b>	<b>General Electric Information Service (company)</b>
<b>GEM</b>	<b>Graphics Environment Manager (DRI Program)</b>
<b>GENIE</b>	<b>General Electric Network for Information Exchange</b>
<b>GEO</b>	<b>Geostationary Earth Orbit</b>
<b>GEOS</b>	<b>Graphic Environment Operating System [Geoworks]</b>
<b>GET</b>	<b>Get Execute Trigger</b>
<b>GGP</b>	<b>Gateway-Gateway Protocol [Internet]</b>
<b>GHZ</b>	<b>Gigahertz</b>
<b>.GID</b>	<b>Topics (file name extension) [Microsoft]</b>
<b>.GIF</b>	<b>Graphics Interchange Format (file name extension)</b>
<b>GIGO</b>	<b>Garbage In, Garbage Out</b>
<b>GII</b>	<b>Global Information Infrastructure</b>
<b>GILS</b>	<b>Government Information Locator Service</b>
<b>GIS</b>	<b>Geographic Information System + Global Information Solutions [AT&amp;T]</b>
<b>GIX</b>	<b>Global Internet Exchange [Internet]</b>
<b>GKS</b>	<b>Graphical Kernel System</b>
<b>GL</b>	<b>Graphics Language</b>
<b>G/L</b>	<b>General Ledger</b>
<b>GLIS</b>	<b>Global Land Information System [US Geological Survey]</b>
<b>GLM</b>	<b>General Linear Models</b>
<b>GLOBE</b>	<b>Global Learning by Observations to Benefit the Environment [Internet]</b>
<b>.GLY</b>	<b>Glossary (file name extension) [Microsoft Word]</b>
<b>GML</b>	<b>Generalized Markup Language</b>
<b>GMP</b>	<b>Global Mobile Professional</b>
<b>GMR</b>	<b>Giant Magneto-Resistive</b>
<b>GMS</b>	<b>Global Management System + Global Messaging Service [Novell]</b>
<b>GMT</b>	<b>Greenwich Mean Time</b>

<b>GND</b>	<b>Ground (signal/system)</b>
<b>GNN</b>	<b>Global Network Navigator</b>
<b>GNU</b>	<b>Gnu's Not Unix (operating system)</b>
<b>GOSIP</b>	<b>Government Open Systems Interconnection Profile</b>
<b>.GOV</b>	<b>Governmental (Domain Name) [Internet]</b>
<b>GP</b>	<b>Gas Plasma + General Purpose</b>
<b>GPF</b>	<b>General Protection Fault</b>
<b>GPI</b>	<b>Graphics Programming Interface</b>
<b>GPIB</b>	<b>General Purpose Information/Interface Bus</b>
<b>GPR</b>	<b>General Purpose Register [IBM]</b>
<b>GPS</b>	<b>Global Positioning Satellite/System</b>
<b>GPSS</b>	<b>* General Purpose Systems Simulator (language)</b>
<b>GRADD</b>	<b>Graphics Adapter Device Driver [IBM]</b>
<b>GRE</b>	<b>Graphics Engine</b>
<b>GREP</b>	<b>Global Regular Expression Print</b>
<b>.GRF</b>	<b>Graph (file name extension)</b>
<b>.GRP</b>	<b>Group (file name extension)</b>
<b>GS</b>	<b>Group Separator</b>
<b>GSI</b>	<b>General Server Interface</b>
<b>GSM</b>	<b>Global Shared Memory + Global System for Mobile-Communications (network)</b>
<b>GSNW</b>	<b>Gateway Service for NetWare [Microsoft]</b>
<b>GSP</b>	<b>Generic Server Passer</b>
<b>GSTN</b>	<b>General Switched Telephone Network</b>
<b>GTE</b>	<b>General Telephone Electronics (corporation)</b>
<b>GTL</b>	<b>Gunning Transceiver Logic</b>
<b>GTO</b>	<b>Guide To Operations [IBM]</b>
<b>GTP</b>	<b>* Geometry Theorem Prover</b>
<b>GUI</b>	<b>Graphical User Interface</b>
<b>GUID</b>	<b>Globally Unique Identifier + Global Universal Identifier</b>
<b>GVT</b>	<b>Global Virtual Time</b>
<b>GW-BASIC</b>	<b>Gee Whiz BASIC</b>
<b>.gz</b>	<b>Compressed file (compressed filename extension - using GNU gzip compression/decompression program) [Unix]</b>
<b>GZIP</b>	<b>GNU Zip</b>
<b>H...</b>	
<b>.H</b>	<b>Header (file name extension) [C]</b>
<b>HACMP</b>	<b>High Availability Cluster Multi-Processing [IBM]</b>
<b>HAL</b>	<b>Hard Array Logic + Hardware Abstraction Layer + House-Programmed Array Logic</b>
<b>HAL</b>	<b>* Heuristically Programmed Algorithmic (computer) [from 1968 movie "2001: A Space Odyssey"]</b>
<b>HAP</b>	<b>Host Access Protocol</b>
<b>HASP</b>	<b>Houston Automatic Spooling Priority (System)</b>
<b>HBA</b>	<b>Host Bus Adapter</b>
<b>HCL</b>	<b>Hardware Compatibility List</b>
<b>HCSS</b>	<b>High Capacity Storage System</b>
<b>HCU</b>	<b>Home Computer User</b>

<b>HD</b>	<b>Hard Disk + High Density</b>
<b>HDA</b>	<b>Head Disk Assembly</b>
<b>HDCD</b>	<b>High Definition Compatible Digital</b>
<b>HDF</b>	<b>Hierarchical Data Format [NCSA]</b>
<b>HDI</b>	<b>Head to Disk Interference</b>
<b>HDLC</b>	<b>High-Level Data Link Control</b>
<b>HDM</b>	<b>Hardware Device Module</b>
<b>HDML</b>	<b>Handheld Device Markup Language</b>
<b>HDR</b>	<b>Header</b>
<b>HDSC</b>	<b>High Density Signal Carrier [DEC]</b>
<b>HDSL</b>	<b>High-Data-Rate Digital Subscriber Line</b>
<b>HDSS</b>	<b>Holographic Data Storage System</b>
<b>HDT</b>	<b>Host Digital Terminal</b>
<b>HDTV</b>	<b>High Definition Television</b>
<b>HDVD</b>	<b>High Definition Volumetric Display</b>
<b>HDW</b>	<b>Hardware</b>
<b>HDX</b>	<b>Half Duplex</b>
<b>HERC</b>	<b>Hercules</b>
<b>HEX</b>	<b>Hexadecimal</b>
<b>HFC</b>	<b>Hybrid Fiber-Coaxial</b>
<b>HFS</b>	<b>Hierarchical File System [Macintosh]</b>
<b>HFT</b>	<b>High Function Terminal [IBM]</b>
<b>HGA</b>	<b>Hercules Graphics Adapter</b>
<b>HGCP</b>	<b>Hercules Graphics Card Plus</b>
<b>HH</b>	<b>Hour</b>
<b>HIF</b>	<b>Hyper-G Interchange Format</b>
<b>HIFD</b>	<b>High-Density Floppy Disk</b>
<b>HIL</b>	<b>Human Interface Link [HP]</b>
<b>HIMEM</b>	<b>High Memory</b>
<b>HIPPI</b>	<b>High Performance Parallel Interface</b>
<b>HLCO</b>	<b>High Low Close Open</b>
<b>HLL</b>	<b>High Level Language</b>
<b>HLLAPI</b>	<b>High Level Language Application Programming Interface</b>
<b>.HLP</b>	<b>Help (file name extension)</b>
<b>HLQ</b>	<b>High Level Qualifier</b>
<b>HLS</b>	<b>Hue, Luminance, Saturation (color model)</b>
<b>HLT</b>	<b>Halt</b>
<b>HMA</b>	<b>High Memory Area [Microsoft] + Hub Management Architecture</b>
<b>HMD</b>	<b>Head Mounted Display</b>
<b>HMM</b>	<b>Hidden Markov Model</b>
<b>HMMP</b>	<b>Hyper-Media Management Protocol</b>
<b>HMOS</b>	<b>High Density Metal Oxide Semiconductor +</b>
<b>High Speed Metal Oxide Semiconductor</b>	
<b>HMP</b>	<b>Host Monitoring Protocol</b>
<b>HOTT</b>	<b>Hot Off The Tree (electronic newsletter)</b>
<b>HP</b>	<b>Hewlett-Packard (Company)</b>
<b>HPC</b>	<b>Handheld Personal Computer</b>
<b>HPCC</b>	<b>High Performance Computing and Communications</b>



<b>HPDJ</b>	<b>Hewlett-Packard Desk Jet</b>
<b>HPFS</b>	<b>High-Performance File System</b>
<b>HPG</b>	<b>Hewlett-Packard Graphics</b>
<b>HPGL</b>	<b>Hewlett-Packard Graphics Language</b>
<b>HPIB</b>	<b>Hewlett-Packard Interface Bus</b>
<b>HPLJ</b>	<b>Hewlett-Packard Laser Jet</b>
<b>HPPA</b>	<b>Hewlett-Packard Precision Architecture</b>
<b>HPPI</b>	<b>High Performance Parallel Interface</b>
<b>HPR</b>	<b>High Performance Routing [IBM]</b>
<b>HPUX</b>	<b>Hewlett-Packard Unix</b>
<b>HPW</b>	<b>High Performance Workstation [Sun]</b>
<b>.HQX</b>	<b>BinHex (file name extension) [Macintosh]</b>
<b>HRIS</b>	<b>Human Resource Information System</b>
<b>HRG</b>	<b>High Resolution Graphics</b>
<b>HRMS</b>	<b>Human Resource Management System</b>
<b>HRTF</b>	<b>Head Related Transfer Function</b>
<b>HS</b>	<b>High Speed</b>
<b>HSB</b>	<b>Hue, Saturation, Brightness (color model)</b>
<b>HSC</b>	<b>Hierarchical Storage Controller + High Speed Channel</b>
<b>HSI</b>	<b>Hue, Saturation, Intensity</b>
<b>HSM</b>	<b>Hierarchical Storage Management</b>
<b>HSP</b>	<b>High Speed Printer/Processor</b>
<b>HSSI</b>	<b>High Speed Serial Interface</b>
<b>HST</b>	<b>High Speed Technology [U.S. Robotics]</b>
<b>.HST</b>	<b>History + Host (file name extensions)</b>
<b>HSV</b>	<b>Hue Saturation Value</b>
<b>HTML</b>	<b>HyperText Markup Language</b>
<b>HTTP</b>	<b>HyperText Transfer Protocol</b>
<b>HTTP-NG</b>	<b>HTTP Next Generation</b>
<b>HUD</b>	<b>Heads Up Display</b>
<b>HUT</b>	<b>Hopkins Ultraviolet Telescope</b>
<b>H/V</b>	<b>Horizontal/Vertical</b>
<b>HVP</b>	<b>Horizontal &amp; Vertical Position</b>
<b>H/W</b>	<b>Hardware</b>
<b>HWCP</b>	<b>Hardware Code Page</b>
<b>HWD</b>	<b>Height-Width-Depth</b>
<b>.HYP</b>	<b>Hyphenation (file name extension)</b>
<b>HYTELNET</b>	<b>Hypertext-browser for Telnet Accessible Sites</b>
<b>Hz</b>	<b>Hertz</b>
<b>I...</b>	
<b>IAB</b>	<b>Internet Architecture Board [Internet]</b>
<b>IAC</b>	<b>Inter-Application Communication [Macintosh]</b>
<b>IAG</b>	<b>Instruction Address Generation</b>
<b>IAK</b>	<b>Internet Access Kit [IBM]</b>
<b>IAL</b>	<b>* International Algebraic Language</b>
<b>(ALGOL was first called IAL)</b>	

<b>IANA</b>	<b>Internet Assigned Numbers Authority [Internet]</b>
<b>IAP</b>	<b>Internet Access Provider [Internet]</b>
<b>IAT</b>	<b>Import Address Table</b>
<b>IAUP</b>	<b>Internet User Account Provider [Internet]</b>
<b>IBC</b>	<b>Instrument Bus Computer</b>
<b>iBCS</b>	<b>Intel Binary Compatibility Specification</b>
<b>IBM</b>	<b>International Business Machines (Corporation)</b>
<b>IBM-GL</b>	<b>IBM Graphics Language</b>
<b>IC</b>	<b>Input Circuit + Integrated Circuit + Interrupt Controller ICA    Intelligent Console Architecture + Intra-application Communications Area</b>
<b>ICAP</b>	<b>Internet Calendar Access Protocol [Lotus]</b>
<b>ICAS</b>	<b>Intel Communicating Applications Specifications</b>
<b>ICB</b>	<b>Internet Citizen's Band</b>
<b>ICCP</b>	<b>Institute for the Certification of Computing Professionals</b>
<b>ICD</b>	<b>International Code Designator</b>
<b>ICE</b>	<b>In-Circuit Emulator [Intel] +</b>
	<b>Integrated Computing Environment [Langley Research]</b>
<b>ICES</b>	<b>Interference-Causing Equipment Standard</b>
<b>ICI</b>	<b>Image Component Information</b>
<b>ICL</b>	<b>Interface Clear</b>
<b>ICLID</b>	<b>Incoming-Call Line Identification</b>
<b>ICM</b>	<b>Image Color Matching [Kodak]</b>
<b>ICMP</b>	<b>Internet Control Message Protocol [Novell]</b>
<b>.ICO</b>	<b>Icon (file name extension)</b>
<b>iCOMP</b>	<b>Intel Comparative Microprocessor Performance [Intel]</b>
<b>ICP</b>	<b>Integrated Channel Processor</b>
<b>ICR</b>	<b>Intelligent Character Recognition</b>
<b>ICS</b>	<b>Intuitive Command Structure</b>
<b>ICSAPI</b>	<b>Internet Connection Services API</b>
<b>ICU</b>	<b>Instruction-Cache Unit + Intel Configuration Utility [Microsoft] + ISA Configuration Utility</b>
<b>ID</b>	<b>Identification + Identifier</b>
<b>IDA</b>	<b>Integrated Digital Access + Intelligent Disk Array + Intelligent Drive Array</b>
<b>IDAPI</b>	<b>Integrated Database Application Programming Interface</b>
<b>IDC</b>	<b>Integrated Database Connector + Integrated Desktop Connector + Internet Database Connector [Microsoft]</b>
<b>IDDE</b>	<b>Integrated Development &amp; Debugging Environment [Symantec]</b>
<b>IDE</b>	<b>Imbedded Drive Electronics + Integrated Development Environment [Borland] + Integrated Drive Electronics + Intelligent Drive Electronics + Interactive Design and Engineering + Interface Design Enhancement</b>
<b>IDEA</b>	<b>International Data Encryption Algorithm</b>
<b>IDF</b>	<b>Intermediate Distribution Frame</b>
<b>IDI</b>	<b>Initial Domain Identifier</b>
<b>IDIV</b>	<b>Integer Divide</b>
<b>IDL</b>	<b>Interactive Data Language + Interface Definition Language</b>
<b>IDMS</b>	<b>Integrated Data Base Management System</b>
<b>IDNX</b>	<b>Integrated Digital Network Exchange [IBM]</b>
<b>IDP</b>	<b>Integrated Data Processing</b>
<b>IDR</b>	<b>Intelligent Document Recognition</b>

<b>IDT</b>	<b>Interface Design Tool + Interrupt Descriptor Table</b>
<b>.IDX</b>	<b>Index (file name extension)</b>
<b>IE</b>	<b>Internet Explorer [Microsoft]</b>
<b>IEC</b>	<b>International Electrotechnical Commission</b>
<b>IEEE</b>	<b>Institute of Electrical and Electronics Engineers</b>
<b>IEF</b>	<b>Information Engineering Facility</b>
<b>IEMSI</b>	<b>Interactive Electronic Mail Standard Identification</b>
<b>IEN</b>	<b>Internet Engineering Notes</b>
<b>IETF</b>	<b>Internet Engineering Task Force [Internet]</b>
<b>IESG</b>	<b>Internet Engineering Steering Group [Inernet]</b>
<b>I/F</b>	<b>Interface</b>
<b>IFC</b>	<b>Internet Foundation Classes</b>
<b>IFD</b>	<b>Image File Directory</b>
<b>IFF</b>	<b>Interchangeable File Format [Amiga]</b>
<b>IFG</b>	<b>Incoming Fax Gateway</b>
<b>IFP</b>	<b>Instruction Fetch Pipeline</b>
<b>IFS</b>	<b>Installable File System</b>
<b>IFSM</b>	<b>Information Systems Management</b>
<b>IGA</b>	<b>Integrated Graphics Array</b>
<b>IGC</b>	<b>Integrated Graphics Controller</b>
<b>IGES</b>	<b>Initial Graphics Exchange Standard</b>
<b>IGFET</b>	<b>Insulated-Gate Field Effect Transistor</b>
<b>IGMP</b>	<b>Internet Group Multicast Protocol [Internet]</b>
<b>IGP</b>	<b>Interior Gateway Protocol</b>
<b>IGRP</b>	<b>Interior Gateway Routing Protocol [Cisco]</b>
<b>IGS</b>	<b>Internet Go Server [Internet]</b>
<b>IHD</b>	<b>Integrated Help Desk [IBM]</b>
<b>IHV</b>	<b>Independent Hardware Vendor</b>
<b>IIF</b>	<b>Immediate Interface</b>
<b>III</b>	<b>Interstate Identification Index [NCIC]</b>
<b>IIOB</b>	<b>Internet Inter-Operability Protocol</b>
<b>IIR</b>	<b>Immediate Impulse Response</b>
<b>IIS</b>	<b>Internet Information Server [Microsoft]</b>
<b>IITF</b>	<b>Information Infrastructure Task Force</b>
<b>IKP</b>	<b>Internet Keyed Payments [IBM]</b>
<b>ILA</b>	<b>Image Light Amplifier</b>
<b>ILS</b>	<b>International Language Support</b>
<b>IMACS</b>	<b>Image Management and Communication System</b>
<b>IMAP</b>	<b>Internet Message Access Protocol [Internet]</b>
<b>IMAX</b>	<b>Maximum Image</b>
<b>IMDS</b>	<b>Image Data Stream (format) [IBM]</b>
<b>IME</b>	<b>Input Method Editor</b>
<b>IMG</b>	<b>Image</b>
<b>IML</b>	<b>Initial Microcode Load [IBM]</b>
<b>IMP</b>	<b>Information/Interface Message Processor</b>
<b>IMPA</b>	<b>Intelligent Multi-Port Adapter [DCA]</b>
<b>IMR</b>	<b>Internet Monthly Report [Internet]</b>
<b>IMS</b>	<b>Information Management System + Intermediate Maintenance Standards</b>

<b>IMSP</b>	<b>Internet Message Support Protocol</b>
<b>IMTC</b>	<b>International Multimedia Teleconferencing Consortium</b>
<b>IMTV</b>	<b>Interactive Multimedia Television</b>
<b>IMUL</b>	<b>Integer Multiply</b>
<b>IMUX</b>	<b>Inverse Multiplexer</b>
<b>IN</b>	<b>Input</b>
<b>INC</b>	<b>Increment</b>
<b>.IND</b>	<b>Index (file name extension)</b>
<b>.INF</b>	<b>Information (file name extension)</b>
<b>.INFO</b>	<b>Information Services (Domain Name0 [Internet])</b>
<b>.INI</b>	<b>Initialize (file name extension)</b>
<b>INIT</b>	<b>Initialization + Initialize</b>
<b>INM</b>	<b>Integrated Network Management</b>
<b>INN</b>	<b>Internet News Daemon</b>
<b>INS</b>	<b>Input String + Integrated Network Server</b>
<b>INT</b>	<b>Integer + Internal + Interrupt +</b>
	<b>International (organization Domain name) [Internet]</b>
<b>INTA</b>	<b>Interrupt Acknowledge</b>
<b>InterNIC</b>	<b>Internet Network Information Center [Internet]</b>
<b>INTO</b>	<b>Interrupt if Overflow occurs</b>
<b>I2O</b>	<b>Intelligent Input/Output</b>
<b>I/O</b>	<b>Input/Output</b>
<b>IOC</b>	<b>Inter-Office Channel</b>
<b>IOCC</b>	<b>Input/Output Channel Converter + Input/Output Controller Chip</b>
<b>IOCS</b>	<b>Input/Output Control System</b>
<b>IOCTL</b>	<b>Input/Output Control</b>
<b>IODE</b>	<b>Integrated Development and Debugging Environment [Symantec]</b>
<b>IOP</b>	<b>Input/Output Processor</b>
<b>IOPL</b>	<b>Input/Output Privilege Level</b>
<b>IOSGA</b>	<b>Input/Output Support Gate Array</b>
<b>IP</b>	<b>Instruction Pointer + Internet Protocol</b>
<b>IPC</b>	<b>Instructions Per Clock + Interprocess Communication</b>
<b>IPCP</b>	<b>Internet Protocol Control Protocol</b>
<b>IPDS</b>	<b>IBM Personal Dictation System [IBM] +</b>
	<b>Intelligent Printer Data Stream [IBM]</b>
<b>IPFC</b>	<b>Information Presentation Facility Compiler [IBM]</b>
<b>IPI</b>	<b>Intelligent Peripheral Interface</b>
<b>IPL</b>	<b>Initial Program Load/Loader + Ion Projection Lithography</b>
<b>IPL</b>	<b>* Information Programming Language</b>
<b>IPM</b>	<b>Interpersonal Message</b>
<b>IPng</b>	<b>Internet Protocol, next generation</b>
<b>IPSE</b>	<b>Integrated Project Support Environment</b>
<b>IPTC</b>	<b>International Press Telecommunications Council</b>
<b>IPX</b>	<b>Internetwork Packet Exchange [Novell]</b>
<b>IQL</b>	<b>Interactive Query Language</b>
<b>IR</b>	<b>Infrared</b>
<b>IRC</b>	<b>Internet Relay Chat [Internet]</b>
<b>IRD</b>	<b>Integrated Receiver/Descrambler</b>

<b>IRDA</b>	<b>Infrared Data Association</b>
<b>IRDS</b>	<b>Information Resource Dictionary System</b>
<b>IRET</b>	<b>Interrupt Return</b>
<b>IRF</b>	<b>Intermediate Routing Function + Inheritance Rights Filter [Novell]</b>
<b>IRL</b>	<b>Interactive Reader Language + Inter-Repeater Link</b>
<b>IRLAP</b>	<b>Infrared Link Access Protocol</b>
<b>IRLED</b>	<b>Infrared Light Emitting Diode</b>
<b>IRM</b>	<b>Information Resource Management + Inherent Rights Mask</b>
<b>IRQ</b>	<b>Interrupt Request</b>
<b>IRTF</b>	<b>Internet Research Task Force [Internet]</b>
<b>IRX</b>	<b>Information Retrieval Experiment</b>
<b>IS</b>	<b>Information System + Interrupt Status</b>
<b>ISA</b>	<b>Industry Standard Architecture +</b>
<b>Instruction-Set Architecture</b>	
<b>ISAM</b>	<b>Indexed Sequential-Access Management/Method</b>
<b>ISAPI</b>	<b>Internet Servier API [Microsoft]</b>
<b>ISBN</b>	<b>International Standard Book Number</b>
<b>ISC</b>	<b>Instruction Set Computer + Inter-Systems Communication [IBM]</b>
<b>ISD</b>	<b>Image Section Descriptor +</b>
<b>Instructional Systems Design</b>	
<b>ISDN</b>	<b>Integrated Services Digital Network</b>
<b>ISH</b>	<b>Information Super Highway</b>
<b>ISI</b>	<b>Internally Specified Index</b>
<b>ISIS</b>	<b>Integrated Systems and Information Services</b>
<b>ISKM</b>	<b>Internet Starter Kit for the Macintosh</b>
<b>ISL</b>	<b>Interactive System Language</b>
<b>ISM</b>	<b>Internet Service Manager [Mircrosoft]</b>
<b>ISMF</b>	<b>Interactive Storage Management Facility</b>
<b>ISOC</b>	<b>Internet Society</b>
<b>ISO</b>	<b>International Organization for Standardization</b>
<b>ISP</b>	<b>Internet Service Provider [Internet] + Interrupt Stack Pointer + Interrupt Status Port</b>
<b>ISPF</b>	<b>Interactive System Programming Facility</b>
<b>ISR</b>	<b>Information Storage and Retrieval + Interrupt Service Routine + Interrupt Status Register</b>
<b>ISSN</b>	<b>International Standard Serial Number</b>
<b>ISV</b>	<b>Independent Software Vendor</b>
<b>IT</b>	<b>Information Technology</b>
<b>ITB</b>	<b>Information Technology Branch + Intermediate Text Block</b>
<b>ITC</b>	<b>International Typeface Corporation</b>
<b>ITE</b>	<b>Information Technology Equipment</b>
<b>ITF</b>	<b>Interactive Test Facility</b>
<b>ITN</b>	<b>Identification Tasking and Networking</b>
<b>ITR</b>	<b>Internet Talk Radio</b>
<b>ITU</b>	<b>International Telecommunication Union</b>
<b>ITUG</b>	<b>International Telecommunications User Group</b>
<b>ITU-TIES</b>	<b>ITU-Telecom Information Exchange Services</b>
<b>ITU-TSS</b>	<b>ITU-Telecommunication Standards Section</b>
<b>ITV</b>	<b>Interactive Television</b>
<b>ITX</b>	<b>Intermediate Text Block</b>

<b>IU</b>	<b>Integer Unit</b>
<b>IUAP</b>	<b>Internet User Account Provider [Internet]</b>
<b>IUS/ITB</b>	<b>Interchange Unit Separator/Intermediate Transmission Block</b>
<b>IVIS</b>	<b>Interactive Video Information System</b>
<b>IVL</b>	<b>Independent Vendor League + Intel Verification Lab</b>
<b>IVR</b>	<b>Interactive Voice Response</b>
<b>IVS</b>	<b>Interactive Videodisk System</b>
<b>IVT</b>	<b>Interrupt Vector Table</b>
<b>IV&amp;V</b>	<b>Independent Verification &amp; Validation</b>
<b>I-WAY</b>	<b>Information Highway</b>
<b>IXC</b>	<b>Interchange Carrier</b>
<b>J...</b>	
<b>JA</b>	<b>Jump Address + Jump if Above</b>
<b>JAD</b>	<b>Joint Application Design</b>
<b>JAE</b>	<b>Jump if Above or Equal</b>
<b>JANET</b>	<b>Joint Academic Network</b>
<b>JAR</b>	<b>Java Archive (file format)</b>
<b>JBE</b>	<b>Jump if Below or Equal</b>
<b>JC</b>	<b>Jump if Carry set</b>
<b>JCL</b>	<b>Job Control Language</b>
<b>JDBC</b>	<b>Java Database Connectivity</b>
<b>JDK</b>	<b>Java Development Kit</b>
<b>JE</b>	<b>Jump if Equal</b>
<b>JEDEC</b>	<b>Joint Electronic Devices Engineering Council</b>
<b>JEIDA</b>	<b>Japanese Electronics Industry Development Association</b>
<b>JEPI</b>	<b>Joint Electronic Payment Initiative</b>
<b>JES</b>	<b>Job Entry System</b>
<b>JFC</b>	<b>Java Foundation Classes</b>
<b>JFET</b>	<b>Junction Field Effect Transistor</b>
<b>JFIF</b>	<b>JPEG File Interchange Format</b>
<b>JFS</b>	<b>Journaled File System [IBM]</b>
<b>JG</b>	<b>Jump if Greater</b>
<b>JGE</b>	<b>Jump if Greater or Equal</b>
<b>JIPS</b>	<b>JANET Internet Protocol Service</b>
<b>JIT</b>	<b>Just-In-Time (compiler)</b>
<b>JL</b>	<b>Jump if Less</b>
<b>JLE</b>	<b>Jump if Less than or Equal to</b>
<b>JMAPI</b>	<b>Java Management Application Program Interface</b>
<b>JMF</b>	<b>Java Media Framework [Sun]</b>
<b>JMP</b>	<b>Jump</b>
<b>JNA</b>	<b>Jump if Not Above</b>
<b>JNAE</b>	<b>Jump if Not Above or Equal</b>
<b>JNB</b>	<b>Jump if Not Below</b>
<b>JNBE</b>	<b>Jump if Not Below or Equal</b>
<b>JNG</b>	<b>Jump if Not Greater</b>
<b>JNGE</b>	<b>Jump if Not Greater or Equal</b>



<b>JNI</b>	<b>Java Native Interface</b>
<b>.JNK</b>	<b>Junk (file name extension)</b>
<b>JNLE</b>	<b>Jump if Not Less or Equal</b>
<b>JNO</b>	<b>Jump if No Overflow</b>
<b>JNP</b>	<b>Jump if No Parity</b>
<b>JNS</b>	<b>Jump if No Sign</b>
<b>JOE</b>	<b>Java Objects Everywhere</b>
<b>JOHNNIAC*</b>	<b>John Neumann Integrator and Automatic Computer [Rand Corp.]</b>
<b>JOSS</b>	<b>* Johnniac Open Shop System [Rand Corp.]</b>
<b>JPE</b>	<b>Jump if Parity Even</b>
<b>JPEG</b>	<b>Joint Photographic Experts Group</b>
<b>JPL</b>	<b>Jet Propulsion Laboratory</b>
<b>JPO</b>	<b>Jump if Parity Odd</b>
<b>JS</b>	<b>Jump if Sign</b>
<b>JZ</b>	<b>Jump if Zero</b>
<b>JNZ</b>	<b>Jump if Not Zero</b>
<b>JSS</b>	<b>Java-Script Style Sheet</b>
<b>JUGHEAD</b>	<b>Jonzy's Universal Gopher Hierarchy Excavation and Display [Internet]</b>
<b>JVM</b>	<b>Java Virtual Machine</b>
<b>K...</b>	
<b>K-12</b>	<b>Kindergarten through 12th Grade [US Education System]</b>
<b>KAM</b>	<b>Keep Alive Memory</b>
<b>Kb</b>	<b>Kilobit</b>
<b>KB</b>	<b>Keyboard + Kilobyte (1,024 bytes)</b>
<b>KBD</b>	<b>Keyboard (also KEYB)</b>
<b>KBD\$</b>	<b>Keyboard [OS/2]</b>
<b>KBE</b>	<b>Knowledge Based Engineering</b>
<b>Kbps</b>	<b>Kilobits Per Second</b>
<b>KBps</b>	<b>Kilobytes Per Second</b>
<b>KDT</b>	<b>Key Definition Table</b>
<b>KEFIR</b>	<b>Key Findings Reporter [GTE]</b>
<b>KEYBBE</b>	<b>Foreign language KEYBoard program - Belgium</b>
<b>KEYBBR</b>	<b>Foreign language KEYBoard program - Brazil</b>
<b>KEYBCF</b>	<b>Foreign language KEYBoard program - Canadian-French</b>
<b>KEYBCZ</b>	<b>Foreign language KEYBoard program - Czechoslovakia (Czech)</b>
<b>KEYBDK</b>	<b>Foreign language KEYBoard program - Denmark</b>
<b>KEYBFR</b>	<b>Foreign language KEYBoard program - France</b>
<b>KEYBGR</b>	<b>Foreign language KEYBoard program - Germany</b>
<b>KEYBHU</b>	<b>Foreign language KEYBoard program - Hungary</b>
<b>KEYBIT</b>	<b>Foreign language KEYBoard program - Italy</b>
<b>KEYBLA</b>	<b>Foreign language KEYBoard program - Latin America</b>
<b>KEYBNL</b>	<b>Foreign language KEYBoard program - Netherlands</b>
<b>KEYBNO</b>	<b>Foreign language KEYBoard program - Norway</b>
<b>KEYBPL</b>	<b>Foreign language KEYBoard program - Poland</b>
<b>KEYBPO</b>	<b>Foreign language KEYBoard program - Portugal</b>

<b>KEYBSF</b>	<b>Foreign language KEYBoard program - Swiss-French</b>
<b>KEYBSG</b>	<b>Foreign language KEYBoard program - Swiss-German</b>
<b>KEYBSL</b>	<b>Foreign language KEYBoard program - Czechoslovakia (Slovak)</b>
<b>KEYBSP</b>	<b>Foreign language KEYBoard program - Spain</b>
<b>KEYBSU</b>	<b>Foreign language KEYBoard program - Finland</b>
<b>KEYBSV</b>	<b>Foreign language KEYBoard program - Sweden</b>
<b>KEYBUK</b>	<b>Foreign language KEYBoard program - United Kingdom</b>
<b>KEYBUS</b>	<b>Foreign language KEYBoard program - United States</b>
<b>KEYBYU</b>	<b>Foreign language KEYBoard program - Yugoslavia</b>
<b>KHz</b>	<b>Kilohertz</b>
<b>KIF</b>	<b>Knowledge Interchange Format</b>
<b>KIS</b>	<b>Knowbot Information Service [Internet]</b>
<b>KPI</b>	<b>Kernel Programming Interface</b>
<b>KQML</b>	<b>Knowledge Query and Manipulation Language</b>
<b>KSH</b>	<b>Korn Shell (program) [Unix]</b>
<b>KSPH</b>	<b>Keystrokes Per Hour</b>
<b>KSR</b>	<b>Keyboard Send Receive</b>
<b>KRS</b>	<b>Knowledge Retrieval System</b>
<b>L...</b>	
<b>L2F</b>	<b>Layer Two Forwarding [Cisco]</b>
<b>L2TP</b>	<b>Layer Two Tunneling Protocol</b>
<b>LADDR</b>	<b>Layered Device Driver Architecture [Microsoft]</b>
<b>LALL</b>	<b>Longest Allowed Lobe Length</b>
<b>LAN</b>	<b>Local Area Network</b>
<b>LANACS</b>	<b>Local Area Network Asynchronous Connection Server</b>
<b>LANDP</b>	<b>LAN Distributed Platform</b>
<b>LANE</b>	<b>Local Area Network Emulation</b>
<b>LANG</b>	<b>Language</b>
<b>LAPB</b>	<b>Link Access Procedure Balanced (protocol)</b>
<b>LAPD</b>	<b>Link Access Procedure Direct (protocol)</b>
<b>LAPM</b>	<b>Link Access Procedure for Modems</b>
<b>LAR</b>	<b>Load Access Rights</b>
<b>LASER</b>	<b>Light Amplification by Stimulated Emission of Radiation</b>
<b>LASTport</b>	<b>Local Area Storage Transport (protocol) [DEC]</b>
<b>LAT</b>	<b>Local Access Terminal + Local Area Transport [DEC]</b>
<b>LATA</b>	<b>Local Access and Transport Area</b>
<b>LAVC</b>	<b>Local Area VAX Cluster</b>
<b>LAWN</b>	<b>Local Area Wireless Network</b>
<b>LB</b>	<b>Left Button (of 2 or 3 button Mouse)</b>
<b>LBA</b>	<b>Logical Block Addressing</b>
<b>LBL</b>	<b>Label</b>
<b>LBR</b>	<b>Librarian</b>
<b>.LBR</b>	<b>Library (file name extension)</b>
<b>LBT</b>	<b>Listen Before Talk</b>
<b>LBX</b>	<b>Local Bus Accelerator</b>
<b>LCA</b>	<b>Lotus Communications Architecture [Lotus]</b>

<b>LCC</b>	<b>Leadless Chip Carrier</b>
<b>LCD</b>	<b>Liquid Crystal Display + Lowest Common Denominator</b>
<b>LCF</b>	<b>Low Cost Fiber</b>
<b>LCK</b>	<b>Library Construction Kit [Microsoft FoxPro]</b>
<b>LCP</b>	<b>Link Control Protocol</b>
<b>LCR</b>	<b>Line Control Register</b>
<b>LCU</b>	<b>Last Cluster Used</b>
<b>LDA</b>	<b>Logical Device Address</b>
<b>LDAP</b>	<b>Lightweight Directory Access Protocol [IBM]</b>
<b>LDC</b>	<b>Lotus Development Corporation</b>
<b>LDDS</b>	<b>Long Distance Discount Services (company)</b>
<b>LDM</b>	<b>Long Distance Modem</b>
<b>LDT</b>	<b>Local Descriptor Table</b>
<b>LE</b>	<b>Less or Equal</b>
<b>LEA</b>	<b>Load Effective Address</b>
<b>LEAF</b>	<b>Law Enforcement Access Field</b>
<b>LEC</b>	<b>Local Area Network Emulation Client + Local Exchange Carrier</b>
<b>LED</b>	<b>Light Emitting Diode</b>
<b>LEL</b>	<b>Link, Embed and Launch-to-edit [Lotus]</b>
<b>LEM</b>	<b>Language Extension Module</b>
<b>LEN</b>	<b>Low Entry Networking</b>
<b>LES</b>	<b>Local Area Network Emulation Server</b>
<b>.LET</b>	<b>Letter (file name extension)</b>
<b>LEX</b>	<b>Lexicon</b>
<b>LF</b>	<b>Line Feed</b>
<b>LFAP</b>	<b>Lightweight Flow Admission Protocol</b>
<b>LFI</b>	<b>Last File Indicator</b>
<b>LFN</b>	<b>Long File Name</b>
<b>LFT</b>	<b>Low Function Terminal [IBM]</b>
<b>LFU</b>	<b>Least Frequently Used</b>
<b>LGA</b>	<b>Leadless Grid Array</b>
<b>LGDT</b>	<b>Load Global Descriptor Table</b>
<b>LIAS</b>	<b>Library Information Access System</b>
<b>.LIB</b>	<b>Library (file name extension)</b>
<b>LIC</b>	<b>Line Interface Coupler [IBM]</b>
<b>LICS</b>	<b>Lotus International Character Set [LDC]</b>
<b>LIDT</b>	<b>Load Interrupt Descriptor Table</b>
<b>LIEP</b>	<b>Large Internet Exchange Packet [Novell]</b>
<b>LIF</b>	<b>Low Insertion Force</b>
<b>LIFO</b>	<b>Last In, First Out</b>
<b>LILO</b>	<b>Last In, Last Out</b>
<b>LIM</b>	<b>Lotus/Intel/Microsoft</b>
<b>LIMA</b>	<b>Lotus/Intel/Microsoft/AST</b>
<b>LIMDO</b>	<b>Light Intensity Modulation Direct Overwrite</b>
<b>LIMM</b>	<b>Light Intensity Modulation Method</b>
<b>LIMS</b>	<b>Library Information Management System</b>
<b>LINUX</b>	<b>(Operating system named after Linus Torvalds)</b>
<b>LIP</b>	<b>Large Internet Packet</b>

<b>LIPS</b>	<b>Lightweight Internet Person Schema + Logical Inferences Per Second</b>
<b>LISP</b>	<b>List Processing (Language)(See HLL)</b>
<b>LISTSERV</b>	<b>List Server [Internet]</b>
<b>LIU</b>	<b>LAN Interface Unit</b>
<b>LLC</b>	<b>Logical Link Control</b>
<b>LLDT</b>	<b>Load Local Descriptor Table</b>
<b>LLF</b>	<b>Low Level Format</b>
<b>LMB</b>	<b>Left Mouse Button</b>
<b>LMBCS</b>	<b>Lotus Multi-Byte Character Set [Lotus]</b>
<b>LMD</b>	<b>Last Modification Date</b>
<b>LMDS</b>	<b>Local Multipoint Distribution Service</b>
<b>LMI</b>	<b>Link/Local Management Interface</b>
<b>LMS</b>	<b>Lotus Messaging Switch [Lotus]</b>
<b>LMSW</b>	<b>Load Machine Status Word</b>
<b>LMU</b>	<b>LAN Management Utilities [IBM] + LAN Manager for Unix</b>
<b>LN</b>	<b>Load Number + Logarithm (Natural)</b>
<b>LN:DI</b>	<b>Lotus Notes:Document Imaging</b>
<b>LNK</b>	<b>Link</b>
<b>LOB</b>	<b>Line of Business</b>
<b>LOC</b>	<b>Lines Of Code + Loop On-Line Control</b>
<b>LOCIS</b>	<b>Library of Congress Information System</b>
<b>LOD</b>	<b>Level Of Detail</b>
<b>LODSB</b>	<b>Load String Byte</b>
<b>LOG</b>	<b>Logarithm (Base 10)</b>
<b>LOGO</b>	<b>(Programming Language)(See HLL)</b>
<b>LON</b>	<b>Local Operating Network</b>
<b>LOOPE</b>	<b>Loop while Equal</b>
<b>LOOPNE</b>	<b>Loop while Not Equal</b>
<b>LOOPNZ</b>	<b>Loop while Not Zero</b>
<b>LOOPZ</b>	<b>Loop while Zero</b>
<b>LORE</b>	<b>Line Oriented Editor</b>
<b>LPAR</b>	<b>Logic Programming and Automated Reasoning</b>
<b>LPC</b>	<b>Local Procedure Call</b>
<b>LPD</b>	<b>Line Printer Daemon (protocol) [Berkley]</b>
<b>LPI</b>	<b>Lines Per Inch</b>
<b>LPL</b>	<b>Lotus Programming Language [Lotus 1-2-3] [LDC]</b>
<b>LPM</b>	<b>Lines Per Minute</b>
<b>LPN</b>	<b>Logical Page Number</b>
<b>LPR</b>	<b>Line Printer Remote</b>
<b>LPS</b>	<b>Low-Power Schottky</b>
<b>LPT</b>	<b>Line Printer</b>
<b>LPT1</b>	<b>First Parallel Printer Port</b>
<b>LPT2</b>	<b>Second Parallel Printer Port</b>
<b>LPT3</b>	<b>Third Parallel Printer Port</b>
<b>LQ</b>	<b>Letter Quality</b>
<b>LQM</b>	<b>Link Quality Monitoring (protocol)</b>
<b>LR</b>	<b>Link Register</b>
<b>LRC</b>	<b>Local Register Cache + Longitudinal Redundancy Check</b>

<b>LRL</b>	<b>Least Recently Loaded</b>
<b>LRM</b>	<b>Language Reference Manual + Least Recently-Used Master</b>
<b>.LRS</b>	<b>Language Resource (file name extension) [WordPerfect]</b>
<b>LRU</b>	<b>Least Recently Used</b>
<b>LSA</b>	<b>LAN and SCSI Adapter [IBM] + Line Sharing Adapter +</b>
<b>Local Security Authority [Microsoft]</b>	
<b>LSAPI</b>	<b>License Services Application Program Interface</b>
<b>LSB</b>	<b>Least Significant Bit</b>
<b>LSC</b>	<b>Least Significant Character</b>
<b>LSD</b>	<b>Least Significant Digit</b>
<b>LSI</b>	<b>Large Scale Integration</b>
<b>LSL</b>	<b>Link Support Layer + Load Segment Limit</b>
<b>LST</b>	<b>List</b>
<b>.LST</b>	<b>List (file name extension)</b>
<b>LTR</b>	<b>Left-To-Right + Letter + Load Task Register</b>
<b>LU</b>	<b>Logical Unit (Also LUN)</b>
<b>LUA</b>	<b>Logical Unit Application (interface)</b>
<b>LUI</b>	<b>Local User Input</b>
<b>LUIS</b>	<b>Library User Information Service</b>
<b>LUN</b>	<b>Logical Unit Number</b>
<b>LUT</b>	<b>Lookup Table</b>
<b>LV</b>	<b>Logical Volume [IBM]</b>
<b>LVM</b>	<b>Logical Volume Management [IBM]</b>
<b>LW</b>	<b>Lazy Write</b>
<b>.LYR</b>	<b>Lyrics (music file name extension)</b>
<b>LZW</b>	<b>Lempel-Ziv-Welch (algorithm)</b>
<b>M...</b>	
<b>mA</b>	<b>Milliampere</b>
<b>Mac</b>	<b>Macintosh (Apple Macintosh Computer)</b>
<b>MAC</b>	<b>Media/Medium Access Control</b>
<b>MAC</b>	<b>* Multiple Access Computers</b>
<b>.MAC</b>	<b>MacPaint (file name extension) +</b>
<b>Macro (file name extension)</b>	
<b>MACH</b>	<b>Multilayer Actuator Head [Epson]</b>
<b>MADE</b>	<b>Manufacturing and Automated Design Engineering</b>
<b>MADYMO</b>	<b>Mathematical Dynamic Modeling [TNO]</b>
<b>MAE</b>	<b>Metropolitan Area Ethernet</b>
<b>mAh</b>	<b>Milliampere-Hour</b>
<b>MAI</b>	<b>Multiple Applications Interface</b>
<b>.MAI</b>	<b>Mail (file name extension)</b>
<b>MAN</b>	<b>Manual [Unix] + Metropolitan Area Network</b>
<b>MANIAC</b>	<b>* Mathematical Analyzer Numerical</b>
<b>Integrator and Computer</b>	
<b>MANPAGE</b>	<b>Manual Page [Unix]</b>
<b>MAP</b>	<b>Maintenance Analysis Procedures +</b>
<b>Manufacturing Automation Protocol +</b>	

<b>Memory Allocation Map</b>
<b>.MAP</b> Linker Map (file name extension)
<b>MAPI</b> Mail/Messaging Applications Programming Interface [Microsoft]
<b>MAPICS</b> Manufacturing, Accounting and Production Information Control System [IBM]
<b>MARVEL</b> Machine-Assisted Realization of the Virtual Electronic Library [Library of Congress]
<b>MASM</b> Macro Assembler [Microsoft]
<b>MASS</b> Maximum Availability and Support Subsystem [Parallan]
<b>MAT</b> Maintenance Access Terminal
<b>MAU</b> Media Access/Adapter Unit + Multistation Access Unit
<b>MAVDM</b> Multiple Application VDM
<b>MAX</b> Maximum
<b>MB</b> Megabyte (1,024 kilobytes) + Middle Button (of 3 button Mouse)
<b>MBASIC</b> Microsoft BASIC [Microsoft]
<b>MBCS</b> Multi-Byte Character Set [IBM]
<b>MBONE</b> Multicast Backbone [Internet]
<b>MBps</b> Megabytes Per Second
<b>Mbps</b> Megabits Per Second
<b>MBR</b> Master Boot Record
<b>MBX</b> Mailbox
<b>MCA</b> Micro Channel Adapter/Architecture [IBM]
<b>MCAD</b> Mechanical Computer Aided Design
<b>MCB</b> Memory Control Block
<b>MCGA</b> Multicolor Graphics Array
<b>MCI</b> MCI Communications Corp. (name from initials of original company - Microwave Communications, Inc.) + Media Control Interface [Microsoft]
<b>MCL</b> Microsoft Compatibility Labs [Microsoft]
<b>MCM</b> Multi-Chip Module
<b>MCNE</b> Master Certified Novell Engineer [Novell]
<b>MC-PGA</b> Metallized Ceramic - Pin Grid Array
<b>MCPS</b> Microsoft Certified Product Specialist [Microsoft]
<b>MC-QFP</b> Metallized Ceramic - Quad Flat Pack
<b>MCR</b> Modem Control Register
<b>MCU</b> Microcontroller Unit + Multi-Chip Unit [DEC] + Multipoint Control Unit
<b>MD</b> Make Directory + Mini Disk [Sony] + Monochrome Display
<b>MDA</b> Monochrome Display Adapter + Multidimensional Analysis
<b>MDDDBMS</b> Multidimensional Data Base Management System
<b>.MDF</b> Menu Definition File (file name extension)
<b>MDI</b> Memory Display Interface + Multiple Document Interface
<b>MDIC</b> Manchester Decoder and Interface Chip [AT&T]
<b>MDK</b> Multimedia Developers Kit [Microsoft]
<b>MDLP</b> Modile Data Link Protocol
<b>MDR</b> Minimum Design Requirement



<b>MDY</b>	<b>Month Day Year</b>
<b>.ME</b>	<b>Opening Information (file name extension) (As in READ.ME)</b>
<b>MEB</b>	<b>Memory Expansion Board</b>
<b>MEG</b>	<b>Megabyte</b>
<b>MEM</b>	<b>Memory</b>
<b>.MEN</b>	<b>Menu (file name extension)</b>
<b>MERCI</b>	<b>Multimedia European Research Conferencing Integration</b>
<b>MES</b>	<b>Manufacturing Execution System</b>
<b>MESI</b>	<b>Modified, Exclusive, Shared and Invalid (protocol)</b>
<b>MET</b>	<b>Memory Enhancement Technology [Hewlett-Packard]</b>
<b>.MET</b>	<b>Metafile (file name extension)</b>
<b>MFC</b>	<b>Microsoft Foundation Class [Microsoft]</b>
<b>MFFS</b>	<b>Microsoft Flash File System [Microsoft]</b>
<b>MFLOPS</b>	<b>Million Floating Point Operations Per Second</b>
<b>MFM</b>	<b>Modified Frequency Modulation</b>
<b>MFP</b>	<b>Multi-Function Peripheral/Product</b>
<b>MFPI</b>	<b>Multifunction Peripheral Interface</b>
<b>MFS</b>	<b>Macintosh File System [Macintosh] + Magnetic Tape Field Search + Memory File System</b>
<b>Modified Filing System [Revelation Technologies]</b>	
<b>MFT</b>	<b>Master File Table + Multiprogramming with a Fixed number of Tasks</b>
<b>MGA</b>	<b>Monochrome Graphics Adapter</b>
<b>MGE</b>	<b>Modular GIS Environment</b>
<b>MGET</b>	<b>Multiple Get [Unix]</b>
<b>MGR</b>	<b>Manager</b>
<b>MHS</b>	<b>Message Handling Service + Message Handling System</b>
<b>MHz</b>	<b>Megahertz</b>
<b>MI</b>	<b>Management Interface</b>
<b>MIB</b>	<b>Management Information Base</b>
<b>MICR</b>	<b>Magnetic Ink Character Recognition</b>
<b>MICRO</b>	<b>One-millionth</b>
<b>MICS</b>	<b>Macro Interpretive Commands</b>
<b>MIDI</b>	<b>Musical Instrument Digital Interface</b>
<b>MIF</b>	<b>Management Information Format</b>
<b>.MIF</b>	<b>Management Information Files (file name extension)</b>
<b>MIG</b>	<b>Metal In Gap</b>
<b>MII</b>	<b>Microsoft/IBM/Intel</b>
<b>MIL</b>	<b>Machine Interface Layer [Go Corporation] + .MIL Military (Domain name) [Internet]</b>
<b>MIM</b>	<b>Metal-Insulator-Metal (screen)</b>
<b>MIMD</b>	<b>Multiple Instruction Multiple Data Stream (processor)</b>
<b>MIME</b>	<b>Multipurpose Internet Mail Extension [Internet]</b>
<b>MI/MIC</b>	<b>Mode Indicate/Mode Indicate Common</b>
<b>MIN</b>	<b>Minimum + Mobile Identification Number</b>
<b>MINUET</b>	<b>Minnesota Internet Users Essential Tools [Internet]</b>
<b>MIPS</b>	<b>Million Instructions Per Second</b>
<b>MIS</b>	<b>Management Information System + Multimedia Information Sources [Internet]</b>
<b>MISC</b>	<b>Miscellaneous</b>
<b>MIX</b>	<b>Member Information Exchange</b>
<b>MKDIR</b>	<b>Make Directory</b>

<b>ML</b>	<b>Machine Language + Meta Language</b>
<b>MLAPI</b>	<b>Multilingual Application Programming Interface</b>
<b>MLC</b>	<b>Multilayer Ceramic + Multilevel Cell (program) [Internet]</b>
<b>MLE</b>	<b>Multi-Line Editor</b>
<b>MLID</b>	<b>Multi-Link Interface Driver</b>
<b>MLM</b>	<b>Mailing List Manager [Internet]</b>
<b>MM</b>	<b>Minutes + Month</b>
<b>MMA</b>	<b>Microcomputer Managers Association</b>
<b>MMC</b>	<b>Matched Memory Cycle + Microcomputer Marketing Council + Microsoft Management Console [Microsoft]</b>
<b>MMCD</b>	<b>MultiMedia Compact Disk</b>
<b>MMCX</b>	<b>Multimedia Communication Exchange [Lucent Technologies]</b>
<b>MMI</b>	<b>Man-Machine Interface</b>
<b>MMIS</b>	<b>Materials Manager Information System</b>
<b>MMPM</b>	<b>Multi Media Presentation Manager</b>
<b>MMU</b>	<b>Memory Management Unit</b>
<b>MMVF</b>	<b>Multimedia Video File [NEC]</b>
<b>MMX</b>	<b>Matrix Manipulation Extensions [Intel] + Multimedia Extensions</b>
<b>MNOS</b>	<b>Metal Nitride Oxide Semiconductor</b>
<b>MNP</b>	<b>Microcom Networking Protocol [Microcom]</b>
<b>.MNU</b>	<b>Menu (fine name extension)</b>
<b>MO</b>	<b>Magneto-Optical (disk drive)</b>
<b>MOB</b>	<b>Memory-Order Buffer</b>
<b>MOBO</b>	<b>Mother Board</b>
<b>MOD</b>	<b>Module + Modulus</b>
<b>MODEM</b>	<b>Modulator Demodulator</b>
<b>MOHLL</b>	<b>Machine Oriented High Level Language</b>
<b>MOLAP</b>	<b>Multidimensional On-Line Analytical Processing</b>
<b>MOM</b>	<b>Manufacturing Operations Management + Microsoft Office Manager [Microsoft]</b>
<b>MONO</b>	<b>Monaural</b>
<b>MOO</b>	<b>MUD, Object Oriented [Internet]</b>
<b>MOP</b>	<b>Maintenance Operations Protocol</b>
<b>MOS</b>	<b>Magneto-Optic Storage + Mean Opinion Score + Metal Oxide Semiconductor</b>
<b>MOSFET</b>	<b>Metal Oxide Semiconductor Field Effect Transistor</b>
<b>MOTD</b>	<b>Message Of The Day</b>
<b>MOV</b>	<b>Metal Oxide Varistor + Move</b>
<b>MOVS</b>	<b>Move String</b>
<b>MP</b>	<b>Massively Parallel (processing) + Multiple Processors</b>
<b>MPC</b>	<b>Multimedia Personal Computer + Multipath Channel</b>
<b>MPCS</b>	<b>Mission Planning and Control Station (Software)</b>
<b>MPE</b>	<b>Multiple Programming Executive [HP]</b>
<b>MPEG</b>	<b>Motion Picture Experts Group</b>
<b>MPI</b>	<b>Message Passing Interface + Multiprecision Integer</b>
<b>MPM</b>	<b>Message Passing Library [IBM]</b>
<b>MPMD</b>	<b>Multiple Processor/Multiple Data</b>
<b>MPOA</b>	<b>Multi-Protocol over Asynchronous-Transfer-Mode</b>
<b>MPP</b>	<b>Massively Parallel Processing + Message Posting Protocol + Message Processing Program</b>
<b>MPQP</b>	<b>Multi-Protocol Quad Port [IBM]</b>

<b>MPR</b>	<b>Multipart Repeater + Multi Protocol Router [Novell]</b>
<b>MPS</b>	<b>Multiprocessor Specification</b>
<b>MPTN</b>	<b>Multi-Protocol Transport Network</b>
<b>MPTS</b>	<b>Multi-Protocol Transport Services</b>
<b>MPU</b>	<b>Microprocessor Unit</b>
<b>MQI</b>	<b>Message Queue Interface</b>
<b>MR</b>	<b>Magnetoresistive + Modem Ready</b>
<b>MRCF</b>	<b>Microsoft Realtime Compression Format</b>
<b>MRCI</b>	<b>Microsoft Realtime Compression Interface</b>
<b>MRI</b>	<b>Magnetic Resonance Imaging</b>
<b>MRM</b>	<b>Most Recently-Used Master</b>
<b>MRO</b>	<b>Multi-Region Operation</b>
<b>MRP</b>	<b>Materials Requirement Planning</b>
<b>MRPL</b>	<b>Main Ring Path Length</b>
<b>MRS</b>	<b>Media Recognition System</b>
<b>MRT</b>	<b>Mean Repair Time</b>
<b>MRU</b>	<b>Maximum Receive Unit</b>
<b>MS</b>	<b>Memory System + Message Store + Microsecond + Microsoft Corporation + Millisecond</b>
<b>MSACM</b>	<b>Microsoft Audio Compression Manager [Microsoft]</b>
<b>MSAU</b>	<b>Multi-Station Access Unit</b>
<b>MSAV</b>	<b>Microsoft Anti Virus [Microsoft]</b>
<b>MSB</b>	<b>Most Significant Bit</b>
<b>MSBF</b>	<b>Mean Swaps Between Failures</b>
<b>MSCDEX</b>	<b>Microsoft Compact Disc Extensions [Microsoft]</b>
<b>MSD</b>	<b>Mass Storage Device + Most Significant Digit + Microsoft System Diagnostics [Microsoft]</b>
<b>MSDN</b>	<b>Microsoft Developer Network [Microsoft]</b>
<b>MS-DOS</b>	<b>Microsoft - Disk Operating System [Microsoft]</b>
<b>MSDR</b>	<b>Multiplexed Streaming Data Request</b>
<b>MSDS</b>	<b>Microsoft Developer Support [Microsoft]</b>
<b>MSFR</b>	<b>Minimum Security Function Requirements [IBM]</b>
<b>MSG</b>	<b>Message</b>
<b>.MSG</b>	<b>Program Message (file name extension)</b>
<b>MSI</b>	<b>Medium Scale Integration</b>
<b>MSIE</b>	<b>Microsoft Internet Explorer [Microsoft]</b>
<b>MSL</b>	<b>Map Specification Library + Mirrored Server Link</b>
<b>MSN</b>	<b>Microsoft Network [Microsoft]</b>
<b>MSO</b>	<b>Multiple-Systems Operator</b>
<b>.MSP</b>	<b>Microsoft Paint (file name extension) [Microsoft]</b>
<b>MSRP</b>	<b>Manufacturer Suggested Retail Price</b>
<b>MSS</b>	<b>Mass Storage System + Multiprotocol Switched Services [IBM]</b>
<b>MSTS</b>	<b>Microsoft Terminal Server [Microsoft]</b>
<b>MSW</b>	<b>Machine Status Word</b>
<b>MTA</b>	<b>Message Transfer Agent + Multiple Terminal Access</b>
<b>MTBB</b>	<b>Mean Time Between Breakdowns</b>
<b>MTBF</b>	<b>Mean Time Between Failures</b>
<b>MTBJ</b>	<b>Mean Time Between Jams</b>
<b>MTF</b>	<b>Microsoft Tape Format [Microsoft] + Modulation Transfer Function</b>

<b>MTS</b>	<b>Message Transfer Service/System + Microsoft Transaction Server [Microsoft] + Multichannel Television Sound</b>
<b>MTT</b>	<b>Multi-Transaction Timer</b>
<b>MTTD</b>	<b>Mean Time To Diagnose</b>
<b>MTTF</b>	<b>Mean Time To Failure</b>
<b>MTTR</b>	<b>Mean Time To Repair</b>
<b>MTU</b>	<b>Maximum Transmission Unit</b>
<b>MUA</b>	<b>Mail User Agent</b>
<b>MUD</b>	<b>Multi-User Dialogue/Dimension/Domain/Dungeon [Internet]</b>
<b>MUL</b>	<b>Multiply</b>
<b>MULTICS</b>	<b>Multiplexed Information and Computing Service</b>
<b>MUMPS</b>	<b>Massachusetts General Hospital Utility + Multi-Programming System (Programming Language)</b>
<b>MUSE</b>	<b>Multi-User Shared Environment</b>
<b>MUT</b>	<b>Monitor Under Test</b>
<b>MUX</b>	<b>Multiplexer</b>
<b>MV</b>	<b>Millivolt</b>
<b>MVB</b>	<b>Multimedia Viewer Book</b>
<b>MVC</b>	<b>Multimedia Viewer Compiler</b>
<b>MVDM</b>	<b>Multiple Virtual DOS Machines</b>
<b>MVGA</b>	<b>Monochrome Video Graphics Array</b>
<b>MVIP</b>	<b>Multi-Vendor Integration Protocol</b>
<b>MVP</b>	<b>Multimedia Video Processor</b>
<b>MVS</b>	<b>Multiple Virtual Storage</b>
<b>MVT</b>	<b>Multiprogramming with a Variable number of Tasks</b>
<b>MX</b>	<b>Mail Exchanger [Internet]</b>
<b>MXS</b>	<b>Microsoft Exchange Server [Microsoft]</b>
<b>MZR</b>	<b>Multiple Zone Recording</b>
<b>N...</b>	
<b>NAC</b>	<b>Network Adapter Card</b>
<b>NACD</b>	<b>National Association of Computer Dealers</b>
<b>NACS</b>	<b>National Advisory Committee on Semiconductors</b>
<b>NAE</b>	<b>Not Above or Equal</b>
<b>NAK</b>	<b>Negative Acknowledgment</b>
<b>NAM</b>	<b>Number Assignment Module</b>
<b>NAMPS</b>	<b>Narrow-Band Analog Mobile Phone Service [Motorola]</b>
<b>NANO</b>	<b>One thousand-millionth</b>
<b>NAP</b>	<b>Network Access Point</b>
<b>NAPLPS</b>	<b>North American Presentation Level Protocol Syntax (graphics)</b>
<b>NAS</b>	<b>Network Access Server + Network Application Support [DEC]</b>
<b>NASA</b>	<b>National Aeronautics and Space Administration</b>
<b>NASDAQ</b>	<b>National Association of Securities Dealers Automatic Quotation</b>
<b>NASI</b>	<b>NetWare Asynchronous Services Interface [Novell]</b>
<b>NASIRC</b>	<b>NASA Automated Systems Internet Response Capability</b>
<b>NASKER</b>	<b>NASA Ames Kernel (benchmark)</b>
<b>NAU</b>	<b>Network Addressable Unit</b>

<b>NAWS</b>	<b>Negotiate About Window Size</b>
<b>NBE</b>	<b>Not Below or Equal</b>
<b>NBI</b>	<b>Nothing But Initials</b>
<b>NBS</b>	<b>Narrowband Socket + National Bureau of Standards + Numeric Backspace</b>
<b>NC</b>	<b>Network Computer + No Carry + Numerical Control</b>
<b>NCA</b>	<b>Network Communications Adapter + Network Computing Architecture [Oracle]</b>
<b>NCC</b>	<b>Network Control Center</b>
<b>NCD</b>	<b>Network Computing Device</b>
<b>.NCF</b>	<b>Netware Command File [Novell]</b>
<b>NCGA</b>	<b>National Computer Graphics Association</b>
<b>NCIC</b>	<b>National Crime Information Center</b>
<b>NCMT</b>	<b>* Numerical Control for Machine Tools</b>
<b>NCOS</b>	<b>Network Computer Operating System</b>
<b>NCP</b>	<b>NetWare Core Protocol + Not Copy Protected + Network Control Processor/Program/Protocol</b>
<b>NCR</b>	<b>National Cash Register (Company)</b>
<b>NCSA</b>	<b>National Center for Supercomputing Applications</b>
<b>NCSC</b>	<b>National Computer Security Center</b>
<b>NCSI</b>	<b>Network Communications Services Interface [Network Products Corp.]</b>
<b>NDB</b>	<b>Non-Directional Beacon</b>
<b>NDDK</b>	<b>Network Device Development Kid [Microsoft]</b>
<b>NDEF</b>	<b>Not to be Defined</b>
<b>NDIS</b>	<b>Network Device/Driver Interface Specification</b>
<b>NDL</b>	<b>Network Data Language</b>
<b>NDN</b>	<b>Non-Delivery Notice</b>
<b>NDP</b>	<b>Numeric Data Processor</b>
<b>NDR</b>	<b>Network Data Representation</b>
<b>NDRO</b>	<b>Non-Destructive Read Out</b>
<b>NDS</b>	<b>NetWare Directory Service [Novell]</b>
<b>.NDX</b>	<b>Index (file name extension)</b>
<b>NEC</b>	<b>Nippon Electric Company</b>
<b>NED</b>	<b>NASA Extragalactic Database [NASA]</b>
<b>NEG</b>	<b>Negative + Negate</b>
<b>NEP</b>	<b>Network Entry Point</b>
<b>NES</b>	<b>National Education Supercomputer</b>
<b>NEST</b>	<b>Novell Embedded Systems Technology [Novell]</b>
<b>.NET</b>	<b>Networks (Domain Name) [Internet]</b>
<b>NetBIOS</b>	<b>Network Basic Input/Output System [IBM]</b>
<b>NetBEUI</b>	<b>NetBIOS Extended User Interface [IBM]</b>
<b>NETMON</b>	<b>Network Monitor</b>
<b>.NEW</b>	<b>New Information (file name extension)</b>
<b>NEWS</b>	<b>NetWare Early Warning System [Frye Computer] + Network Extensible Window System</b>
<b>NEWS.</b>	<b>Current events [USENET Newsgroup Category]</b>
<b>NEXT</b>	<b>Near-End Crosstalk</b>
<b>NFF</b>	<b>No Fault Found</b>
<b>NFS</b>	<b>Network File System [Sun]</b>
<b>NG</b>	<b>No Good</b>
<b>NGE</b>	<b>Not Greater or Equal</b>

<b>NGI</b>	<b>Next-Generation Internet</b>
<b>NHC</b>	<b>National Hurricane Center</b>
<b>NHR</b>	<b>National Handwriting Recognition</b>
<b>NHRP</b>	<b>Next Hop Resolution Protocol</b>
<b>N/I</b>	<b>Non-Interlaced</b>
<b>NIA</b>	<b>Next Instruction Address</b>
<b>NIC</b>	<b>Network Information Center [Internet] + Network Interface Card +</b>
<b>Numeric Intensive Computing</b>	
<b>NICAD</b>	<b>Nickel-Cadmium</b>
<b>NICOLAS</b>	<b>Network Information Center OnLine Aid System [NASA]</b>
<b>NID</b>	<b>New Interactive Display [NEC] + Next ID</b>
<b>NII</b>	<b>National Information Infrastructure</b>
<b>NIM</b>	<b>Network Installation Management [IBM]</b>
<b>NIMH</b>	<b>Nickel-Metal Hydride</b>
<b>NIO</b>	<b>Native Input/Output</b>
<b>NIPS</b>	<b>Network I/Os Per Second</b>
<b>NIR</b>	<b>Network Information Retrieval</b>
<b>NIS</b>	<b>Network Information Service [Unix]</b>
<b>N-ISDN</b>	<b>Narrowband ISDN + National ISDN</b>
<b>NISO</b>	<b>National Information Standards Organization</b>
<b>NISP</b>	<b>Networked Information Services Project</b>
<b>NIST</b>	<b>National Institute for Standards and Technology</b>
<b>NITC</b>	<b>National Information Technology Center</b>
<b>NIU</b>	<b>Network Interface Unit</b>
<b>NJE</b>	<b>Network Job Entry (protocol) [IBM]</b>
<b>NL</b>	<b>New Line</b>
<b>NLE</b>	<b>Not Less or Equal</b>
<b>NLM</b>	<b>NetWare Loadable Module [Netware]</b>
<b>NLP</b>	<b>Natural-Language Processing</b>
<b>NLQ</b>	<b>Near Letter Quality</b>
<b>NLSFUNC</b>	<b>National Language Support Function</b>
<b>NLV</b>	<b>National Language Version [IBM]</b>
<b>NMI</b>	<b>Non-Maskable Interrupt</b>
<b>NMM</b>	<b>NetWare Management Map [NetWare]</b>
<b>NMOS</b>	<b>Negative Channel Metal-Oxide Semiconductor</b>
<b>NMP</b>	<b>Network Management Protocol [AT&amp;T]</b>
<b>NMS</b>	<b>Network Management System [Novell]</b>
<b>NN</b>	<b>Network Node + No News [Internet]</b>
<b>NNI</b>	<b>Network to Network Interface</b>
<b>NNTP</b>	<b>Network News Transfer Protocol [Internet]</b>
<b>NOC</b>	<b>Network Operations Center</b>
<b>.NOM</b>	<b>Individual with Personal Site (Domain Name) [Internet]</b>
<b>NOP</b>	<b>No Operation</b>
<b>NOPAC</b>	<b>Network OPAC</b>
<b>NOR</b>	<b>Not Or</b>
<b>NOS</b>	<b>Network Operating System</b>
<b>NPA</b>	<b>Network Printer Alliance + Numbering Plan Area</b>
<b>NPI</b>	<b>Network Printer Interface</b>



<b>NPL</b>	<b>Nonprocedural Language</b>
<b>NPS</b>	<b>Novell Productivity Specialist [Novell]</b>
<b>NPTN</b>	<b>National Public Telecomputing Network</b>
<b>NPU</b>	<b>Natural Processing Unit</b>
<b>NPX</b>	<b>Numeric Processor Extension</b>
<b>NQS</b>	<b>Network Queing System [Cray]</b>
<b>NRC</b>	<b>National Research Council (Canada)</b>
<b>NREN</b>	<b>National Research and Education Network</b>
<b>NRZ</b>	<b>Not Return to Zero</b>
<b>NRZI</b>	<b>Non Return to Zero Inverted</b>
<b>NS</b>	<b>Nanosecond + National Semiconductor (as in Ns16550 UART) + Network Supervisor + Non Stop</b>
<b>NSAP</b>	<b>Network Service Access Point</b>
<b>NSAPI</b>	<b>Netscape Server API [Netscape]</b>
<b>NSA POLY</b>	<b>National Security Agency Polygraph</b>
<b>NSERC</b>	<b>National Sciences and Engineering Research Council (Canada)</b>
<b>NSF</b>	<b>National Science Foundation</b>
<b>NSFNET</b>	<b>National Science Foundation Network</b>
<b>NSI</b>	<b>NASA Science Internet</b>
<b>NSLOOKUP</b>	<b>Name Server Lookup [Unix]</b>
<b>NSM</b>	<b>Netscape Server Manager [Netscape]</b>
<b>NSP</b>	<b>Native Signal Processing [Intel] + Network Service Provider</b>
<b>NSSC</b>	<b>NASA Standard Spacecraft Computer</b>
<b>NSTC</b>	<b>National Science and Technology Council</b>
<b>NSTL</b>	<b>National Software Testing Labs</b>
<b>NT</b>	<b>New Technology [Microsoft]</b>
<b>NT-1</b>	<b>Network Terminator Type 1</b>
<b>NTAS</b>	<b>NT Advamced Server [Microsoft]</b>
<b>NTF</b>	<b>No Trouble Found</b>
<b>NTFS</b>	<b>New Technology File System [Microsoft]</b>
<b>NTIA</b>	<b>National Telecommunications and Information Administration</b>
<b>NTIS</b>	<b>National Technical Information Service</b>
<b>NTRAS</b>	<b>NT Remote Access Services [Microsoft]</b>
<b>NTSA</b>	<b>NetWare Telephony Services Architecture [Novell]</b>
<b>NTSC</b>	<b>National Television Standards Committee</b>
<b>NUI</b>	<b>Network User Identification + Network User Interface + Notebook User Interface [Go Corporation]</b>
<b>NUL</b>	<b>Null + (dummy device) + (no device)</b>
<b>NUMA</b>	<b>Non-Uniform Memory Access</b>
<b>NV</b>	<b>No Overflow</b>
<b>NVM</b>	<b>Non-Volatile Memory</b>
<b>NVOD</b>	<b>Near-Video On Demand</b>
<b>NVP</b>	<b>Nominal Velocity of Propagation</b>
<b>NVRAM</b>	<b>Non-Volatile Random Access Memory</b>
<b>NVT</b>	<b>Network Virtual Terminal + Novell Virtual Terminal [Novell]</b>
<b>NWS</b>	<b>NetWare Web Server [Netware]</b>
<b>NYM</b>	<b>Anonymous</b>

<b>O...</b>	
<b>OAB</b>	<b>One-to-All Broadcast</b>
<b>OAD</b>	<b>Open Architecture Driver [Bernoulli]</b>
<b>OAG</b>	<b>Official Airline Guide + Online Air Guide</b>
<b>OAI</b>	<b>Open Applications Interface</b>
<b>OAS</b>	<b>One-to-All Scatter</b>
<b>OBD</b>	<b>On Board Diagnostics</b>
<b>OBEX</b>	<b>Object Exchange [Borland]</b>
<b>OBJ</b>	<b>Object</b>
<b>OC</b>	<b>Optical Carrier</b>
<b>OCE</b>	<b>Open Collaborative Environment [Apple]</b>
<b>OCF</b>	<b>Objects Components Framework [Borland]</b>
<b>OCL</b>	<b>Operation Control Language + Operator Control Language</b>
<b>OCR</b>	<b>Optical Character Recognition</b>
<b>OCS</b>	<b>On-Card Sequencer</b>
<b>OCX</b>	<b>OLE Custom Control</b>
<b>ODA</b>	<b>Open Document Architecture</b>
<b>ODAPI</b>	<b>Open Database Application Programming Interface [Borland]</b>
<b>ODBC</b>	<b>Object-Oriented Database Connectivity + Open Data Base Connectivity [Microsoft]</b>
<b>ODBMS</b>	<b>Object-Oriented Database Management System (also see OODMS)</b>
<b>ODI</b>	<b>Open Datalink Interface [Novell] + Open Device Interconnect [NetWare]</b>
<b>ODIF</b>	<b>Open Document Interchange Format</b>
<b>ODM</b>	<b>Object Data Manager [IBM] + Optimized Distribution Model [Compaq]</b>
<b>ODMA</b>	<b>Open Document Management API</b>
<b>ODP</b>	<b>Open Distributed Processing</b>
<b>ODS</b>	<b>Open Data Services [Microsoft]</b>
<b>ODSI</b>	<b>Open Directory Service Interface [Microsoft]</b>
<b>ODT</b>	<b>Open Desktop</b>
<b>OEM</b>	<b>Original Equipment Manufacturer</b>
<b>OEP</b>	<b>Operand Execution Pipeline</b>
<b>OF</b>	<b>Overflow Flag</b>
<b>OFB</b>	<b>Output Feedback (mode)</b>
<b>OFDM</b>	<b>Orthogonal Frequency Division Multiplexing</b>
<b>OFMT</b>	<b>Output Format for Numbers</b>
<b>OFS</b>	<b>Object File System [Microsoft] + Output Field Separator</b>
<b>OH</b>	<b>Off Hook</b>
<b>OIDL</b>	<b>Object Interface Definition Language</b>
<b>OIS</b>	<b>Office Information System</b>
<b>OLAP</b>	<b>On-Line Analytical Processing</b>
<b>OLCP</b>	<b>On-Line Complex Processing</b>
<b>.OLD</b>	<b>Old version (file name extension)</b>
<b>OLE</b>	<b>Object Linking and Embedding [Microsoft]</b>
<b>OLGA</b>	<b>On-Line Guitar Archive</b>
<b>OLI</b>	<b>Optical Line Interface [AT&amp;T]</b>
<b>OLMC</b>	<b>Output Logic Macrocell</b>
<b>OLSP</b>	<b>On-Line Service Provider</b>
<b>OLTP</b>	<b>On-Line Transaction Processing</b>

<b>OM</b>	<b>Object Manager</b>
<b>OMA</b>	<b>Object Management Architecture [Microsoft]</b>
<b>OME</b>	<b>Open Messaging Environment (protocol)</b>
<b>OMF</b>	<b>Object Module Format [Microsoft] + Open Media Framework + Open Message Format</b>
<b>OMG</b>	<b>Object Management Group</b>
<b>OMI</b>	<b>Open Messaging Interface [Lotus]</b>
<b>OMNS</b>	<b>Open Network Management System</b>
<b>OMR</b>	<b>Optical Mark Recognition</b>
<b>ONC</b>	<b>Open Network Computing [Sun]</b>
<b>ONDS</b>	<b>Open Network Distribution Services [IBM]</b>
<b>ONE</b>	<b>Open Network Environment [Netscape]</b>
<b>ONU</b>	<b>Optical Network Unit</b>
<b>OODB</b>	<b>Object-Oriented Database</b>
<b>OODMS</b>	<b>Object-Oriented Database Management System (also see ODBMS)</b>
<b>OOL</b>	<b>Object-Oriented Language</b>
<b>OOOS</b>	<b>Object-Oriented Operating System</b>
<b>OOPL</b>	<b>Object-Oriented Programming Language</b>
<b>OOPS</b>	<b>Object Oriented Programming and Systems</b>
<b>OOS</b>	<b>Object-Oriented Systems + Off-line Operating Simulator</b>
<b>OOT</b>	<b>Object-Oriented Technology</b>
<b>OOUI</b>	<b>Object Oriented User Interface</b>
<b>OP</b>	<b>Operation + Optical + Output</b>
<b>OPAC</b>	<b>Online Public Access Catalog [Internet]</b>
<b>OPC</b>	<b>Organic/Optical Photoconductor</b>
<b>OPCODE</b>	<b>Operational Code</b>
<b>OPD</b>	<b>Operand</b>
<b>OPI</b>	<b>Open Prepress Interface</b>
<b>OPM</b>	<b>Operations Per Minute</b>
<b>OPS</b>	<b>Open Profiling Standard + Operations</b>
<b>OPT</b>	<b>Open Protocol Technology</b>
<b>.OPT</b>	<b>Options (file name extension)</b>
<b>OPUS</b>	<b>Octal Program Updating System</b>
<b>ORACLE</b>	<b>On-Line Inquiry and Report Generator (UNIX DB program)</b>
<b>ORB</b>	<b>Object Request Broker [Microsoft]</b>
<b>ORDVAC</b>	<b>* Ordnance Variable Automatic Computer</b>
<b>.ORG</b>	<b>Non-Profit Organizations (Domain name) [Internet]</b>
<b>ORI</b>	<b>Online Retrieval Interface</b>
<b>.ORI</b>	<b>Original (file name extension)</b>
<b>ORS</b>	<b>Output Record Separator</b>
<b>OS</b>	<b>Operating System</b>
<b>OS/2</b>	<b>Operating System/2 [IBM]</b>
<b>OSA</b>	<b>Open Scripting/System Architecture</b>
<b>OS/E</b>	<b>Operating System/Environment</b>
<b>OSF</b>	<b>Open Software Foundation</b>
<b>OSI</b>	<b>Open Systems Interconnection</b>
<b>OSM</b>	<b>Off-Screen Model</b>
<b>OSP</b>	<b>On-Screen Programming + Optical Storage Processor</b>
<b>OSPF</b>	<b>Open Shortest Path First</b>

<b>OSQL</b>	<b>Object Structured Query Language</b>
<b>OSR2</b>	<b>OEM Service Release 2 [Microsoft]</b>
<b>OT</b>	<b>Object Technology</b>
<b>OTA</b>	<b>Operation-Triggered Architecture</b>
<b>OTDR</b>	<b>Optical Time Domain Reflectometer</b>
<b>OTF</b>	<b>Open Token Foundation</b>
<b>OTP</b>	<b>One-Time Programmable</b>
<b>OURS</b>	<b>Open Users Recommended Solutions</b>
<b>.OUT</b>	<b>Outlines (file name extension)</b>
<b>OUPS</b>	<b>Output String</b>
<b>OV</b>	<b>Overflow</b>
<b>OVAL</b>	<b>Object-Based Virtual Application Language [Psion]</b>
<b>.OVL</b>	<b>Program Overlay (file name extension)</b>
<b>.OVR</b>	<b>Program Overlay (file name extension)</b>
<b>OWL</b>	<b>Object/Open Windows Library [Borland]</b>
<b>P...</b>	
<b>PAB</b>	<b>Personal Address Book</b>
<b>PABX</b>	<b>Private Automatic Branch Exchange</b>
<b>PACE</b>	<b>Priority Access Control Enabled [3Com]</b>
<b>PACS</b>	<b>Picture Archiving and Communication System</b>
<b>PACS-L</b>	<b>Public Access Computer Systems List [Internet]</b>
<b>PAD</b>	<b>Packet Assembler/Disassembler</b>
<b>PADS</b>	<b>Pen Application Development System [Slate Corporation]</b>
<b>PAIH</b>	<b>Public-Access Internet Host [Internet]</b>
<b>PAIS</b>	<b>Public-Access Internet Site [Internet]</b>
<b>.PAK</b>	<b>Packed (compressed file name extension) [NoGate Consulting]</b>
<b>PAL</b>	<b>Paradox Applications Language [Borland] + Phase Alternating Line + Programmed Array Logic + Programming Assembly Language</b>
<b>.PAL</b>	<b>Palette (file name extension)</b>
<b>PALC</b>	<b>Plasma-Addressed Liquid Crystal (display)</b>
<b>PALS</b>	<b>Principles of the Alphabet Literacy System</b>
<b>PAM</b>	<b>Pulse Amplitude Modulation</b>
<b>PAP</b>	<b>Packet-level Procedure + Password Authentication Protocol + Printer Access Protocol</b>
<b>PAR</b>	<b>Personal Animation Recorder + Parallel</b>
<b>PARA</b>	<b>Paragraph</b>
<b>PARC</b>	<b>Palo Alto Research Center [XEROX]</b>
<b>PA-RISC</b>	<b>Precision Architecture-RISC [HP]</b>
<b>.PAS</b>	<b>PASCAL source code (file name extension)</b>
<b>PASCAL</b>	<b>(Programming Language named for Blaise Pascal)</b>
<b>.PAT</b>	<b>Patch + Pattern (file name extensions)</b>
<b>PATN</b>	<b>Promotional Port Access Telephone Number</b>
<b>PAX</b>	<b>Portable Archive Exchange [Unix]</b>
<b>PBE</b>	<b>Prompt By Example</b>
<b>PBGA</b>	<b>Plastic Ball Grid Array</b>
<b>PBX</b>	<b>Private Branch Exchange</b>
<b>PC</b>	<b>Personal Computer + Printed Circuit + Program Counter</b>

<b>PCACIAS</b>	<b>Personal Computer Automated Calibration Interval Analysis System</b>
<b>PCB</b>	<b>Printed Circuit Board + Program Control Block</b>
<b>PCBC</b>	<b>Plain/Propogating Cipher Block Chaining</b>
<b>PCD</b>	<b>Photo Compact Disk</b>
<b>PC-DOS</b>	<b>Personal Computer - Disk Operating System [IBM]</b>
<b>PCEB</b>	<b>PCI to EISA Bridge [Intel]</b>
<b>PCI</b>	<b>Peripheral Component Interconnect/Interface</b>
<b>PCIC</b>	<b>PC-Card Interrupt Controller</b>
<b>PC-I/O</b>	<b>Program Controlled I/O</b>
<b>PCL</b>	<b>Printer Command Language [HP] + Process Control Language</b>
<b>PCM</b>	<b>Personal Computer Manufacturer + Printer Cartridge Metric [HP] + Pulse Code Modulation</b>
<b>PCMA</b>	<b>Paired Carrier Multiple Access</b>
<b>PCMC</b>	<b>PCI, Cache, Memory Controller [Intel]</b>
<b>PCMCIA</b>	<b>Personal Computer Memory Card International Association</b>
<b>PCMIM</b>	<b>Personal Computer Media Interface Module</b>
<b>PCN</b>	<b>Personal Computer Network</b>
<b>PCNFS</b>	<b>Personal Computer Network File System</b>
<b>PCO</b>	<b>Point of Control and Observation</b>
<b>PCS</b>	<b>Patchable Control Store + Personal Communication Services/System + Personal Conferencing Specification + Planning Control Sheet + Print Contrast Signal + Process Control Systems + Program Counter Store + Programmable Drive Table + Project Control System</b>
<b>PCT</b>	<b>Private Communications Technology</b>
<b>.PCT</b>	<b>Picture (file name extension)</b>
<b>.PCX</b>	<b>Picture Image (file name extension)</b>
<b>PD</b>	<b>Phase-Change Dual + Public Domain</b>
<b>PDA</b>	<b>Personal Digital Assistant</b>
<b>PDC</b>	<b>Primary Domain Controller</b>
<b>PDD</b>	<b>Physical Device Driver + Portable Digital Document</b>
<b>PDF</b>	<b>Package Definition File + Portable Document Format + Portable Document File + Processor Defined Function + Program Development Facility</b>
<b>.PDF</b>	<b>Printer Description (file name extension)[Borland,Lotus]</b>
<b>PDH</b>	<b>Plesiosynchronous Digital Hierarchy</b>
<b>PDIAL</b>	<b>Public Dialup Internet Access List [Internet]</b>
<b>PDL</b>	<b>Page Description Language + Program Description Language + Program Design Language</b>
<b>PDM</b>	<b>Product Data Management</b>
<b>PDN</b>	<b>Public Data Network</b>
<b>PDO</b>	<b>Portable Distributed Objects [Next]</b>
<b>PDP</b>	<b>Plasma Display Panel + Programmable Data Processor + (DEC Computer System Designation, i.e. PDP-8, PDP-11)</b>
<b>PDS</b>	<b>Packet Driver Specification + Partitioned Data Set + Planetary Data System + Portable Document Software + Processor Direct Slot [Macintosh]</b>
<b>PDSS</b>	<b>Post Development and Software Support</b>
<b>PDT</b>	<b>Performance Diagnostic Tool [IBM] + Programmable Drive Table</b>
<b>PDU</b>	<b>Plug Distribution Unit</b>
<b>.PDX</b>	<b>Paradox files (file name extension) [Borland] + Printer Description Extension (file name extension)</b>
<b>PE</b>	<b>Parity Even + Processing Element + Protect Enable</b>
<b>PEA</b>	<b>Pocket Ethernet Adapter</b>

<b>PEL</b>	<b>Picture Element [IBM]</b>
<b>PEM</b>	<b>Privacy-Enhanced Mail [Internet]</b>
<b>PEN SDK</b>	<b>Pen Computing Software Development Kit</b>
<b>PEP</b>	<b>Packet Exchange Protocol + Packetized Ensemble Protocol [Telebit]</b>
<b>PERL</b>	<b>Practical Extraction and Report Language [Unix]</b>
<b>PERT</b>	<b>Program Evaluation and Review Technique</b>
<b>PES</b>	<b>Positioning Error Signal + Processor Enhancement Socket Processor Upgrade Socket</b>
<b>PET</b>	<b>Print Enhancement Technology [Compaq]</b>
<b>.PFB</b>	<b>Printer Font Binary (file name extension)</b>
<b>PFE</b>	<b>Programmer's File Editor</b>
<b>.PFM</b>	<b>Printer Font Metrics (file name extension) [Windows]</b>
<b>PFR</b>	<b>Power-Fail Restart</b>
<b>PGA</b>	<b>Pin Grid Array + Professional Graphics Adapter [IBM]</b>
<b>PGC</b>	<b>Program Group Control [Microsoft]</b>
<b>PGDN</b>	<b>Page Down</b>
<b>.PGL</b>	<b>Graphics (file name extension) [Hewlett-Packard]</b>
<b>PGM</b>	<b>Program</b>
<b>PGP</b>	<b>Pretty Good Privacy (name of encryption program)</b>
<b>.PGP</b>	<b>ProGram Parameter (file name extension) [AutoCAD]</b>
<b>PGUP</b>	<b>Page Up</b>
<b>PHIGS</b>	<b>Programmers' Hierarchial Interactive Graphics Standards</b>
<b>.PHO</b>	<b>Phone List (file name extension)</b>
<b>PHS</b>	<b>Personal Handyphone System</b>
<b>PI</b>	<b>Program Interruption</b>
<b>PIA</b>	<b>Peripheral Interface Adapter</b>
<b>PIC</b>	<b>Personal Information Carrier + Personal Intelligent Communicator + Platform for Internet Content + Priority Interrupt Controller + Program Interrupt Controller</b>
<b>PICS</b>	<b>Platform for Internet Content Selection</b>
<b>PICT</b>	<b>Picture</b>
<b>PID</b>	<b>Process Identification Number + Proportional, Integral, Derivative</b>
<b>PIER</b>	<b>Procedures for Internet/Enterprise Renumbering</b>
<b>PIF</b>	<b>Picture Interchange Format File + Program Information File</b>
<b>PII</b>	<b>Program Integrated Information</b>
<b>PILOT</b>	<b>Programmed Inquiry Learning Or Teaching</b>
<b>PilotACE*</b>	<b>Pilot Automatic Computing Engine</b>
<b>PIM</b>	<b>Personal Information Manager + Primary Interface Module</b>
<b>PIN</b>	<b>Personal Identification Number + Process Identification Number [Unix]</b>
<b>PINE</b>	<b>Pine Is Not Elm (original usage) + Program for Internet News &amp; Email (present usage)</b>
<b>PING</b>	<b>Packet Internet Groper</b>
<b>PIO</b>	<b>Parallel Input/Output + Processor Input/Output + Programmed Input/Output</b>
<b>PIP</b>	<b>Picture In Picture + Problem Isolation Procedure + Programmable Interconnect Point</b>
<b>PIPO</b>	<b>Parallel In, Parallel Out</b>
<b>PIR</b>	<b>Protocol Independent Routing</b>
<b>PIT</b>	<b>Programmable Interval Timer</b>
<b>PIXEL</b>	<b>Picture Element</b>
<b>PL</b>	<b>Plus</b>
<b>PLA</b>	<b>Programmable Logic-Array</b>
<b>PLATO</b>	<b>Programmed Logic for Automatic Teaching Operations</b>



<b>PLC</b>	<b>Programmable Logic Controller</b>
<b>PLCC</b>	<b>Plastic Leadless Chip Carrier</b>
<b>PLD</b>	<b>Programmable Logic Device</b>
<b>PLDS</b>	<b>Pilot Land Data System [NASA]</b>
<b>PLL</b>	<b>Phase Locked Loop</b>
<b>.PLL</b>	<b>Prelinked Library (file name extension) [Clipper]</b>
<b>PL/M</b>	<b>Programming Language for Micros</b>
<b>PLS</b>	<b>Primary Link Station</b>
<b>PLV</b>	<b>Production Level Video</b>
<b>PL/1</b>	<b>* Programming Language One</b>
<b>PM</b>	<b>Presentation Manager [IBM] + Preventative Maintenance + Process Manager</b>
<b>P-MAIL</b>	<b>Paper Mail</b>
<b>PMD</b>	<b>Packet Mode Data</b>
<b>PMMU</b>	<b>Paged Memory Management Unit</b>
<b>PMOS</b>	<b>Positive Channel Metal Oxide Semiconductor</b>
<b>PMR</b>	<b>Problem Management Report [IBM]</b>
<b>PMS</b>	<b>Policy Management System</b>
<b>PN</b>	<b>Processing Node</b>
<b>PNA</b>	<b>Programmable Network Access</b>
<b>PNG</b>	<b>Portable Network Graphics</b>
<b>PNNI</b>	<b>Private Network to Network Interface</b>
<b>PNP</b>	<b>Plug And Play</b>
<b>PO</b>	<b>Parity Odd</b>
<b>POC</b>	<b>Point Of Contact</b>
<b>POD</b>	<b>Plain Old Dos</b>
<b>POE</b>	<b>Power Open Environment</b>
<b>POH</b>	<b>Power-On Hours</b>
<b>POL</b>	<b>Problem Oriented Language</b>
<b>POP</b>	<b>Point Of Presence [MCI] + Pop from Stack + Post Office Protocol</b>
<b>POPA</b>	<b>Pop All Registers</b>
<b>POPF</b>	<b>Pop Flags</b>
<b>POR</b>	<b>Power-On-Reset</b>
<b>POS</b>	<b>Point Of Sale + Positive + Programmable Object Select</b>
<b>POSIX</b>	<b>Portable Operating System Interface for Unix</b>
<b>POST</b>	<b>Power-On Self Test</b>
<b>POSTNET</b>	<b>Postal Numeric Encoding Technique</b>
<b>POTS</b>	<b>Plain Old Telephone Service</b>
<b>POWER</b>	<b>Performance Optimization with Enhanced RISC [IBM]</b>
<b>PowerPC</b>	<b>Performance Optimization with Enhanced RISC-Performance Computing</b>
<b>PP</b>	<b>Parallel Port</b>
<b>.PPD</b>	<b>PostScript Printer Description (file name extension)</b>
<b>PPDS</b>	<b>Personal Printer Data Stream [IBM]</b>
<b>PPGA</b>	<b>Plastic Pin Grid Array</b>
<b>PPM</b>	<b>Pages Per Minute</b>
<b>PPP</b>	<b>Point-to-Point Protocol [Internet]</b>
<b>PPS</b>	<b>Packets Per Second + Power Personal Systems [IBM]</b>
<b>PPTP</b>	<b>Point-to-Point Tunneling Protocol [Microsoft]</b>
<b>PQFP</b>	<b>Plastic Quad Flat Pack</b>

<b>PRACSA</b>	<b>Public Remote Access Computer Standards Association</b>
<b>PRAM</b>	<b>Parallel Random-Access Machine + Parameter Random Access Memory</b>
<b>.PRD</b>	<b>Printer Driver (file name extension) [Word]</b>
<b>PRE</b>	<b>Preformatted [HTML]</b>
<b>PreP</b>	<b>Power PC Reference Platform [IBM/Motorola]</b>
<b>PRF</b>	<b>Pulse Repetition Frequency</b>
<b>.PRF</b>	<b>Preferences (file name extension) [Grammatik IV]</b>
<b>.PRG</b>	<b>Program (file name extension)</b>
<b>PRI</b>	<b>Primary-Rate Interface</b>
<b>PRINTF</b>	<b>Print with Formatting [C Programming Language]</b>
<b>PRISM</b>	<b>Photo-Refractive Information Storage Material</b>
<b>.PRJ</b>	<b>Project (file name extension) [Borland]</b>
<b>PRMD</b>	<b>Private Mangement Domain [X.400]</b>
<b>PRML</b>	<b>Partial-Response Maximum-Likelihood</b>
<b>.PRO</b>	<b>Profile (file name extension)</b>
<b>PROC</b>	<b>Procedure</b>
<b>PROFS</b>	<b>Professional Office System [IBM]</b>
<b>PROG</b>	<b>Program + Programmer</b>
<b>PROLOG</b>	<b>Programming In Logic (Programming Language)(See HLL)</b>
<b>PROM</b>	<b>Programmable Read Only Memory</b>
<b>PRN</b>	<b>Printer</b>
<b>.PRS</b>	<b>Printer (file name extension) [WordPerfect]</b>
<b>PRTSC</b>	<b>Print Screen</b>
<b>PS</b>	<b>Proportional Spacing</b>
<b>.PS</b>	<b>PostScript (file name extension)</b>
<b>PS/2</b>	<b>Programming System 2 [IBM]</b>
<b>PSC</b>	<b>Personal Super Computer + Print Server Command + Product Service Center</b>
<b>PSDN</b>	<b>Packet-Switched Data Network</b>
<b>PSDS</b>	<b>Packet-Switched Data Service</b>
<b>PSEVER</b>	<b>Print Server [NetWare]</b>
<b>PSF</b>	<b>Permanent Swap File</b>
<b>PSID</b>	<b>PostScript Image Data</b>
<b>PSM</b>	<b>Printing Systems Manager</b>
<b>PSN</b>	<b>Packet Switching Network</b>
<b>PSP</b>	<b>Personal Software Products (group) [IBM] + Program Segment Prefix</b>
<b>PSPDN</b>	<b>Packet-Switched Public Data Network</b>
<b>P-SRAM</b>	<b>Pseudo-Static Random Access Memory</b>
<b>PSRT</b>	<b>PostScript Round Table [GENie]</b>
<b>PSTN</b>	<b>Public Switched Telephone Network</b>
<b>PSU</b>	<b>Power Supply Unit</b>
<b>PSW</b>	<b>Program Status Word</b>
<b>.ps.Z</b>	<b>Compressed PostScript (file name extension) [Unix]</b>
<b>PT</b>	<b>Page Table</b>
<b>P/T</b>	<b>Part Time</b>
<b>PTD</b>	<b>Parallel Transfer Disk Drive</b>
<b>PTF</b>	<b>Problem Temporary/Trouble Fix [IBM]</b>
<b>PUB</b>	<b>Public (directory) [Internet] + Publish</b>
<b>.PUB</b>	<b>Publication (file name extension) [Ventura]</b>

<b>PUN</b>	<b>Physical Unit Number</b>
<b>PUP</b>	<b>PARC Universal Packet (protocol)</b>
<b>PUS</b>	<b>Processor Upgrade Socket</b>
<b>PUSHA</b>	<b>Push All Registers</b>
<b>PUSHF</b>	<b>Push Flags</b>
<b>PVC</b>	<b>Permanent Virtual Circuit + Polyvinyl Chloride</b>
<b>PVM</b>	<b>Parallel Virtual Machine + Pass-through Virtual Machine (protocol) [IBM]</b>
<b>PVP</b>	<b>Parallel Vector Processing</b>
<b>PVS</b>	<b>Parallel Visualization Server</b>
<b>PW</b>	<b>Password</b>
<b>PWB</b>	<b>Printed Wire Board + Programmer's Workbench [Microsoft]</b>
<b>PWD</b>	<b>Print Working Directory [Unix]</b>
<b>PWR</b>	<b>Power</b>
<b>PWSCS</b>	<b>Programmable Workstation Communication Services [IBM]</b>
<b>.PX</b>	<b>Primary Index (file name extension) [Paradox]</b>
<b>Q...</b>	
<b>QA</b>	<b>Quality Assurance</b>
<b>QAM</b>	<b>Quadrature Amplitude Modulation</b>
<b>QBE</b>	<b>Query By Example</b>
<b>QBF</b>	<b>Query by Form</b>
<b>QBIC</b>	<b>Query By Image Content [IBM]</b>
<b>QC</b>	<b>Quality Control</b>
<b>QD</b>	<b>Querty/Dvorak</b>
<b>QDOS</b>	<b>Quick and Dirty Operating System</b>
<b>.QDI</b>	<b>Quicken Dictionary (file name extension) [Intuit]</b>
<b>.QDT</b>	<b>Quicken Data (file name extension) [Intuit]</b>
<b>QEMM</b>	<b>Quarterdeck Expanded Memory Manager [Quarterdeck Corp.]</b>
<b>QFA</b>	<b>Quick File Access</b>
<b>QFE</b>	<b>Quick-Fix Engineering [Microsoft]</b>
<b>QFP</b>	<b>Quad Flat Pack</b>
<b>QIC</b>	<b>Quality Information Using Cycle Time [Hewlett-Packard] + Quarter-Inch Cartridge</b>
<b>.QIF</b>	<b>Quicken Import File/Interchange Format (file name extension)</b>
<b>.QMT</b>	<b>Quicken Memorized List (file name extension) [Intuit]</b>
<b>.QNX</b>	<b>Quicken Indexes to Data (file name extension) [Intuit]</b>
<b>QOS</b>	<b>Quality Of Service</b>
<b>QPG</b>	<b>Quantum Phase Gate</b>
<b>QPSK</b>	<b>Quadrature Phase Shift Keying</b>
<b>QTC</b>	<b>Quicktime Conferencing [Macintosh]</b>
<b>R...</b>	
<b>RA</b>	<b>Return Authorization</b>
<b>.RA</b>	<b>Real Audio (file name extension)</b>
<b>RACF</b>	<b>Resource Access Control Facility</b>
<b>RAD</b>	<b>Rapid Application Development</b>
<b>RADAR</b>	<b>Radio Detection And Ranging + Rights, Availabilities, Distribution Analysis and Reporting [Disney]</b>

<b>RADB</b>	<b>Routing Arbiter Data Base</b>
<b>RADSL</b>	<b>Rate Adaptive Digital Subscriber Line</b>
<b>RAG</b>	<b>Row Address Generator</b>
<b>RAID</b>	<b>Redundant Arrays of Independent Disks + Redundant Arrays of Independent Drives + Redundant Arrays of Inexpensive Disks</b>
<b>RAIS</b>	<b>Redundant Arrays of Inexpensive Systems</b>
<b>RALU</b>	<b>Register Arithmetic Logic Unit</b>
<b>RAM</b>	<b>Random Access Memory</b>
<b>.RAM</b>	<b>Real Audio Metafile (file name extension)</b>
<b>RAMDAC</b>	<b>Random Access Memory Digital-to-Analog Converter [Sierra]</b>
<b>RAMP</b>	<b>Remote Access Maintenance Protocol [Internet]</b>
<b>RAND</b>	<b>Random</b>
<b>RAP</b>	<b>Rapid Application Prototyping</b>
<b>RARP</b>	<b>Reverse Address Resolution Protocol</b>
<b>RAS</b>	<b>Random Access Storage + Reader Admission System [British Library] + Reliability, Availability and Serviceability + Remote Access Service + Row Address Select</b>
<b>RASAPI</b>	<b>Remote Access Service Application Programming Interface [Microsoft]</b>
<b>.RAT</b>	<b>Rating (file name extension)</b>
<b>RAVE</b>	<b>Rendering Acceleration Virtual Engine [Apple Computer]</b>
<b>.RAW</b>	<b>Raw Data (file name extension)</b>
<b>RB</b>	<b>Right Button (of 2 or 3 button Mouse)</b>
<b>RBBS</b>	<b>Remote Bulletin Board System</b>
<b>RBCS</b>	<b>Remote Bar Code System</b>
<b>RBOC</b>	<b>Regional Bell Operating Company</b>
<b>RCL</b>	<b>Rotate Carry Left</b>
<b>RCP</b>	<b>Remote Control Panel + Remote Copy [Internet] + Restore Cursor Position</b>
<b>RCPT</b>	<b>Recipient</b>
<b>RCR</b>	<b>Rotate Carry Right</b>
<b>RCS</b>	<b>Records Communications Switching System + Revision Control System [Unix]</b>
<b>RD</b>	<b>Receive Data + Remove Directory</b>
<b>R&amp;D</b>	<b>Research and Development</b>
<b>RDA</b>	<b>Remote Database Access</b>
<b>RDB</b>	<b>Receive Data Buffer + Relational Database</b>
<b>RDBMS</b>	<b>Relational Database Management System</b>
<b>RDCLK</b>	<b>Received Timing Clock</b>
<b>RDF</b>	<b>Resource Description Language [W3C]</b>
<b>RDO</b>	<b>Remote Data Object</b>
<b>RDP</b>	<b>Reliable Datagram Protocol</b>
<b>RDRAM</b>	<b>Rambus DRAM</b>
<b>RDSR</b>	<b>Receiver Data Service Request</b>
<b>RDTO</b>	<b>Receive Data Transfer Offset [IBM]</b>
<b>RDX</b>	<b>Realistic Display Mixer</b>
<b>.REC</b>	<b>Recorder (file name extension) + Recreational or Entertainment Activities (Domain Name) [Internet]</b>
<b>REC.</b>	<b>Recreation [USENET Newsgroup Category]</b>
<b>.REF</b>	<b>Reference (file name extension)</b>
<b>REG</b>	<b>Register</b>
<b>REGAL</b>	<b>Rigid Epoxy Glass Acrylic Laminate</b>

<b>RELSECT</b>	<b>Relative Sector</b>
<b>REM</b>	<b>Remark + Remote + Ring Error Monitor</b>
<b>REN</b>	<b>Rename</b>
<b>REP</b>	<b>Repeat</b>
<b>REPE</b>	<b>Repeat while Equal</b>
<b>REPNE</b>	<b>Repeat while Not Equal</b>
<b>REPNZ</b>	<b>Repeat while Not Zero</b>
<b>REPZ</b>	<b>Repeat while Zero</b>
<b>REQ</b>	<b>Request</b>
<b>REREG</b>	<b>Re-Register</b>
<b>RES</b>	<b>Remote Execution Service + Reset + Resolution</b>
<b>.RES</b>	<b>Resource (file name extension)</b>
<b>RET</b>	<b>Resolution Enhancement Technology [HP] + Return</b>
<b>RETR</b>	<b>Retrieve</b>
<b>REX</b>	<b>Relocatable Executable</b>
<b>REXEC</b>	<b>Remote Execution</b>
<b>REXX</b>	<b>Restructured Extended Executor (language) [IBM]</b>
<b>RF</b>	<b>Radio Frequency</b>
<b>RFC</b>	<b>Request For Comments [Internet]</b>
<b>RFD</b>	<b>Request for Discussion [Internet]</b>
<b>RFI</b>	<b>Radio Frequency Interference + Request for Information</b>
<b>RFP</b>	<b>Request for Proposal</b>
<b>RFQ</b>	<b>Request for Quotation</b>
<b>RFS</b>	<b>Remote File Sharing + Remote File System</b>
<b>RFT</b>	<b>Revisable Form Text + Rich Text Format</b>
<b>RFU</b>	<b>Reserved For Future Use</b>
<b>RGB</b>	<b>Red-Green-Blue (color model)</b>
<b>RI</b>	<b>Referential Integrity + Ring Indicate</b>
<b>RIFF</b>	<b>Resource Interchange File Format [Microsoft]</b>
<b>RIM</b>	<b>Remote Installation and Maintenance [Microsoft]</b>
<b>RIME</b>	<b>RelayNet International Message Exchange</b>
<b>RIP</b>	<b>Raster Image Processor + Remote Imaging Protocol + Routing Information Protocol [Novell]</b>
<b>RIPEM</b>	<b>Riordan's Internet Privacy Enhanced Mail</b>
<b>RIPS</b>	<b>Raster Image Processing System</b>
<b>RISC</b>	<b>Reduced Instruction Set Computing</b>
<b>RIT</b>	<b>Raw Input Thread [Microsoft]</b>
<b>RJE</b>	<b>Remote Job Entry</b>
<b>RLD</b>	<b>Received Line Detect</b>
<b>RLE</b>	<b>Run Length Encoded</b>
<b>RLL</b>	<b>Run Length Limited</b>
<b>RLN</b>	<b>Remote LAN Node [DCA]</b>
<b>RLOGIN</b>	<b>Remote Login</b>
<b>RLSD</b>	<b>Received Line Signal Detected</b>
<b>RLSI</b>	<b>* Ridiculously Large-Scale Integration</b>
<b>RM</b>	<b>Reset Mode</b>
<b>RMA</b>	<b>Return Material Authorization + Return to Manufacturer Authorization</b>
<b>RMB</b>	<b>Right Mouse Button</b>
<b>RMDIR</b>	<b>Remove Directory</b>

<b>RMI</b>	<b>Remote Method Invocation [Sun]</b>
<b>RMON</b>	<b>Remote Monitor/Monitoring</b>
<b>RMP</b>	<b>Remote Maintenance Processor [IBM]</b>
<b>RMS</b>	<b>Record Management Services + Root Mean Square</b>
<b>RMW</b>	<b>Read-Modify-Write</b>
<b>RN</b>	<b>Read News [Internet]</b>
<b>RND</b>	<b>Random</b>
<b>RNG</b>	<b>Random Number Generator</b>
<b>RNP</b>	<b>Regional Network Provider</b>
<b>R-O</b>	<b>Read Only</b>
<b>ROB</b>	<b>Reorder Buffer [Intel]</b>
<b>ROL</b>	<b>Rotate Left</b>
<b>ROLAP</b>	<b>Relational On-Line Analytical Processing</b>
<b>ROM</b>	<b>Read Only Memory</b>
<b>ROOM</b>	<b>Real-Time Object-Oriented Modeling</b>
<b>ROP</b>	<b>Raster Operation + RISC Operation</b>
<b>ROR</b>	<b>Rotate Right</b>
<b>ROS</b>	<b>Read-Only Storage [IBM]</b>
<b>ROT</b>	<b>Running Object Table</b>
<b>RPC</b>	<b>Remote Procedure Call</b>
<b>RPG</b>	<b>Report Program Generator (Programming Language)</b>
<b>RPL</b>	<b>Resident Programming Language + Requested Privilege Level</b>
<b>RPN</b>	<b>Real Page Number + Reverse Polish Notation</b>
<b>RPRINTER</b>	<b>Remote Printer [NetWare]</b>
<b>RPPROM</b>	<b>Reprogrammable PROM</b>
<b>RPR</b>	<b>Relative Performance Rating</b>
<b>RPT</b>	<b>Repeat</b>
<b>RPQ</b>	<b>Request for Price Quotation</b>
<b>RQBE</b>	<b>Relational Query By Example [Fox Pro]</b>
<b>RR</b>	<b>Real Reality</b>
<b>RS</b>	<b>Radio Shack + Recommended Standard (as in RS-232) [EIA] + Record Separator + Request to Send</b>
<b>RSA129</b>	<b>(129 digit cryptographic security number named after its inventors: Drs. Ronald L. Rivest, Adi Shamir and Leonard M. Adleman)</b>
<b>RSAC</b>	<b>Recreational Software Advisory Council</b>
<b>RSCS</b>	<b>Remote Spooling Communications System</b>
<b>RSD</b>	<b>Route Server Daemon</b>
<b>RSH</b>	<b>Remote Shell</b>
<b>RSL</b>	<b>Request-and-Status Link</b>
<b>RSP</b>	<b>Required Space Character</b>
<b>RSPX</b>	<b>Remote Sequenced Packet Exchange</b>
<b>RST</b>	<b>Reset + Restart</b>
<b>RSTS</b>	<b>Resource Sharing Time Sharing [Digital]</b>
<b>RSVP</b>	<b>Resource Reservation Protocol</b>
<b>RSX</b>	<b>Realistic Sound Experience + Real Time Resource Sharing Executive</b>
<b>RT</b>	<b>Real Time + RISC Technology + Run Time</b>
<b>R/T</b>	<b>Receive/Transmit</b>



<b>RTAM</b>	Remote Terminal Access Method
<b>RTC</b>	Real-Time Clock
<b>RTDM</b>	Real-Time Data Migration
<b>RTEL</b>	Reverse Telnet [Internet]
<b>RTF</b>	Rich Text Format
<b>RTL</b>	Register Transfer Language/Level + Resistor Transistor Logic + Right-To-Left + Run Time Library
<b>RTM</b>	Response Time Monitor + Runtime Manager [Borland]
<b>RTMP</b>	Routing Table Maintenance Protocol
<b>RTOS</b>	Real-Time Operating System
<b>RTP</b>	Rapid Transport Protocol + Real-Time Protocol
<b>RTS</b>	Remote Takeover System + Request To Send
<b>RTSP</b>	Real-Time Streaming Protocol
<b>RTTI</b>	Runtime Type Information
<b>RTTY</b>	Radio Teletypewriter (Communications)
<b>RTV</b>	Real Time Video
<b>RVA</b>	Relative Virtual Address
<b>RVI</b>	Reverse Interrupt
<b>R/W</b>	Read/Write
<b>RWM</b>	Read-Write Memory
<b>RX</b>	Receiver
<b>RXD</b>	Receive Data
<b>S...</b>	
<b>SA</b>	Selective Availability
<b>SAA</b>	Systems Application Architecture [IBM]
<b>SAC</b>	Single Attachment Concentrator
<b>SADL</b>	Synchronous Data Link Control [Racal-Vadic]
<b>SAINT</b>	* Symbolic Automatic Integrator
<b>SAL</b>	Shift Arithmetic Left
<b>SAM</b>	Serial Access Memory + Sequential Access Method + Security Accounts Manager [Microsoft] + Single Application Mode [Microsoft]
<b>SAN</b>	System Area Network
<b>SANE</b>	Standard Apple Numeric Environment
<b>SAP</b>	Second Audio Program + Service Access Point [DEC] + Service Advertising Protocol + * Symbolic Assembly Program + Systems, Applications and Products (company)
<b>SAPI</b>	Speech Application Program Interface [Microsoft]
<b>SAR</b>	Segmentation and Reassembly + Shift Arithmetic Right + Successive Approximation Register + Synthetic Aperture Radar
<b>SAS</b>	Sales Accounting System + Single Attached Station + Single Audio System + Statistical Analysis System
<b>SASI</b>	Shugert Associates System Interface (SCSI originated from SASI)
<b>SATAN</b>	Security Administrator Tool for Analyzing Networks
<b>.SAV</b>	Saved (file name extension)
<b>SAVDM</b>	Single Application VDM
<b>SB</b>	Sound Blaster [Creative Labs] + Sound Board
<b>SBA</b>	Scene Balance Algorithms [Kodak]
<b>SBB</b>	Subtract With Borrow

<b>SBC</b>	Single-Board Computer
<b>SBCS</b>	Single-Byte Character Set
<b>SBI</b>	Sound Blaster Instrument
<b>.SBR</b>	Source Browser (file name extension) [Borland]
<b>.SC</b>	Script (file name extension)
<b>SCADA</b>	Supervisory Control and Data Aquisition
<b>SCAM</b>	SCSI Configuration Automatically
<b>SCAS</b>	Scan String
<b>SCB</b>	Subsystem Control Block [IBM]
<b>SCC</b> [IBM]	Serial Communications Controllers + Serial Controller Chip + Synchronous Channel Check
<b>SCCS</b>	Source Code Control System
<b>SCD</b>	Standard Color Display
<b>S-CDMA</b>	Synchronous Code-Division Multiple Access
<b>SCF</b>	System Control Facility
<b>SCI</b>	Scalable Coherent Interface
<b>SCI.</b>	Science [USENET Newsgroup Category]
<b>SCLM</b>	Softwre Configuration and Library Management [IBM]
<b>SCM</b>	ScreenCam Format [Lotus] + Software Configuration Management + Station Class Mark
<b>SCO</b>	Santa Cruz Operation (Software Company)
<b>SCOPE</b>	Simple Communications Programming Environment [Hayes]
<b>SCP</b>	Save Cursor Position + Subsystem Control Port + System Control Program
<b>SCR</b>	Silicon Controlled Rectifier
<b>.SCR</b>	Script (file name extension)
<b>SCRN</b>	Screen (video display)
<b>SCRS</b>	Scalable Cluster of RISC Systems
<b>SCSA</b>	Signal Computing System Architecture [Dialogic]
<b>SCSI</b>	Small Computer Systems Interface
<b>SD</b>	Send Data + Super Density
<b>SDA</b>	Software Disk Array + Source Data Automation + System Display Architecture [Digital]
<b>SDB</b>	Symbolic Debugger [Unix]
<b>SDD</b>	Software Description Database [Internet]
<b>SDF</b>	Space Delimited File + Space Delimited Format
<b>.SDF</b>	Standard Data Format (file name extension)
<b>SDH</b>	Synchronous Digital Hieararchy
<b>SDI</b>	Selective Dissemination of Information + Single Document Interface Software Development Interface [Mosaic]
<b>SDK</b>	Software Developer's Kit [Microsoft]
<b>SDLC</b>	Synchronous Data Link Control (protocol)
<b>SDM</b>	System Development Multitasking
<b>SDMS</b>	SCSI Device Management System [NCR]
<b>SDN</b>	Software Defined Network [AT&T]
<b>SDNS</b>	Secure Data Network Service
<b>SDR</b>	Streaming Data Request
<b>SDRAM</b>	Synchronous DRAM
<b>SD-ROM</b>	Super Density ROM
<b>SDS</b>	Sysops Distribution System
<b>SDSL</b>	Single-Line Digital Subscriber Line

<b>SD_STB</b>	Streaming Data Strobe [IBM]
<b>SDV</b>	Switched Digital Video [AT&T]
<b>SDX</b>	Storage Data Acceleration
<b>SEA</b>	Standard Extended Attribute [OS/2]
<b>.SEA</b>	Self Extracting Archive (file name extension) [Macintosh]
<b>SEAC</b>	* Name of first computer to use transistors, built by (National Bureau of) Standards Eastern Automatic Calculator (Also see SWAC)
<b>SEAL</b>	Segmentation and Reassembly Layer (protocol) + Screening External Access Link [Digital-DEC]
<b>SEC</b>	Single Error Correction
<b>SECAM</b>	Sequentiel Couleur Avec Memoire (Sequential Color With Memory)
<b>SECC</b>	Single Edge Contact Cartridge
<b>SED</b>	Stream Editor + Stream-Oriented Editor
<b>SEG</b>	Segment
<b>SEH</b>	Structured Exception Handling
<b>SEL</b>	Select
<b>SEM</b>	Scanning Electron Microscope + Standard Electronic Module
<b>SEPP</b>	Secure Encryption Payment Protocol
<b>SER</b>	Serial
<b>SET</b>	Secure Electronic Transaction + Softwave Engineering Technology
<b>.SET</b>	Driver Set (file name extension) [Lotus 1-2-3] [LDC] + Image Settings (file name extension) [Paradox]
<b>SETEXT</b>	Structure Enhanced Text [Internet]
<b>SEU</b>	Smallest Executable Unit
<b>SF</b>	Sign Flag
<b>SFD</b>	Start Frame Delimiter
<b>SFDR</b>	Spurious-Free Dynamic Range
<b>SFQL</b>	Structured Full-text Query Language
<b>SFS</b>	System File Server
<b>SFT</b>	System Fault Tolerance
<b>SFX</b>	Sound Effect(s)
<b>SGEN</b>	Signal Generator + System Generator
<b>SGDT</b>	Store Global Descriptor Table
<b>SGI</b>	Silicon Graphics, Inc.
<b>SGM</b>	Shaded Graphics Modeling
<b>SGML</b>	Standard Generalized Markup Language
<b>SGR</b>	Set Graphics Rendition
<b>SGRAM</b>	Synchronous Graphics RAM
<b>S/H</b>	Sample and Hold
<b>SHA</b>	Secure Hash Algorithm [NSA]
<b>SHAR</b>	Shell Archive
<b>SHED</b>	Segmented Hypergraphic Editor
<b>SHG</b>	Segmented Hypergraphics
<b>SHL</b>	Shift Logical Left
<b>SHR</b>	Shift Logical Right
<b>S-HTTP</b>	Secure Hypertext Transfer Protocol
<b>.SHW</b>	Show (file name extension)
<b>SI</b>	Shift-In + Source Index + System Information + System Integration

<b>SIC</b>	Standard Industrial Code
<b>SID</b>	Security Identifier + Serial Input Data + Station Identification [AT&T] + Symbolic Interactive Debugger
<b>SIDF</b>	System Independent Data Format
<b>SIDH</b>	System Identification for Home Systems
<b>SIDT</b>	Store Interrupt Descriptor Table
<b>SIFT</b>	Stanford Information Filtering Tool
<b>SIG</b>	Special Interest Group
<b>SIGCAT</b>	Special Interest Group on CD-ROM Applications and Technology
<b>SIM</b>	Simulator
<b>SIMD</b>	Single Instruction Multiple Data-stream (processor)
<b>SIMM</b>	Single In-line Memory Module
<b>SIMTEL</b>	Simulation and Teleprocessing
<b>SIMULA</b>	Simulation (language)
<b>SIO</b>	Serial Input/Output (communications driver)
<b>SIP</b>	Single In-line Package
<b>SIPC</b>	Simply Interactive Personal Computer [Microsoft]
<b>SIPO</b>	Serial In, Parallel Out
<b>SIPP</b>	Single In-line Pin Package
<b>SIR</b>	Serial Infrared [Hewlett-Packard]
<b>SIRDS</b>	Single-Image Random Dot Stereogram
<b>SI/SO</b>	Serial In/Serial Out + Shift In/Shift Out
<b>SIT</b>	Special Information Tones
<b>.SIT</b>	Stuff-It (compressed file name extension) [Macintosh]
<b>SIU</b>	System Interface Unit
<b>SKIP</b>	Simple Key-Management for Internet Protocols [Sun]
<b>SKU#</b>	Stock Keeping Unit Number
<b>SLDT</b>	Store Local Descriptor Table
<b>SLED</b>	Single Large Expensive Disk
<b>SLIC</b>	System Level Integration Circuit
<b>SLIP</b>	Serial Line Interface Protocol
<b>SLM</b>	Spatial Light Modulator
<b>SLMR</b>	Silly Little Modem Reader
<b>SLOSH</b>	Sea, Lake and Overland Surge from Hurricane (program)
<b>SLSI</b>	Super Large-Scale Integration
<b>SLSS</b>	Systems Library Subscription Service [IBM]
<b>SLU</b>	Spoken Language Understanding
<b>SM</b>	Set Mode + Shared Memory
<b>SMART</b>	Self-Monitoring Analysis and Reporting Technology
<b>SMB</b>	Server Message Block (protocol) [MII]
<b>SMD</b>	Surface Mounted Device
<b>SMDR</b>	Station Message Detail Recording
<b>SMDS</b>	Switched Multimedia/Multi-Megabit Data Service
<b>SMF</b>	Single Mode Fiber + System Manager Facility [Compaq]
<b>SMI</b>	System Management Interrupt [Intel]
<b>SMIF</b>	Standard Mechanical Interface
<b>S-MIME</b>	Secure MIME
<b>SMIT</b>	System Management Interface Tool [IBM]

<b>SMK</b>	Software Migration Kit [Microsoft]
<b>SML</b>	Standard Meta Language
<b>SMM</b>	System Management Mode [Intel]
<b>SMOBC</b>	Solder Mask Over Bare Copper
<b>SMP</b>	Simple Management Protocol + Symbolic Manipulation Program + Symmetrical Multi-Processing + Symmetric Multiprocessor
<b>.SMP</b>	Sample (file name extension)
<b>SMPC</b>	Shared Memory Parallel Computer
<b>SMPS</b>	Switching Mode Power Supply
<b>SMRAM</b>	System Management Random Access Memory
<b>SMS</b>	Small Messaging System + Storage Management Services [NetWare] + Storage Management Subsystem/System + Systems Management Server [Microsoft]
<b>SMSW</b>	Store Machine Status Word
<b>SMT</b>	Station Management (protocol) + Surface-Mount Technology
<b>SMTP</b>	Simple Mail Transfer Protocol
<b>SMU</b>	System Management Utility
<b>SN</b>	Serial Number
<b>S/N</b>	Signal-to-Noise (Ratio)
<b>SNA</b>	Systems Network Architecture [IBM]
<b>SNAP</b>	Sub-Network Access Protocol
<b>SND</b>	Sound
<b>SNEWS</b>	Secure News Server [Internet]
<b>SNMP</b>	Simple Network Management Protocol
<b>SNOBOL</b>	String Oriented Symbolic Language (Programming Language)
<b>SNP</b>	Serial Number/Password [Omen Technology]
<b>SNR</b>	Signal-to-Noise Ratio
<b>SOA</b>	Start Of Authority
<b>SOC</b>	System On a Chip
<b>SOC.</b>	Social Issues [USENET Newsgroup Category]
<b>SOCKS</b>	Socket Secure (server) [Internet]
<b>SO-DIMM</b>	Small Outline DIMM
<b>SOE</b>	Standard Operating Environment
<b>SOH</b>	Start of Header
<b>SOHO</b>	Small Office/Home Office
<b>SOL</b>	Simulation Oriented Language
<b>SOM</b>	Start of Message + System Object Model [IBM]
<b>SONET</b>	Synchronous Optical Network
<b>SOP</b>	Standard Operating Procedures
<b>SOS</b>	Silicon On Sapphire + Sophisticated Operating System + Standards and Open Systems
<b>SOTA</b>	State Of The Art
<b>SOX</b>	Sound Exchange
<b>SP</b>	Service Pack [IBM] + Stack Pointer + System Product
<b>SPA</b>	Software Publishers Association
<b>SPAN</b>	Space Physics Analysis Network
<b>SPARC</b>	Scalable Processor Architecture
<b>SPC</b>	Small Peripheral Controller + Statistical Process Control
<b>SPCL</b>	Spectrum Cellular Corporation
<b>SPCS</b>	Stored Program Controlled Switch

<b>SPD</b>	Serial Presence Detect
<b>SPEC</b>	Systems Performance Evaluation Cooperative
<b>SPF</b>	Shortest Path First + System Programming Facility
<b>SPI</b>	Security Parameters Index + Service Provider Interface + SCSI Parallel Interface
<b>SPID</b>	Service Profile/Provider Identifier
<b>SPIKE</b>	Science Planning Intelligent Knowledge-Based Environment [STSci]
<b>SPIRES</b>	Stanford Public Information Retrieval System [Stanford University]
<b>SPL</b>	Spooler + System Programming Language [HP]
<b>.SPL</b>	Spell Checker (file name extension)
<b>SPM</b>	System Performance Monitor [IBM]
<b>SPOOL</b>	Simultaneous Peripheral Operations On Line
<b>SPOT</b>	Shared Product Object Tree [IBM]
<b>SPP</b>	Sequenced Packet Protocol
<b>SPPS</b>	Scalable Power Parallel System [IBM]
<b>SPR</b>	Special Purpose Register + Statistical Pattern Recognition
<b>SPREAD</b>	* Systems Programming, Research, Engineering and Development [IBM]
<b>SPS</b>	Standby Power System
<b>SPSS</b>	Statistical Package for the Social Sciences
<b>SPT</b>	Sectors Per Track
<b>SPX</b>	Sequenced Packet Exchange [Novell]
<b>SQ</b>	Squeezed (files)
<b>SQE</b>	Signal Quality Error (test)
<b>SQL/DS</b>	Structured Query Language/Data System [IBM]
<b>SQRT</b>	Square Root
<b>SR</b>	Shift Register
<b>SRAM</b>	Shadow Random Access Memory + Static Random Access Memory
<b>SRAPI</b>	Speech Recognition API
<b>SRB</b>	Source-Route Bridge
<b>.SRC</b>	Source (file name extension)
<b>SRD</b>	Screen Reader System
<b>SRDRAM</b>	Self-Refreshed DRAM
<b>SRGB</b>	Sustained RGB (values)
<b>SRM</b>	Security Reference Monitor
<b>SRO</b>	Sharable and Read Only
<b>SRP</b>	Suggested Retail Price
<b>.SRP</b>	Script (file name extension)
<b>SRPI</b>	Server-Requester Programming Interface
<b>SRQ</b>	Service Request
<b>SRR</b>	Serially Reusable Resource
<b>SRS</b>	Sound Retrieval System
<b>SS</b>	Stack Segment + Single Sided + Seconds
<b>SSA</b>	Serial Storage Architecture
<b>SSAP</b>	Source Service Access Point
<b>SSCP</b>	Systems Service Control Point [IBM]
<b>SSD</b>	Solid State Disk
<b>SSEC</b>	* Selective Sequence Electronic Calculator [IBM]
<b>SSGA</b>	System Support Gate Array
<b>SSI</b>	Server Side Includes + Single System Image + Small Scale Integration



<b>SSL</b>	Secure Sockets Layer
<b>SSPI</b>	Security Service Provider Interface [Microsoft]
<b>SSRP</b>	Simple Server Redundance Protocol [Cisco]
<b>SST</b>	Spread-Spectrum Technology + Systems Services and Technology
<b>STA</b>	Spanning Tree Algorithm
<b>STAR</b>	Self Defining Text Archival
<b>STB</b>	Strobe
<b>STC</b>	Set Carry Flag
<b>STD</b>	Set Direction Flag + Standard
<b>STDA</b>	StreetTalk Directory Assistance [Banyan]
<b>STDAUX</b>	Standard Auxillary
<b>STDERR</b>	Standard Error
<b>STDIN</b>	Standard Input
<b>STDIO.H</b>	Standard Input/Output Header [C Programming Language]
<b>STDM</b>	Statistical Time Division Multiplexer
<b>STDOUT</b>	Standard Output
<b>STDPRN</b>	Standard Printer
<b>STEP</b>	Standard for Exchange of Product
<b>.STF</b>	Structured File (file name extension) [Lotus Agenda]
<b>STI</b>	Set Interrupt Flag
<b>S/TK</b>	Sectors Per Track
<b>STL</b>	Standard Template Library
<b>STN</b>	Super-Twist Nematic
<b>.STORE</b>	Businesses Offering Goods (Domain Name) [Internet]
<b>STOS</b>	Store String
<b>STP</b>	Secure Transfer Protocol + Shielded Twisted Pair (cable) + Signal Transfer Point + Synchronized Transaction Processing
<b>STR</b>	Store Task Register + Synchronous Transmitter Receiver
<b>STRESS</b>	Structural Engineering System Solver (Programming Language)
<b>STRUDL</b>	Structural Design Language (Programming Language)
<b>STScI</b>	Space Telescope Science Institute
<b>STT</b>	Secure Transaction Technology [Microsoft]
<b>STX</b>	Start of Text
<b>.STY</b>	Style (file name extension) [Ventura, Word, WordPerfect]
<b>SUB</b>	Subroutine + Substitute + Subtract
<b>SUN</b>	Sun Microsystems, Inc.
<b>.SUP</b>	Supplemental Dictionary (file name extension) [WordPerfect]
<b>SVC</b>	Switched Virtual Circuit
<b>SVF</b>	Simple Vector Format
<b>SVGA</b>	Super Video Graphics Array
<b>S-VHS</b>	Super VHS
<b>SVM</b>	System Virtual Machine [Microsoft]
<b>SVN</b>	Switched Virtual Network [IBM]
<b>SVR</b>	Server
<b>SVR#</b>	System V Release Number [AT&T]
<b>S/W</b>	Software
<b>SWAC</b>	* Mobile version of SEAC, built for deployment to White Sands, and named Standards Western Automatic Calculator

<b>SWAIS</b>	Simple Wide Area Information Server [Internet]
<b>SWISH</b>	Simple Web Indexing System for Humans
<b>SWP</b>	Simple Web Printing
<b>.SWP</b>	Swap (file name extension)
<b>.SYL</b>	Syllabus (file name extension)
<b>SYLK</b>	Symbolic Link
<b>.SYM</b>	Symbols (file name extension)
<b>.SYN</b>	Synonym (file name extension)
<b>SYNC</b>	Synchronous
<b>SYS</b>	System
<b>.SYS</b>	System Configuration (file name extension) + System Device Driver (file name extension)
<b>SYSADMIN</b>	System Administrator
<b>SYSGEN</b>	System Generator
<b>SYSLOG</b>	System Log
<b>SYSMOD</b>	System Modification
<b>SYSOP</b>	System Operator
<b>SYSREQ</b>	System Request
<b>SZ</b>	Send ZModem [Unix]
<b>T...</b>	
<b>TACS</b>	Total Access Communication System
<b>TAD</b>	Telephone Answering Device
<b>TAP</b>	Telelocator Alphanumeric Protoco
<b>TAPCIS</b>	The Access Program for the CompuServe Information Service
<b>TAPI</b>	Telephony Applications Programming Interface
<b>.tar</b>	Tape Archive (archived file name extension) [Unix]
<b>.tar.Z</b>	Compressed Archived files (file name extension) [Unix]
<b>TAS</b>	Telephone Access Server
<b>TASM</b>	Turbo Assembler [Borland]
<b>TAXI</b>	Transparent Asynchronous Transceiver/Receiver Interface
<b>TB</b>	Terabyte (1,024 gigabytes)
<b>T/B</b>	Top and Bottom
<b>TBBS</b>	The Bread Board System (BBS)
<b>TBGA</b>	Tape Ball Grid Array
<b>.TBK</b>	Toolbook (file name extension)
<b>TBU</b>	Tape Backup Unit
<b>TC</b>	Test Control + Transmission Control
<b>TCL</b>	Tool Command Language
<b>TCM</b>	Trellis-Coded Modulation
<b>TCO</b>	Total Cost of Ownership
<b>TCP/IP</b>	Transmission Control Protocol/Internet Protocol
<b>TD</b>	Transmit Data
<b>TDD</b>	Telecommunications Device for the Deaf
<b>TDtoDP</b>	Tablet Coordinates to Display Coordinates (converting)
<b>TDE</b>	Terminal Display Editor
<b>.TDF</b>	Trace Definition File (file name extension) [OS/2] + Typeface Definition File (file name extension)

<b>TDI</b>	<b>Transport Device Interface</b>
<b>TDM</b>	<b>Technical Document Management + Time Division Multiplexing</b>
<b>TDMA</b>	<b>Time Division Multiple Access</b>
<b>TDMS</b>	<b>Terminal Display Management System</b>
<b>TDP</b>	<b>Tag Distribution Protocol [Cisco] + Telelocator Data Protocol</b>
<b>TDSR</b>	<b>Transmitter Data Service Request</b>
<b>TDR</b>	<b>Time Domain Reflectometry</b>
<b>TE/2</b>	<b>Terminal Emulator/2 [Oberon]</b>
<b>TEB</b>	<b>Thread Environment Block</b>
<b>TEC</b>	<b>Tokyo Electronics Corporation</b>
<b>TED</b>	<b>Tiny Editor</b>
<b>TEI</b>	<b>Terminal Endpoint Identifier</b>
<b>TELCO</b>	<b>Telephone Company</b>
<b>TEML</b>	<b>Turbo Editor Macro Language [Borland]</b>
<b>TEMP</b>	<b>Temporary</b>
<b>TER</b>	<b>Thermal Eclipse Reading [Sony]</b>
<b>TERMPWR</b>	<b>Terminator Power</b>
<b>TFDD</b>	<b>Text File Device Driver</b>
<b>TFEL</b>	<b>Thin-Film Electroluminescent</b>
<b>.TFM</b>	<b>Tagged Font Metric (file name extension)</b>
<b>TFT</b>	<b>Thin-Film Transistor (screens)</b>
<b>TFTP</b>	<b>Trivial File Transfer Protocol</b>
<b>THD</b>	<b>Total Harmonic Distortion</b>
<b>.THD</b>	<b>Thread (file name extension)</b>
<b>THOMAS</b>	<b>The (U.S.) House (of Representatives) Open Multimedia Access System</b>
<b>THOR</b>	<b>Tandy High-Performance Optical Recording</b>
<b>THR</b>	<b>Transmit Holding Register</b>
<b>.THS</b>	<b>Thesaurus (file name extension)</b>
<b>TI</b>	<b>Texas Instruments, Inc.</b>
<b>TIA</b>	<b>Telecommunications Industry Association + The Internet Adapter [Internet]</b>
<b>TID</b>	<b>Target ID</b>
<b>TIES</b>	<b>Time Independent Escape Sequence</b>
<b>.TIF</b>	<b>Tagged Image File (filename extension)</b>
<b>TIFF</b>	<b>Tagged Image File Format</b>
<b>TIGA</b>	<b>Texas Instruments Graphics Architecture</b>
<b>TIGER</b>	<b>Topologically Integrated Geographic Encoding and Referencing</b>
<b>TIAP</b>	<b>Telecommunications and Information Infrastructure Assistance Program [NII]</b>
<b>TIM</b>	<b>Technical Information Memo [Compaq]</b>
<b>TIMEZONES</b>	<b>----- GMT Offsets</b>
<b>AST - Atlantic Standard Time</b>	<b>+4:00</b>
<b>AT - Azores Time</b>	<b>+2:00</b>
<b>AHD - Alaska-Hawaii Daylight</b>	<b>::</b>
<b>AHS - Alaska-Hawaii Standard</b>	<b>+10:00</b>
<b>BST - British Summer Time</b>	<b>::</b>
<b>CAT - Central Alaska Time</b>	<b>+10:00</b>
<b>CCT - China Coast Time</b>	<b>-8:00</b>
<b>CDT - Central Daylight Time</b>	<b>::</b>
<b>CET - Central European Time</b>	<b>-1:00</b>

<b>CST - Central Standard Time</b>	<b>+6:00</b>
<b>EAD - East Australian Daylight</b>	<b>:::</b>
<b>EAS - East Australian Standard</b>	<b>-10:00</b>
<b>EDT - Eastern Daylight Time</b>	<b>:::</b>
<b>EET - Eastern European Time</b>	<b>-1:00</b>
<b>EMT - Eastern Mediterranean</b>	<b>-2:00</b>
<b>EST - Eastern Standard Time</b>	<b>+5:00</b>
<b>GMT - Greenwich Mean Time</b>	<b>+0:00</b>
<b>HST - Hawaii Standard Time</b>	<b>+10:00</b>
<b>JST - Japanese Standard Time</b>	<b>-9:00</b>
<b>MDT - Mountain Daylight Time</b>	<b>:::</b>
<b>MET - Middle European Time</b>	<b>-1:00</b>
<b>MST - Mountain Standard Time</b>	<b>+7:00</b>
<b>MTS - Moscow Time Standard</b>	<b>-3:00</b>
<b>MTD - Moscow Time Daylight</b>	<b>:::</b>
<b>NT - Nome Time</b>	<b>+11:00</b>
<b>NZT - New Zealand Time</b>	<b>-12:00</b>
<b>PDT - Pacific Daylight Time</b>	<b>:::</b>
<b>PST - Pacific Standard Time</b>	<b>+8:00</b>
<b>WAS - West Australian Standard</b>	<b>-7:00</b>
<b>WAT - West Africa Time</b>	<b>+1:00</b>
<b>WED - Western Europe Daylight</b>	<b>:::</b>
<b>WES - Western Europe Standard</b>	<b>+0:00</b>
<b>YDT - Yukon Daylight Time</b>	<b>:::</b>
<b>YST - Yukon Standard Time</b>	<b>+9:00</b>
<b>IDLE- International Date Line East</b>	<b>-12:00</b>
<b>IDLW- International Date Line West</b>	<b>+12:00</b>
<b>TIMI</b>	<b>Technology Independent Machine Interface [IBM]</b>
<b>TIMS</b>	<b>Text Information Management Systems</b>
<b>TINA</b>	<b>Telecommunication Information Networking Architecture</b>
<b>TIP</b>	<b>Terminal Interface Processor + Transaction Internet Protocol</b>
<b>TK/TK</b>	<b>Track to Track</b>
<b>TLA</b>	<b>Three-Letter Acronym</b>
<b>TLB</b>	<b>Translation Lookaside Buffer</b>
<b>.TLB</b>	<b>Table (file name extension)</b>
<b>TLD</b>	<b>Top Level Domain</b>
<b>TLI</b>	<b>Transport Layer Interface</b>
<b>TLU</b>	<b>Table Lookup</b>
<b>.TLX</b>	<b>Telex (file name extension)</b>
<b>TM</b>	<b>Trademark</b>
<b>.TML</b>	<b>Template (file name extension)</b>
<b>TMP</b>	<b>Temporary</b>
<b>TN</b>	<b>Twisted Nematic</b>
<b>TNC</b>	<b>Terminal Node Controller</b>
<b>TNO</b>	<b>The Netherlands Organization</b>
<b>ToC</b>	<b>Table Of Contents</b>
<b>TOD</b>	<b>Time Of Day</b>
<b>TOP</b>	<b>Technical and Office Protocol</b>

<b>TPC</b>	<b>Transaction-Processing Performance Council</b>
<b>TPF</b>	<b>Transactions Processing Facility [IBM]</b>
<b>TPI</b>	<b>Tracks Per Inch</b>
<b>TPL</b>	<b>Table Producing Language + Transaction Processing Language</b>
<b>TPM</b>	<b>Transactions Per Minute</b>
<b>TPORT</b>	<b>Twisted Pair Port Transceiver [AT&amp;T]</b>
<b>TPS</b>	<b>Transactions Per Second + Transaction Processing System</b>
<b>TPW</b>	<b>Turbo Pascal for Windows</b>
<b>TQFP</b>	<b>Thin Quad Flat Pack</b>
<b>TQM</b>	<b>Total Quality Management</b>
<b>TR</b>	<b>Terminal Ready</b>
<b>T/R</b>	<b>Transmit/Receive</b>
<b>TRADIC</b>	<b>* Transistorized Airborne Digital Computer (Name of first computer to be entirely transistorized)</b>
<b>.TRM</b>	<b>Terminal (file name extension)</b>
<b>TRN</b>	<b>Threaded Read News [Internet] + Token Ring Network</b>
<b>TRON</b>	<b>The Real-Time Operating System Nucleus</b>
<b>TS</b>	<b>Top Secret</b>
<b>TSA</b>	<b>Target Service Agent + Technical Support Alliance + Telephony Services Architecture</b>
<b>TSAPI</b>	<b>Telephony Services Application Program Interface [AT&amp;T + Novell]</b>
<b>TSB</b>	<b>Termination Status Block</b>
<b>TSE</b>	<b>The Semware Editor</b>
<b>TSO</b>	<b>Time Sharing Option</b>
<b>TSR</b>	<b>Terminate and Stay Resident</b>
<b>TSS</b>	<b>Task State Segment + Time Sharing System</b>
<b>TS/SI</b>	<b>Top Secret/Sensitive Information</b>
<b>.TST</b>	<b>Test (file name extension)</b>
<b>TSTN</b>	<b>Triple Supertwisted Nematic</b>
<b>TSV</b>	<b>Tab Separated Values</b>
<b>TT</b>	<b>Typewriter Text</b>
<b>TTA</b>	<b>Transport-Triggered Architecture</b>
<b>TTCN</b>	<b>Tree and Tabular Combined Notation</b>
<b>.TTF</b>	<b>TrueType Font (file name extension)</b>
<b>TTL</b>	<b>Transistor-Transistor Logic</b>
<b>TTP</b>	<b>Thermal-Transfer Printing</b>
<b>TTS</b>	<b>Text-To-Speech + Transaction Tracking System</b>
<b>TTY</b>	<b>Teletype</b>
<b>TUCOWS</b>	<b>The Ultimate Collection of Winsock Software</b>
<b>TUI</b>	<b>Text-Based User Interface [WordPerfect]</b>
<b>TUMS</b>	<b>Table Update and Management System [Stanford University]</b>
<b>.TUT</b>	<b>Tutorial (file name extension)</b>
<b>TVF</b>	<b>Table of contents Verbosely from File [UNIX]</b>
<b>TVFS</b>	<b>Toronto Virtual File System [IBM]</b>
<b>TVI</b>	<b>Television Interference</b>
<b>TVOL</b>	<b>Television On-Line</b>
<b>TWAIN</b>	<b>Technology Without Any Interesting Name (connection between application and scanner software)</b>
<b>TWX</b>	<b>Teletypewriter Exchange Service</b>

<b>TXD</b>	<b>Transmit Data</b>
<b>.TXF</b>	<b>Tax Exchange Format (file name extension)</b>
<b>TXT</b>	<b>Text</b>
<b>TXT2STF</b>	<b>Text To Structured File [Lotus Agenda]</b>
<b>TZ</b>	<b>Time Zone [Unix]</b>
<b>U...</b>	
<b>UA</b>	<b>User Agent + User Area</b>
<b>UAE</b>	<b>Unrecoverable Application Error</b>
<b>UAM</b>	<b>User Authentication Method</b>
<b>UART</b>	<b>Universal Asynchronous Receiver/Transmitter</b>
<b>UBR</b>	<b>Unspecified Bit Rate</b>
<b>.UC2</b>	<b>Compressed File (file name extension) [UltraCompressor]</b>
<b>UCE</b>	<b>Unsolicited Commercial Email</b>
<b>UCL</b>	<b>Universal Communications Language</b>
<b>UCS</b>	<b>Unicode Conversion Support + Universal Character Set + User Coordinate System</b>
<b>UCT</b>	<b>Universal Coordinated Time</b>
<b>UDC</b>	<b>User Defined Commands</b>
<b>UDE</b>	<b>Universal Data Exchange</b>
<b>UDEC</b>	<b>* Universal Digital Electronic Computer [Burroughs]</b>
<b>UDF</b>	<b>Universal Disk Format + User Defined Functions</b>
<b>UDG</b>	<b>User Defined Gateway</b>
<b>UDP</b>	<b>User Datagram Protocol</b>
<b>UDT</b>	<b>Uniform Data Transfer</b>
<b>UFS</b>	<b>Unix File System</b>
<b>UG</b>	<b>User Group</b>
<b>UHCI</b>	<b>Universal Host Controller Interface</b>
<b>UHF</b>	<b>Ultra-High Frequency</b>
<b>UI</b>	<b>Unix International + User Interface</b>
<b>UIC</b>	<b>User Identification Code</b>
<b>UID</b>	<b>User Identifier</b>
<b>UIMS</b>	<b>User Interface Management System</b>
<b>UL</b>	<b>Underwriters Laboratories + Unordered List + Upload</b>
<b>ULA</b>	<b>Uncommitted Logic Array</b>
<b>ULN</b>	<b>Universal Link Negotiation</b>
<b>ULSI</b>	<b>Ultra Large Scale Integration</b>
<b>UMA</b>	<b>Unified Memory Architecture</b>
<b>UMB</b>	<b>Upper Memory Block [LIM/AST]</b>
<b>UNC</b>	<b>Universal Naming Convention + Uencoded Netnews Collator [Unix]</b>
<b>UNCOL</b>	<b>Universal Computed Oriented Language</b>
<b>UNI</b>	<b>User-Network Interface</b>
<b>UNICOM</b>	<b>Universal Integrated Communication (System)</b>
<b>UNICOS</b>	<b>Universal Compiler FORTRAN compatible</b>
<b>UNII</b>	<b>Unlicensed National Information Infrastructure</b>
<b>UNIVAC</b>	<b>Universal Automatic Computer</b>
<b>UNIX</b>	<b>(AT&amp;T Bell Laboratories Operating System)</b>
<b>UNMA</b>	<b>Unified Network Management Architecture</b>



<b>UP</b>	<b>Uniprocessor</b>
<b>UPC</b>	<b>Universal Product Code</b>
<b>UPG</b>	<b>Upgrade</b>
<b>UPL</b>	<b>User Program Language</b>
<b>UPM</b>	<b>Unix Programmer's Manual + User Profile Management [IBM]</b>
<b>UPS</b>	<b>Uninterruptible Power Supply + Uninterruptible Power System</b>
<b>URC</b>	<b>Uniform Resource Characteristics + Uniform Resource Citation</b>
<b>UREP</b>	<b>Unix RSCS Emulation Protocol (protocol)</b>
<b>URI</b>	<b>Uniform Resource Identifier</b>
<b>URL</b>	<b>Uniform Resource Locator</b>
<b>URN</b>	<b>Uniform Resource Name/Number</b>
<b>US</b>	<b>Unit Separator</b>
<b>USART</b>	<b>Universal Synchronous-Asynchronous Receiver/Transmitter</b>
<b>USB</b>	<b>Universal Serial Bus [Intel]</b>
<b>USENET</b>	<b>User's Network [Internet]</b>
<b>USERID</b>	<b>User Identification</b>
<b>USOC</b>	<b>Universal Service Ordering Code</b>
<b>USQ</b>	<b>Unqueued (files)</b>
<b>USR</b>	<b>US Robotics (corporation)</b>
<b>USRT</b>	<b>Universal Synchronous Receiver/Transmitter</b>
<b>USSA</b>	<b>User Supported Software Association (United Kingdom)</b>
<b>UT</b>	<b>User Terminal</b>
<b>UTC</b>	<b>Coordinated Universal Time</b>
<b>UTI</b>	<b>Universal Text Interchange/Interface</b>
<b>UTP</b>	<b>Unshielded Twisted-Pair (cable)</b>
<b>UU</b>	<b>Uuencode/Uudecode</b>
<b>UUCP</b>	<b>Unix-To-Unix Copy Program</b>
<b>UUD</b>	<b>UUDecoding [Unix]</b>
<b>UUE</b>	<b>UUEncoding [Unix]</b>
<b>UUENCODE</b>	<b>Unix to Unix Encoding</b>
<b>UUI</b>	<b>User-To-User Information [AT&amp;T]</b>
<b>UUID</b>	<b>Universal Unique Identifier</b>
<b>UV</b>	<b>Ultraviolet</b>
<b>V...</b>	
<b>VA</b>	<b>Virtual Address + Visual Age [IBM]</b>
<b>VAD</b>	<b>Value Added Dealer</b>
<b>VADD</b>	<b>Value Added Disk Driver</b>
<b>VADSL</b>	<b>Very-High-Rate Asymmetric Digital Subscriber Line</b>
<b>VAL</b>	<b>Value + Voice Application Language</b>
<b>.VAL</b>	<b>Validity Checks (file name extension) [Paradox]</b>
<b>VAM</b>	<b>Virtual Access Method</b>
<b>VAN</b>	<b>Value Added Network</b>
<b>VAP</b>	<b>Value Added Process</b>
<b>VAR</b>	<b>Value Added Reseller + Value Added Retailer + Variable</b>
<b>VAST</b>	<b>Variable Array Storage Technology</b>
<b>VAX/VMS</b>	<b>Virtual Address Extension/Virtual Memory System [DEC]</b>

<b>VB</b>	<b>Variable Block + Visual Basic [Microsoft]</b>
<b>VBA</b>	<b>Visual Basic for Applications [Microsoft]</b>
<b>VBE/AI</b>	<b>Vesa Bios Extension/Audio Interface</b>
<b>VBNS</b>	<b>Very High Speed Backbone Network Service [MCI + NSF]</b>
<b>VBR</b>	<b>Variable Bit Rate</b>
<b>VBRUN</b>	<b>Visual Basic Runtime</b>
<b>.VBX</b>	<b>Visual Basic Extension (file name extension)</b>
<b>VCC</b>	<b>Virtual Channel Connection</b>
<b>VCD</b>	<b>Virtual Communications Driver</b>
<b>VCI</b>	<b>Virtual Circuit Identifier</b>
<b>VCL</b>	<b>Visual Component Library</b>
<b>VCOS</b>	<b>Visual Caching Operating System [AT&amp;T]</b>
<b>VCPI</b>	<b>Virtual Control Program Interface</b>
<b>VCR</b>	<b>Video Cassette Recorder</b>
<b>VDD</b>	<b>Virtual Device Driver</b>
<b>VDDM</b>	<b>Virtual Device Driver Manager</b>
<b>VDE</b>	<b>Video Display Editor + Visual Development Environment</b>
<b>VDISK</b>	<b>Virtual Disk</b>
<b>VDM</b>	<b>Virtual DOS Machine [IBM]</b>
<b>VDMAD</b>	<b>Virtual Direct Memory Access Device [Microsoft]</b>
<b>VDS</b>	<b>Virtual DMA Services</b>
<b>VDSL</b>	<b>Very-High-Data-Rate Digital Subscriber Line</b>
<b>VDT</b>	<b>Video Dial Tone + Video Display Terminal</b>
<b>VDU</b>	<b>Video Display Unit + Visual Display Unit</b>
<b>VEGA</b>	<b>Video-7 Enhanced Graphics Adapter [Video-7, Inc.]</b>
<b>VEMM</b>	<b>Virtual Expanded Memory Manager</b>
<b>VEMMI</b>	<b>Versatile Multimedia Interface</b>
<b>VER</b>	<b>Verify + Version</b>
<b>VERONICA</b>	<b>Very Easy Rodent-Oriented Net-Wide Index to Computer Archives [Internet]</b>
<b>VERR</b>	<b>Verify Read Access</b>
<b>VERW</b>	<b>Verify Write Access</b>
<b>VES</b>	<b>Video Encoding Standard [Oracle]</b>
<b>VESA</b>	<b>Video Electronics Standards Association</b>
<b>VF</b>	<b>Virtual Floppy</b>
<b>VFAT</b>	<b>Virtual File Allocation Table [Microsoft]</b>
<b>V.FC</b>	<b>Version.First Class (communications standard)</b>
<b>VFD</b>	<b>Vacuum Fluorescent Display</b>
<b>VFW</b>	<b>Video For Windows [Microsoft]</b>
<b>VGA</b>	<b>Video Graphics Array</b>
<b>VGC</b>	<b>Video Graphics Controller</b>
<b>VHDL</b>	<b>VHSIC Hardware Description Language</b>
<b>VHF</b>	<b>Very-High Frequency</b>
<b>VHS</b>	<b>Very High Speed + Video Home System + Virtual Host Storage</b>
<b>VHSIC</b>	<b>Very High Speed Integrated Circuit</b>
<b>VI</b>	<b>Visual Interactive (editor) [UNIX]</b>
<b>VIE</b>	<b>Virtual Information Environment</b>
<b>VIF</b>	<b>Virtual Interface + Virtual Interrupt Flag</b>
<b>VIM</b>	<b>Vendor Independent Mail + Vendor Independent Messaging + Video Interface Module</b>

<b>VIO</b>	<b>Video Input/Output + Virtual Input/Output</b>
<b>VINES</b>	<b>Virtual Networking System [Banyan]</b>
<b>ViP</b>	<b>Visual Programming [Lotus]</b>
<b>VIP</b>	<b>Variable Information Processing + Video Information Provider + Virtual Interrupt Pending</b>
<b>VIPER</b>	<b>Verifiable Integrated Processor for Enhanced Reliability</b>
<b>VIS</b>	<b>Video Information System [Tandy] + Visual Instruction Set [Sun] + Voice Information System</b>
<b>VJ HEADER</b>	<b>Van Jacobsen Header (compression) [Unix]</b>
<b>VLAN</b>	<b>Virtual Local Area Network</b>
<b>VL-BUS</b>	<b>Vesa Local-Bus [VESA]</b>
<b>VLD</b>	<b>Variable-Length Decoder</b>
<b>VLF</b>	<b>Very Low Frequency</b>
<b>VLINK</b>	<b>Visited Link [HTML]</b>
<b>VLIW</b>	<b>Very Large Instruction Word</b>
<b>VLM</b>	<b>Virtual Loadable Module</b>
<b>VLSI</b>	<b>Very Large Scale Integration</b>
<b>VLSIPS</b>	<b>Very Large Scale Immobilized Polymer Synthesis</b>
<b>VLT</b>	<b>Variable List Table</b>
<b>VM</b>	<b>Virtual Machine + Virtual Memory</b>
<b>VMA</b>	<b>Virtual Memory Address</b>
<b>VMB</b>	<b>Virtual Machine Boot</b>
<b>VME</b>	<b>Versa Module Eurocard + Virtual Memory Environment</b>
<b>VMM</b>	<b>Virtual Machine/Memory Manager</b>
<b>VMOS</b>	<b>Vertical MOS</b>
<b>VMP</b>	<b>Virtual Modem Protocol</b>
<b>VMS</b>	<b>Virtual Machine Storage + Virtual Memory System + Voice Message System</b>
<b>VMT</b>	<b>Virtual Memory Technique</b>
<b>VNA</b>	<b>Virtual Network Architecture</b>
<b>VOC</b>	<b>Creative Voice (format) [Sound Blaster]</b>
<b>VOD</b>	<b>Video On Demand</b>
<b>VOL</b>	<b>Volume</b>
<b>VOM</b>	<b>Volt-Ohm-Milliammeter</b>
<b>VOR</b>	<b>Visions Of Reality</b>
<b>VOS</b>	<b>Verbal/Voice Operating System</b>
<b>VP</b>	<b>Virtual Path</b>
<b>VPD</b>	<b>Virtual Printer Device + Vital Product Data [IBM]</b>
<b>VPDN</b>	<b>Virtual Private Data Network</b>
<b>VPDS</b>	<b>Virtual Private Data Service [MCI]</b>
<b>VPE</b>	<b>Video Port Extensions [Microsoft] + Visual Programming Environment</b>
<b>VPL</b>	<b>Virtual Programming Language</b>
<b>VPM</b>	<b>Video Port Manager</b>
<b>VPN</b>	<b>Virtual Page Number + Virtual Private Network</b>
<b>VPS</b>	<b>Voice Processing System</b>
<b>VPSC</b>	<b>Vault, Process, Structure, Configuration</b>
<b>VPT</b>	<b>Virtual Print Technology [Dataproducts]</b>
<b>VR</b>	<b>Virtual Reality + Voltage Regulated/Regulator</b>
<b>VRAM</b>	<b>Video Random Access Memory</b>
<b>VRE</b>	<b>Voltage Regulated Extended</b>
<b>VRM</b>	<b>Voltage Regulator Module</b>

<b>VRML</b>	<b>Virtual Reality Modeling Language (originally named Virtual Reality Markup Language)</b>
<b>VROOMM</b>	<b>Virtual Real-time Object Oriented Memory Manager [Borland]</b>
<b>.VRS</b>	<b>WordPerfect Graphics Driver (file name extension)</b>
<b>VRT</b>	<b>Voltage Regulation Technology [Intel]</b>
<b>VRU</b>	<b>Voice Response Unit</b>
<b>VS</b>	<b>Virtual Storage</b>
<b>VSAM</b>	<b>Virtual Storage Access Method</b>
<b>VSAT</b>	<b>Very Small Aperture Terminal</b>
<b>VSE</b>	<b>Virtual Storage Extended</b>
<b>VSF</b>	<b>Vertical Scanning Frequency</b>
<b>VSI</b>	<b>Virtual Socket Interface</b>
<b>VSIO</b>	<b>Virtual Serial Input Output</b>
<b>VSLI</b>	<b>Very Large Scale Integration</b>
<b>VSM</b> <b>[IBM]</b>	<b>Virtual Shared Memory + Virtual Storage Management + Visual System Management</b>
<b>VSN</b>	<b>Volume Serial Number</b>
<b>VSOS</b>	<b>Virtual Storage Operating System</b>
<b>VSYNC</b>	<b>Vertical Sync</b>
<b>VT</b>	<b>Vertical Tab</b>
<b>VTAM</b>	<b>Virtual Telecommunications Access Method [IBM]</b>
<b>VTNS</b>	<b>Virtual Telecommunications Network Service</b>
<b>VUI</b>	<b>Video User Interface</b>
<b>VUP</b>	<b>VAX Unit of Performance</b>
<b>VMS</b>	<b>Virtual Memory System + Voice Message System</b>
<b>VWB</b>	<b>Visual WorkBench [Microsoft]</b>
<b>VxD</b>	<b>Virtual Extended Driver [Microsoft]</b>
<b>.VXD</b>	<b>Virtual Device (file name extension) [Microsoft]</b>
<b>V&amp;V</b>	<b>Verification and Validation</b>
<b>W...</b>	
<b>W/</b>	<b>With</b>
<b>W3</b>	<b>(see WWW)</b>
<b>W3A</b>	<b>World Wide Web Applets</b>
<b>W3C</b>	<b>World Wide Web Consortium</b>
<b>W4</b>	<b>What-Works-With-What</b>
<b>WAAS</b>	<b>Wide Area Augmentation System</b>
<b>WABI</b>	<b>Windows Application Binary Interface [SunSoft]</b>
<b>WAI</b>	<b>Web Application Interface [Netscape]</b>
<b>WAIS</b>	<b>Wide Area Information Server</b>
<b>WAITS</b>	<b>Wide Area Information Transfer System</b>
<b>WAN</b>	<b>Wide Area Network</b>
<b>WATS</b>	<b>Wide Area Telecommunications Service</b>
<b>.WAV</b>	<b>Waveform Audio (file name extension)</b>
<b>WBEM</b>	<b>Web-Based Enterprise Management</b>
<b>WC</b>	<b>Word Count</b>
<b>WCS</b>	<b>World Coordinate System</b>
<b>WDL</b>	<b>Windows Driver Library [Microsoft]</b>

<b>WDM</b>	<b>Wavelength Division Multiplexing</b>
<b>WDRAM</b>	<b>Windows Dynamic Random Access Memory</b>
<b>.WEB</b>	<b>Entities Emphasizing the WWW (Domain Name) [Internet]</b>
<b>WebNFS</b>	<b>Web Network File System [Sun]</b>
<b>WELL</b>	<b>Whole Earth 'Lectronic Link (BBS)</b>
<b>WFM</b>	<b>Wired For Management [Intel]</b>
<b>WFW</b>	<b>Windows For Workgroups [Microsoft]</b>
<b>WGS</b>	<b>Work Group System</b>
<b>WHAM</b>	<b>Waveform Hold and Modify [Microsoft]</b>
<b>WHC</b>	<b>Workstation Host Connection</b>
<b>WINE</b>	<b>Windows Emulator</b>
<b>WINForum</b>	<b>Wireless Information Networks Forum</b>
<b>WINS</b>	<b>Windows-Internet Naming Service [Microsoft]</b>
<b>WINSOCK</b>	<b>Windows Open Systems Architecture [Microsoft] + Windows Sockets</b>
<b>WINWORD</b>	<b>Word For Windows [Microsoft]</b>
<b>WISE</b>	<b>WordPerfect Information System Environment</b>
<b>WIT</b>	<b>Web Interactive Talk [Internet]</b>
<b>.WKB</b>	<b>Workbook (file name extension) [WordPerfect]</b>
<b>.WKE</b>	<b>Worksheet (file name extension) [Lotus 1-2-3] [LDC]</b>
<b>.WKQ</b>	<b>Spreadsheet (file name extension) [BORQU]</b>
<b>.WKS</b>	<b>Worksheet (file name extension) [Lotus 1-2-3] [LDC]</b>
<b>.WKZ</b>	<b>Compressed Spreadsheet (file name extension) [BORQU]</b>
<b>.WK1</b>	<b>Worksheet (file name extension) [Lotus 1-2-3] [LDC]</b>
<b>WL</b>	<b>Word Line</b>
<b>WMC</b>	<b>Workflow Management Coalition</b>
<b>.WMF</b>	<b>Windows Metafile Format (file name extension) [Microsoft]</b>
<b>WNIC</b>	<b>Wide-Area Network Interface Co-Processor</b>
<b>WNIM</b>	<b>Wide-Area Network Interface Module</b>
<b>W/O</b>	<b>Without</b>
<b>WORM</b>	<b>Write Once, Read Many</b>
<b>WOS</b>	<b>Workstation Operating System</b>
<b>WOSA</b>	<b>Windows Open Services/Systems Architecture [Microsoft]</b>
<b>WP</b>	<b>WordPerfect + Word Processing + Write Protected</b>
<b>.WPD</b>	<b>Windows Printer Description (file name extension)</b>
<b>.WPG</b>	<b>WordPerfect Graphics (file name extension)</b>
<b>WPHD</b>	<b>Write-Protect Hard Disk</b>
<b>.WPK</b>	<b>Keyboard (file name extension) [WordPerfect]</b>
<b>WPM</b>	<b>Words Per Minute</b>
<b>.WPM</b>	<b>Macro (file name extension) [WordPerfect]</b>
<b>WPOS</b>	<b>Workplace Operating System</b>
<b>WPS</b>	<b>Windows Printing System [Microsoft] + Workplace Shell [OS2]</b>
<b>WPVM</b>	<b>Windows Parallel Virtual Machine</b>
<b>.WQ1</b>	<b>Spreadsheet (file name extension) [BORPQU]</b>
<b>.WQ!</b>	<b>Compressed Spreadsheet (file name extension) [BORPQU]</b>
<b>WRAM</b>	<b>Windows Random Access Memory</b>
<b>.WRI</b>	<b>Write (file name extension)</b>
<b>WRK</b>	<b>Windows Resource Kit [Microsoft]</b>
<b>WS</b>	<b>WordStar + Workstation</b>

<b>WSAPI</b>	Web Site Application Program Interface [O'Reilly]
<b>WT</b>	Write Through
<b>WWIS</b>	World Wide Information System [Internet]
<b>WWW</b>	World-Wide Web [Internet]
<b>WYSBYGI</b>	What You See Before You Get It
<b>WYSIWYG</b>	What You See Is What You Get
<b>X...</b>	
<b>XA</b>	Extended Architecture + Extended Attribute
<b>XAPIA</b>	X.400 Application Program Interface Association
<b>X2B</b>	Hexadecimal to Binary [REXX]
<b>.XBM</b>	X-Windows Bitmaps (file name extension) (black and white)
<b>.XPM</b>	X-Windows Pixelmaps (file name extension) (color)
<b>X2C</b>	Hexadecimal to Character [REXX]
<b>XCHG</b>	Exchange
<b>XCMD</b>	External Command
<b>XCOPY</b>	Extended Copy
<b>X2D</b>	Hexadecimal to Decimal [REXX]
<b>XDF</b>	Extended Density Format [IBM]
<b>XDR</b>	Extended/External Data Representation
<b>XFCN</b>	External Function
<b>XGA</b>	Extended Graphics Array [IBM]
<b>XID</b>	Exchange Identifier
<b>XIOS</b>	Extended Input/Output System
<b>.XLA</b>	Add-In (file name extension) [Microsoft-Excel]
<b>XLAT</b>	Translate
<b>.XLK</b>	Backup (file name extension) [Microsoft-Excel]
<b>XLM</b>	Excel Macro Language [Microsoft]
<b>.XLT</b>	Template (file name extension) [Microsoft-Excel]
<b>XMIT</b>	Transmit
<b>XML</b>	Extensible Markup Language
<b>XMM</b>	Extended Memory Manager [LIM/AST]
<b>XMS</b>	Extended Memory Specification [LIM/AST]
<b>XNS</b>	Xerox Network System (protocol) [Xerox]
<b>XOFF</b>	Transmitter Off
<b>XON</b>	Transmitter On
<b>XOR</b>	Exclusive OR (Also EOR)
<b>XPRM</b>	Xerox Print Resources Manager [Xerox]
<b>XRT</b>	Extensions for Real-Time
<b>XSL</b>	Extensible Style Language
<b>XSMD</b>	Extended Storage Module Drive (interface)
<b>XSSI</b>	Extended Server Side Includes
<b>XTAL</b>	Crystal
<b>XTCLK</b>	External Transmit Clock
<b>Y...</b>	



<b>YAM</b>	Yet Another Modem [Omen Technology]
<b>YAHOO</b>	Yet Another Hierarchically Official Oracle [Internet]
<b>Y2K</b>	Year 2000
<b>(Y/N)?</b>	(Asks for a YES or NO decision)
<b>YTD</b>	Year To Date
<b>Z...</b>	
<b>.z</b>	Packed file (file name extension - using Pack/Unpack program)..lower case z..[Unix]
<b>.Z</b>	Compressed file (file name extension – using Compress/Uncompress program)..upper case Z..[Unix]
<b>ZAW</b>	Zero Administration for Windows [Microsoft]
<b>ZBR</b>	Zone-Bit Recording [IBM]
<b>Z-CAV</b>	Zoned Constant Angular Velocity
<b>ZDL</b>	Zero Delay Lockout
<b>ZDS</b>	Zenith Data Systems
<b>ZIF</b>	Zero-Insertion Force (socket)
<b>ZIP</b>	Zigzag In-Line Package + Zone Improvement Plan (ZIPcode)
<b>.ZIP</b>	Compressed File (file name extension) [PKWare]
<b>.ZOO</b>	Compressed File (file name extension) [Dhesi]
<b>ZPV</b>	Zoomed Port Video [Toshiba]
<b>ZSL</b>	Zero Slot LAN
<b>~</b>	Tilde
<b>*</b>	Wildcard character (asterisk)
<b>*.*</b>	Star-Dot-Star (represents Any file name. Any file name extension)
<b>.\$\$\$</b>	Temporary File (file name extension)
<b>1GL</b>	First General Language (machine language)
<b>286</b>	80286 (microprocessor)
<b>2GL</b>	Second Generation Language (assembly language)
<b>386</b>	80386 (microprocessor)
<b>3COM</b>	3 Com Corporation (The 3 Coms are Computer, Communications and Compatibility)
<b>3GL</b>	Third Generation Language (programming language)
<b>486</b>	80486 (microprocessor)
<b>4GL</b>	Fourth Generation Language (descriptive language)
<b>6DOF</b>	Six Degrees Of Freedom
+++++	

The following examples are included to serve as a very brief introduction to what may be found when reading email and news groups and when using IRC on the Internet. In email and news, **"smiley faces"**, rather than words, are used to express the writer's feelings. Turn your head to the side to read them.

<b>:)</b>	Smile	<b>:D</b>	Laughing
<b>:]</b>	Smirk	<b>:(</b>	Frown
<b>;) </b>	Wink	<b>:X</b>	Close-mouthed
<b>8)</b>	Wide-eyed	<b>:O</b>	Open-mouthed
<b>(y)</b>	Tomb up		
<b>&lt;jk&gt;</b>	Just kidding	<b>&lt;g&gt;</b>	Grin

In email and during on-line conversations, a variety of letter groups are used to abbreviate the writer's comments, such as:

**BRB** Be right back      **IMHO** In my humble opinion

**BTW** By the way      **ROFL** Rolling on the floor laughing

**FOAF** Friend of a friend    **TIA** Thanks in advance

+++++

## **COUNTRY DOMAIN NAMES**

At the present time there are over 200 recognized Country Domain names. Two-letter abbreviations that represent the country names are used in addresses seen on the Internet. This list should be useful when checking the origin of your own mail.

**.ae** United Arab Emirates

**.ag** Antigua and Barbuda

**.al** Albania

**.am** Armenia

**.ar** Argentina

**.at** Austria

**.au** Australia

**.aw** Aruba

**.ba** Bosnia and Herzegovina

**.be** Belgium

**.bg** Bulgaria

**.bh** Bahrain

**.bm** Bermuda

**.bn** Brunei Darussalam

**.bo** Bolivia

**.br** Brazil

**.bs** Bahamas

**.bw** Botswana

**.by** Belarus

**.bz** Belize

**.ca** Canada

**.ch** Switzerland

**.ci** Cote D'Ivoire (Ivory Coast)

**.cl** Chile

**.cn** China

**.co** Colombia

**.cr** Costa Rica

**.cy** Cyprus

**.cz** Czech Republic

**.de** Germany

**.dk** Denmark

**.dm** Dominica

<b>.do</b>	<b>Dominican Republic</b>
<b>.ec</b>	<b>Ecuador</b>
<b>.ee</b>	<b>Estonia</b>
<b>.eg</b>	<b>Egypt</b>
<b>.es</b>	<b>Spain</b>
<b>.fi</b>	<b>Finland</b>
<b>.fo</b>	<b>Faroe Islands</b>
<b>.fr</b>	<b>France</b>
<b>.gb</b>	<b>Great Britian</b>
<b>.ge</b>	<b>Georgia</b>
<b>.gh</b>	<b>Ghana</b>
<b>.gl</b>	<b>Greenland</b>
<b>.gr</b>	<b>Greece</b>
<b>.gt</b>	<b>Guatemala</b>
<b>.gu</b>	<b>Guam</b>
<b>.gy</b>	<b>Guyana</b>
<b>.hk</b>	<b>Hong Kong</b>
<b>.hn</b>	<b>Honduras</b>
<b>.hr</b>	<b>Croatia</b>
<b>.hu</b>	<b>Hungary</b>
<b>.id</b>	<b>Indonesia</b>
<b>.ie</b>	<b>Ireland</b>
<b>.il</b>	<b>Israel</b>
<b>.in</b>	<b>India</b>
<b>.is</b>	<b>Iceland</b>
<b>.it</b>	<b>Italy</b>
<b>.jm</b>	<b>Jamaica</b>
<b>.jo</b>	<b>Jordan</b>
<b>.jp</b>	<b>Japan</b>
<b>.ke</b>	<b>Kenya</b>
<b>.kr</b>	<b>Korea (South)</b>
<b>.kw</b>	<b>Kuwait</b>
<b>.kz</b>	<b>Kazakhstan</b>
<b>.lb</b>	<b>Lebanon</b>
<b>.lc</b>	<b>Saint Lucia</b>
<b>.li</b>	<b>Liechtenstein</b>
<b>.lk</b>	<b>Sri Lanka</b>
<b>.lt</b>	<b>Lithuania</b>
<b>.lu</b>	<b>Luxembourg</b>
<b>.lv</b>	<b>Latvia</b>
<b>.ma</b>	<b>Morocco</b>
<b>.mc</b>	<b>Monaco</b>
<b>.md</b>	<b>Moldova</b>
<b>.mk</b>	<b>Macedonia</b>
<b>.mn</b>	<b>Mongolia</b>
<b>.mo</b>	<b>Macau</b>
<b>.mt</b>	<b>Malta</b>
<b>.mu</b>	<b>Mauritius</b>

<b>.my</b>	<b>Malaysia</b>
<b>.mx</b>	<b>Mexico</b>
<b>.ni</b>	<b>Nicaragua</b>
<b>.nl</b>	<b>Netherlands</b>
<b>.no</b>	<b>Norway</b>
<b>.np</b>	<b>Nepal</b>
<b>.nz</b>	<b>New Zealand</b>
<b>.om</b>	<b>Oman</b>
<b>.pa</b>	<b>Panama</b>
<b>.pe</b>	<b>Peru</b>
<b>.pf</b>	<b>Polynesia (French)</b>
<b>.ph</b>	<b>Phillipines</b>
<b>.pk</b>	<b>Pakistan</b>
<b>.pl</b>	<b>Poland</b>
<b>.pt</b>	<b>Portugal</b>
<b>.py</b>	<b>Paraguay</b>
<b>.qa</b>	<b>Qatar</b>
<b>.ro</b>	<b>Romania</b>
<b>.ru</b>	<b>Russian Federation</b>
<b>.se</b>	<b>Sweden</b>
<b>.sg</b>	<b>Singapore</b>
<b>.si</b>	<b>Slovenia</b>
<b>.sk</b>	<b>Slovakia (Slovak Republic)</b>
<b>.su</b>	<b>USSR (former)</b>
<b>.sv</b>	<b>El Salvador</b>
<b>.th</b>	<b>Thailand</b>
<b>.tn</b>	<b>Tunisia</b>
<b>.tr</b>	<b>Turkey</b>
<b>.tt</b>	<b>Trinidad and Tobago</b>
<b>.tw</b>	<b>Taiwan</b>
<b>.uk</b>	<b>United Kingdom</b>
<b>.us</b>	<b>United States</b>
<b>.uy</b>	<b>Uruguay</b>
<b>.uz</b>	<b>Uzbekistan</b>
<b>.ve</b>	<b>Venezuela</b>
<b>.vi</b>	<b>Virgin Islands (USA)</b>
<b>.ye</b>	<b>Yemen</b>
<b>.yu</b>	<b>Yugoslavia</b>
<b>.za</b>	<b>South Africa</b>
<b>.zm</b>	<b>Zambia</b>
<b>.zw</b>	<b>Zimbabwe</b>

